

## DAFTAR PUSTAKA

- Alomar. 2016. Leaf morphological adaptation of *Chromolaena odorata* to different altitudes in tropical regions. *Journal of Plant Ecology*. 9(5): 521-530.
- Andika, B., Halimatussakddiah., & Amna, U. 2020. Analisis Kualitatif Senyawa Metabolit Sekunder Ekstrak Daun Gulma Siam (*Chromolaena odorata* L.) di Kota Langsa, Aceh. *Quimica: Jurnal Kimia Sains dan Terapan*. 2(2): 1-6.
- Ardianingsih, D. 2015. Keanekaragaman Famili Asteraceae di Kawasan Kampus *Skripsi*. IPB Darmaga, Bogor.
- Backer, C. A. and Brink. 1963. *Flora of Java* Volume. I. N.V.P. Noordhoff Groningen the Netherlands: Wolters-Noordhoff N.V.
- Baskin, C. C., & Baskin, J. M. 2014. *Seeds: Ecology, Biogeography, and Evolution of Dormancy and Germination*. Academic Press.
- Bhuyan, M., Deb, P., & Dasgupta, D. 2019. *Chromolaena odorata*: As Nature's Wound Healer. *International Journal of Current Pharmaceutical Research*. 11(4): 63-65.
- Campbell, N. A. 2008. *Biologi Edisi Kedelapan Jilid 1*. Penerbit Erlangga, Jakarta.
- Chakraborty, S., Bhattacharya, T., Patel, T.N., dan Tiwari, K.K. 2010. Biodegradation of Phenol by Native Microorganism Isolated from Coke Processing Wastewater. *Journal of Environmental Biology*. 31(1): 293-296.
- Chakraborty, S., Bhattacharya, T., Patel, T.N., dan Tiwari, K.K. 2010. Biodegradation of Phenol by Native Microorganism Isolated from Coke Processing Wastewater. *Journal of Environmental Biology*. 31(1): 293-296.
- Chen, X.W., Liu, Y.X., Liu, H.M., Wang, H., Yang, D.L. & Huangfu, C.H. 2015. Impacts of Four Invasive Asteraceae on Soil Physico-Chemical Properties and AM Fungi Community. *American Journal of Plant Sciences*, 6, 2734-2743.
- Cheng, Jim J. I., Yuan-He Y. A. N. G., Wen-Xuan H. A. N., Yan-Fang H. E., Smith J., Smith P. 2014. Climatic and Edaphic Controls on Soil pH in Alpine Grasslands on the Tibetan Plateau, China: A Quantitative Analysis. *Pedosphere*. 4(1): 39-44.

- Dewi, V. K., Putra, N. S., Purwanto, B., Sari, S., Hartati, S., & Rizkie, L. 2019. Pengaruh Aplikasi Kompos Gulma Siam *Chromolaena odorata* terhadap Produksi Senyawa Metabolit Sekunder sebagai Ketahanan Tanaman pada Tanaman Cabai. *Soilrens*. 17(1): 16-23.
- Djumali & Mulyaningsih, S. 2014. Pengaruh Kelembaban Tanah terhadap Karakter Agronomi, Hasil Rajangan Kering dan Kadar Nikotin Tembakau (*Nicotiana tabacum* L: Solanaceae) Temanggung pada Tiga Jenis Tanah. Balai Penelitian Tanaman Pemanis dan Serat. *Berita Biologi*. Malang.
- Dwijayanti, E., & Widyastuti, S. 2017. Isolasi dan Identifikasi Senyawa Tanin pada Daun Tekelan (*Chromolaena odorata* (L) R.M. King) Asal Mamuju Secara Kromatografi Lapis Tipis 2 Dimensi. *Jurnal FARBAL*. 5(2): 56-60.
- Fachry, A. R., Sastrawan, R. A., & Svingkoe, G. 2012. Kondisi Optimal Proses Ekstraksi Tanin dari Daun Jambu Biji Menggunakan Pelarut Etanol. *Prosiding Seminar Nasional Teknologi Oleo Dan Petrokimia Indonesia (TOPI)*, 69-73. <https://repository.unsri.ac.id/16581/>
- Fandohan, A. B., Odour, A. M. O., Sode, A. I., Wu, L., Cuni-Sanchez, A., Assede, E., & Gouwakinnou, G. N. (2015). Modeling Vulnerability of Protected areas to Invasion by *Chromolaena odorata* Under Current and Future Climates. *Ecosystem Health and Sustainability*. 1(6): 1-12.
- Fitrah, M. 2016. Identifikasi Ekstrak Daun Kopasanda (*Chromolaena odorata* Linn) Terhadap Sel Antiproliferasi Tikus Leukemia L1210. *Jf Fik Uinam*. 4(3): 99-105.
- Fitrah, M., Winarno, H., dan Simanjuntak, P. 2017. Isolasi dan Identifikasi Senyawa Kimia Zat Anti Kanker dari Daun Kopasanda (*Chromolaena odorata* (L.)). *Jurnal Ilmu Kefarmasian Indonesia*. 15(1): 77-81.
- Fredian, B, Kumolo dan Sri Utami. 2011. Jenis-Jenis Tumbuhan Anggota Famili Asteraceae di Wana Wisata Nglimit Gonoharjo Kabupaten Kendal Jawa Tengah. *Bioma*. 13(1).
- Guslim. 2007. *Agroklimatologi*. USU Press, Medan.

- Hadiyanti, Nugraheni, Supriyadi dan Pardono. 2018. Keragaman Beberapa Tumbuhan Ciplukan (*Physalis* spp.) di Lereng Gunung Kelud, Jawa Timur. *Berita Biologi: Jurnal Ilmu-Ilmu Hayati*. 17(2).
- Hana M, C., Sunyoro, & Rohmat, N. 2018. Penetapan Kadar Tanin Dari Kulit Buah Pisang Raja Masak (*Musa paradisiaca* L.) Secara Spektrofotometri UV-Vis. *MOTORIK Jurnal Ilmu Kesehatan*, 13(1), 28-39. <https://doi.org/10.61902/motorik.v13i1.6>
- Harfiani, E., Y. Nugraha, C.A. Aprillia, F.A. Makkiyah, and R.Zainul. 2022. The Phytochemical and Pharmacological Activity of Extract Kirinyuh (*Chromolaena odorata* L.) leaves: A Riview. *Pharmacogn Journal*. 14(5): 580-586.
- Hazmi, Muhammad, Meni Sari & Oktarina. 2020. Identifikasi Jenis Gulma Dari Empat Lokasi Pertanaman Jagung di Kabupaten Jember. *Agritrop*. 18(1).
- Ilham I, Nuddin A, dan Malik AA, 2018. Analisis Sistem Informasi Geografis dalam Perwilayahan Komoditas Kakao (*Theobroma cacao* L.) di Kabupaten Enrekang. *Jurnal Pendidikan Teknologi Pertanian*, 3(2): 203-211.
- Istiawan, Nugraha Dewa & Dody Kastono. 2019. Pengaruh Ketinggian Tempat Tumbuh terhadap Hasil dan Kualitas Minyak Cengkih (*Syzygium aromaticum* (L.) Merr. & Perry.) di Kecamatan Samigaluh Kulon Progo. *Vegetalika*. 8(1).
- Karyati, dan Adhi, M. A. 2018. *Jenis-Jenis Tumbuhan Bawah di Hutan Pendidikan Fakultas Kehutanan Universitas Mulawarman*. Universitas Mulawarman Press, Samarinda.
- Khairunnisa. 2021. Penetapan Kadar Fenolik Dan Tanin Total Dan Analisis Aktivitas Antioksidan Pada Jamur Merang (*Volvariella volvacea* Bull.) Dengan Metode DPPH. *In Fakultas Kedokteran dan Ilmu Kesehatan*. UIN Alauddin Makassar.
- Kriticos, D. J., Yonow, T., & McFayden, R. E. 2005. The Potential Distribution of *Chromolaena odorata* (Siam Weed) in Relation to Climate. *Weed Research*. 45: 246-254.

- Lavanya, G. dan G.P. Brahma Prakash. 2011. Phytochemical Screening and Antimicrobial Activity of Compounds from Selected Medicinal and Aromatic Plants. *International Journal Science and Nature* (2): 287-291.
- Muniappan, R., G.V.P. Reddy, and Po-Yung L. 2005. Distribution and Biological Control of *Chromolaena odorata*. *Invasive Plants: Ecological and Agricultural Aspect*. pp. 223-233.
- Muniappan R. 2011. *Biology and management of Chromolaena odorata*. *Invasive Plant Science and Management*, 4(1), 1-10.
- National Geographic. 2022. Altitude: Altitude, Like Elevation, IS the Distance Above Sea Level. *National Geographic Encyclopedic Entry* (online). <https://www.nationalgeographic.org/encyclopedia/altitude/>
- Ningtyas, R. D. (2020). Pengembangan Sensor Berbasis Kertas (*Paper Microzone Plates*) Untuk Penentuan Tanin Pada Ekstrak Tanaman Obat. In *Digital Repository Universitas Jember*. Universitas Jember.
- Ngozi, I. M., Jude, I. C., and Catherine, I. C. 2009. Chemical Profile of *Chromolaena odorata* L. (King and Robinson) Leaves. *Pakistan Journal of Nutrition*. 8(5): 521-524.
- Omokhua, A. G., 2015. Phytochemical and Pharmacological Investigations of Invasive *Chromolaena odorata* (L.) RM King dan H. Rob. (Asteraceae). *Doctoral dissertation*.
- Osborn, R. et al. 2017. *Altitude-driven variations in the growth and morphology of Chromolaena odorata*. *Environmental Biology of Plants*.
- Owoyele, V.B., J.O. Adediji, dan A.O. Soladoye. 2005. Anti-inflammatory Activity of *Aqueous Leaf Extracts of Chromolaena odorata*. *Inflammopharmacol*. 13(5 – 6): 479 - 484.
- Paiman. 2020. *Gulma Tanaman Pangan*. Yogyakarta: UPY Press.
- Prawiradiputra, B. R. 2007. Kirinyuh (*Chromolaena odorata* (L)), Gulma Padang Rumput yang Merugikan. *Balai Penelitian Ternak*. 17: 46-52.
- Putra, R. D. P. 2017. Ekstraksi Kandungan Tanin Pada Daun Jambu Biji (*Psidium folium*) Dengan Metode Microwave Assited Extraction (MAE) (Universitas

- Brawijaya). In *Repository Universitas Brawijaya*.  
<https://repository.ub.ac.id/10890/>
- Pyšek, P., & Richardson, D. M. 2010. Invasive species, environmental change and management, and health. *Annual Review of Environment and Resources*, 35(1), 25-55.
- Saputra, M. F. 2018. Penentuan Kadar Saponin Total Pada Ekstral Daun Tanaman Menggunakan Metode Spektroskopi near Infrared Dan Kemometri. In *Repository Universitas Jember*. Universitas Jember.
- Setyawati, T., Narulita, S., Bahri, I. P., & Raharjo, G. T. 2015. *A Guide Book to Invasive Plant Species in Indonesia*. Bogor: Research, Development, and Innovation Agency, Ministry of Environment and Forestry
- Sirinthipaporn, A. and Jiraungkoorskul, W. 2017. Wound Healing Property Review of Siam Weed, *Chromolaena odorata*. *Pharmacogn Rev.* 11(21): 35-38. *Rev.* 11(21): 35-38. *Skripsi*. IPB Darmaga, Bogor.
- Supriyanto, R. 2011. Studi Analisis Spesiasi Ion Logam Cr (III) dan Cr (VI) Dengan Asam Tanat dari Ekstrak Gambir Menggunakan Spektrofotometri UV-Vis. *Jurnal Sains MIPA*, 17(1), 35-42.  
<https://jurnal.fmipa.unila.ac.id/sains/article/view/267/pdf>
- Syahruramadhan, M., N.A. Yanti, dan L. Darlian. 2016. Aktivitas Antijamur Ekstrak Daun Kelor (*Moringa oleifera* Lamck.) dan daun kirinyuh (*Chromolaena odorata* L.) terhadap *Candida albicans* dan *Aspergillus flavus*. *Journal Ampibi*. 1(2): 7–12.
- Thamrin, M., Asikin, S., & Willis, M. 2013. Tumbuhan Kirinyu *Chromolaena odorata* (L) (Asteraceae: Asterales) Sebagai Insektisida Nabati untuk Mengendalikan Ulat Grayak *Spodoptera litura*. *Journal Litbang Pertanian*. 32(3): 112-121.
- Thamrin, M. Asikin, 2013. *Siam Weed Chromolaena odorata (L) (Asteraceae: Asterales) as a Botanical Insecticide for Controlling Armyworm Spodoptera Litura*. Balai Penelitian Pertanian Lahan Rawa, Banjarbaru.
- Tjitrosoepomo G, 2005. *Morfologi Tumbuhan*. Cetakan 15. UGM Press, Yogyakarta.

- Upton. 2017. *Ecology of Chromolaena odorata in tropical environments*. Journal of Invasive Plant Ecology.
- Utomo, D.S., Betty, E., 7 Kristiani, E. 2020. Pengaruh Lokasi Tumbuh Terhadap Kadar Flavonoid, Fenolik, Klorofil, Karotenoid Dan Aktivitas ANtioksidan Pada Tumbuhan Pecut Kuda (*Stachytarpheta Jamaicensis*) the Effect of Growth Location on Falvonoid, Phenolic, Chlorophyll, Carotenoid and Antiox. *Bioma: Berkala Ilmiah Biologi*, 22(2), 143-149.
- Vaisakh, M. N., dan Pandey, A. 2012. The Invasive Weed With Healing Properties: A Review on *Chromolaena odorata*. *International Journal of Pharmaceutical Science and Research*. 3(1): 80-83.
- Xie, Yu, Jinbo Zhang, Lei Meng, Christoph Müller & Zucong Ca. 2015. Variations of Soil N Transformation and N<sub>2</sub>O Emissions in Tropical Secondary Forests Along an Aridity Gradient. *J. Soils Sediments*.
- Yanti, E. 2019. *Mudah Menanam Terung*. Bhuana Ilmu Populer, Jakarta.
- Yuliana, S. & Lekitoo, K. 2018. Deteksi Identifikasi Jenis Tumbuhan Asing Invasif di Taman Wisata Alam Gunung Meja Manokwari Papua Barat. *Jurnal Faloak*. 2: 89-102.
- Yuliani, Soemarno, Bagyo Y, and Amin SL, 2015. The Relationship between Habitat Altitude, Enviromental Factors and Morphological Characteristics of *Pluchea indica*, *Ageratum conyzoides* and *Elephantopus scaber*. *Online Journal of Biological Sciences, Science Publication*. 15(3): 143-151.
- Zachariades, Day CM, Muniappan R & Reddy GVP. 2009. *Chromolaena odorata* (L.) King and Robinson (Asteraceae) in Biological Control of Tropical Weeds using Arthropods. Cambridge University Press: 130 – 162.
- Zhang, W., & Zhang, W. 2021. Ecophysiological adaptations of invasive plant species to altitude variations: A review. *Journal of Plant Ecology*, 14(3), 345-359. <https://doi.org/10.1093/jpe/rtab012>