

DAFTAR PUSTAKA

- Abywijaya, I., Rindyastuti, R., Jihans, F., & Wibowo, A. (2024). Phenotypic and Estimated Genetic Variability in Endemic *Diospyros celebica* Bakh. and Widely-spread *D. blancoi* A.Dc. Cultivated at Purwodadi Botanic Garden, Indonesia. *HAYATI*, 31(4), 781-792.
- Adimaka, N., Rifki, M., Dewanti, R., & Cahyadi, M. (2019). Keragaman Genetik Puyuh Jepang (*Coturnix japonica*) Berdasarkan Analisis Sekuen DNA Mitokondria Gen *Cytochrome-b*. *Jurnal Ilmu-Ilmu Peternakan*, 29(2), 143-151.
- Aldiansyah, S., & Risna, R. (2023). Assessing Potential Habitat Suitability of Vulnerable Endemic Species: A Case Study of *Diospyros celebica* Bakh and *Rhyticeros cassidix*. *Forum Geografic*, 22(2), 159-169.
- Alina, D., & Madduppa, H. (2020). Identifikasi Ikan Lidah *Cynoglossus arel* (Bloch & Schneider, 1801) Berdasarkan Morfometrik dan DNA *Barcoding* yang Diperdagangkan di Tempat Pelelangan Ikan Muara Angke. *BAWAL*, 12(1), 31-39.
- Allison Jr, P., Pickisch, E., Barnett, Z., & Garrick, R. (2024). DNA Barcoding is Currently Unreliable for Species Identification in Most Crayfishes. *Ecology and Evolution*, 14(7), 1-14.
- Almeida, R., Cheek, M., Pellegrini, M., Morais, I., Simao-Bianchini, R., Rattanakrajang, P., & Simoes, A. (2023). Barking Up The Wrong Tree: The Importance of Morphology in Plant Molecular Phylogenetic Studies. *Plant Ecology and Evolution*, 156(2), 146-159.
- Anafarida, O., & Badruzsaufari, B. (2020). Analisis Filogenetik Mangga (*Mangifera* Spp.) Berdasarkan Gen 5, 8S Rrna. *Ziraa'ah Majalah Ilmiah Pertanian*, 45(2), 120-126.
- Aryanti, I., Bayu, E., & Kardhinata, E. (2015). Identifikasi Karakteristik Morfologis dan Hubungan Kekerbatan pada Tanaman Jahe (*Zingiber officinale* Rosc.) di Desa Solok Saribu Kabupaten Simalungun. *Jurnal Online Agroekoteaknologi*, 3(3), 963-975.
- Ash, A., Hickey, L., Wilf, P., Ellis, B., Johnson, K., & Wing, S. (1999). *Manual of Leaf Architecture*. Washington DC: Smithsonian Institution.
- Asih, N., Purnomo, & Daryono, B. (2023). Genetic Diversity and Phylogeny of *Alocasia longiloba* Miq. Indonesia Accessions Based on *trnL-F* Intergenic Spacer Region. *Jurnal Sains dan Teknologi*, 12(2), 485-493.
- Bolson, M., Smidt, E., Brotto, M., & Silva-Pereira, V. (2015). ITS and *trnH-psbA* as Efficient DNA Barcodes to Identify Threatened Commercial Woody Angiosperms from Southern Brazilian Atlantic Rainforests. *PLOS ONE*, 10(12), 1-18.

- Boratyn, G., Camacho, C., Cooper, P., Coulouris, G., Fong, A., Ma, N., . . . Zaretskaya, I. (2013). BLAST: A More Efficient Report with Usability Improvements. *Nucleic Acid Research*, *41*, W29-W33.
- Borges, L., Hollatz, C., Lobo, J., Cunha, A., Vilela, A., Calado, G., . . . Costa, F. (2015). With A Little Help from DNA Barcoding: Investigating the Diversity of Gastropoda from the Portuguese Coast. *Scientific Reports*, *6*, 1-11.
- Brink, B. (1933). Enumeration of Malayan Ebenaceae (With Brief Description of New and Noteworthy Species). *The Gardens' bulletin: straits settlements*, *7*(1), 161-189.
- British Columbia Ministry of Forest. (1996). *Techniques and Procedures for Collecting, Preserving, Processing, and Storing Botanical Specimens*. Province of British Columbia: Ministry of Forest Research Program.
- Chen, C., Huang, Y., Kuo, L., Nguyen, Q., Luu, H., Callado J. R., . . . Chiou, W. (2013). *trnL-F* is A Powerful Marker for DNA Identification of Field Vittarioid Gamtephytes (Pteridaceae). *Annals of Botany*, *111*, 663-673.
- Cheng, T., Xu, C., Lei, L., Li, C., Zhang, Y., & Zhou, S. (2016). Barcoding the Kingdom Plantae: New PCR Primers for *ITS* Regions of Plants with improved Universality and Specificity. *Molecular Ecology Resources*, *16*, 138-149.
- Choudhuri, S. (2014). Chapter-2 Fundamentals of Molecular Evolution. In S. Choudhuri, *Bioinformatics for Beginners* (pp. 27-53). Oxford: Academic Press.
- Dailami, M., Artika, I., Kusriani, M., & Safari, D. (2016). Phylogenetic Analysis of *Cytochrome Oxidase I* from Buduk Toads *Duttaphrynus melanostictus* and *Phrynomantis asper* from Bogor. *Current Biochemistry*, *3*(2), 54-65.
- Dipha, R., Khadijah, S., Nugroho, R., Lestari, K., & Utami, M. (2023). Analisis Sebaran Hasil Hutan Jenis Kayu Bulat di Indonesia Menggunakan Analisis Korespondensi. *Wahana Forestra*, *18*(2), 51-61.
- DNeasy Plant Handbook*. (2016). Tokyo: Qiagen Group.
- Duangjai, S., Samuel, R., Munzinger, J., Forest, F., Wallnofer, B., Barfuss, M., . . . Chase, M. (2009). A Multi-locus Plastid Phylogenetic Analysis of the Pantropical Genus *Diospyros* (Ebenaceae), with an Emphasis on the Radiation and Biogeographic Origins of the New Caledonian Endemic Species. *Molecular Phylogenetics and Evolution*, *52*, 602-620.
- Dzikrina, H., Hidayat, T., & Sriyati, S. (2023). Pengembangan Primer Diagnostik Menggunakan Penanda *matK* secara In Silico untuk Mendeteksi Kelangkaan Jenis Tumbuhan di Indonesia. *Al-Kauniyah: Jurnal Biologi*, *16*(2.1), 110-121.

- Ellis, B., Daly, D., Hickey, L., Johnson, K., Mitchell, J., Wilf, P., & Wing, S. (2009). *Manual of Leaf Architecture*. United States of America: Cornell University Press.
- Garibyan, L., & Avashia, N. (2013). Research Technique Made Simple: Polymerase Chain Reaction (PCR). *J Invest Dermatol*, 133(3), 1-4.
- Gou, H., Xue, H., Yin, H., Luo, J., & Sun, X. (2018). Molecular Characterization of Hard Ticks by *Cytochrome C Oxidase*. *The Korean Journal of Parasitology*, 56(6), 583-588.
- Haekal, M., Hamidy, A., Yudha, D., & Eprilurahman, R. (2020). Sistematika Kongkang Jeram *Huia masonii* (Boulenger, 1884) Berdasarkan karakter Morfologi. *Bioma*, 22(2), 161-169.
- Hall, B. (2013). Building Phylogenetic Trees from Molecular Data with MEGA. *Molecular Biology and Evolution*, 30(5), 1229-1235.
- Hariri, M., Irsyam, A., Setiawan, A., Setiawan, E., Irwanto, R., & Atria, M. (2021). Identifikasi Molekuler dan Karakterisasi Morfologi Kamandin Saebo, Tumbuhan Obat dari Pulau Madura. *Biotika*, 19(2), 41-48.
- Harris, J., & Harris, M. (2001). *Plant Identification Terminology An Illustrated Glossary*. United States of America: Spring Lake Publishing.
- Herman, Al-Khairi, H., Wansyah, A., Asmania, Utami, R., Anzaelina, D., . . . Roslim, D. (2023). The Ability of *matK* and *trnL-trnL-trnF* Intergenic Spacer to Discern Certain Species Accessions of the Families Solanaceae and Fabaceae. *Sabrao Journal of Breeding and Genetics*, 55(1), 97-106.
- Herman, Nainggolan, M., & Roslim, D. (2018). Optimasi Suhu Annealing untuk Empat Primer RAPD pada Kacang Hijau (*Vigna radiata* L.). *Jurnal Dinamika Pertanian*, 30(4), 41-46.
- Ho, V., Tran, T., Vu, T., & Widiarsih, S. (2021). Comparison of *matK* and *rbcL* DNA Barcodes for Genetic Classification of Jewel Orchid Accessions in Vietnam. *J Genet Eng Biotechnol*, 19(93), 1-8.
- Ioannidis, J. (2018). The Proposal to Lower P Value Thresholds to .005. *JAMA*, 319(14), 1429-1430.
- Irawan, P., Tallei, T., & Kolondam, B. (2016). Analisis Sekuens dan Filogenetik Beberapa Tumbuhan *Syzygium* (Myrtaceae) di Sulawesi Utara Berdasarkan Gen *matK*. *Jurnal Ilmiah Sains*, 16(2), 43-51.
- Jolliffe, I. (2002). *Principal Component Analysis 2nd Ed*. New York: Springer.
- Julianti, E., Pinaria, A., Lengkong, E., & Kolondam, B. (2015). DNA Barcoding Tanaman Daluga (*Cyrtosperma* spp) dari Kepulauan Sangihe Berdasarkan Gen *matK*. *Jurnal Bioslogos*, 5(2), 46-54.
- Kang, Y., Deng, Z., Zang, R., & Long, W. (2017). DNA Barcoding Analysis and Phylogenetic Relationships of Tree Species in Tropical Cloud Forests. *Scientific Reports*, 7(12564), 1-9.

- Kovach, W. L. (2007). *A MultiVariate Statistical Package for Windows, ver. 3.1*. Pentraeth, Wales, U.K.: Kovach Computing Services.
- Larekeng, S., Syam, Z., Musriati, Paelongan, R., Arif, A., Restu, M., & Iswanto. (2021). Informasi Genetik Bitti (*Vitex cofassus*) in Areal Sumber Daya Genetik (ASDG) BPTH Wilayah Sulawesi. *Jurnal Galung Tropika*, 10(3), 304-312.
- Latif, A., & Osman, G. (2017). Comparison of Three Genomic DNA Extraction Methods to Obtain High DNA Quality from Maize. *Plant Methods*, 13(1), 1-9.
- Lestari, D., Azrianingsih, R., & Hendrian. (2018). Filogenetik Jenis-Jenis Annonaceae dari Jawa Timur Koleksi Kebun Raya Purwodadi Berdasarkan Coding dan Non-coding Sekuen DNA. *Journal of Tropical Biodiversity and Biotechnology*, 3, 1-7.
- Lestari, D., Fiqa, A., & Abywijaya, I. (2021). Leaf Morphological Traits of *Orophea* spp. (Annonaceae): Living Collections of Purwodadi Botanic Gardens, East Java, Indonesia. *BIODIVERSITAS*, 22(6), 3403-3411.
- Letsiou, S., Madesis, P., Vasdekis, E., Montemurro, C., Grigoriou, M., Skavdis, G., . . . Tzakos, A. (2024). DNA Barcoding as A Plant Identification Method. *Applied Sciences*, 14(1415), 1-12.
- Li, W., Liu, Y., Yang, Y., Xie, X., Lu, Y., Yang, Z., . . . Suo, Z. (2018). Interspecific Chloroplast Genome Sequence Diversity and Genomic Resources in *Diospyros*. *BMC Plant Biology*, 18(210), 1-11.
- Liunokas, A., & Billik, A. (2021). Pengembangan Buku Ajar Karakteristik Morfologi Tumbuhan untuk Meningkatkan Kemampuan Mahasiswa dalam Mengidentifikasi Jenis Tumbuhan. *Jurnal Basicedu*, 5(6), 5877-5884.
- Liunokas, A., & Billik, A. (2022). Development of Plants Morphology Characteristics Textbook to Improve Students Ability in Identifying Plants. *Jurnal Pendidikan Biologi*, 7(1), 11-19.
- Loera-Sanchez, M., Studer, B., & Kolliker, R. (2020). DNA Barcode *trnH-psbA* is A Promising Candidate for Efficient Identification of Forage Legumes and Grasses. *BMC Research Notes*, 13(35), 1-6.
- Meilina, T., Chika, S., Hariri, M., Febriana, A., & Mukaromah, A. (2024). *psbA-trnH* Intergenic Spacer Profile of Wax Apple (*Syzygium samarangense* (Blume) Merr. & L.M. Perry) Cultivars. *Jurnal Ilmu Pertanian Indonesia (JIPI)*, 29(4), 548-553.
- Monalisa, E., Mantiri, F., & Lengkong, H. (2019). Kajian Variasi Sekuens Interspesies dan Filogeni Kelelawar *Pteropus* sp. Menggunakan Gen COI. *Jurnal MIPA Unsrat Online*, 8(2), 71-77.
- Mursyidin, D., Ahyar, G., Saputra, A., & Hidayat, A. (2021). Genetic Diversity and Relationship of Phalaenopsis Based on the *rbcL* and *trnL-F* Markers: In

- Silico Approach. *Biosaintifika: Journal of Biology & Biology Education*, 13(2), 212-221.
- Musawwa, A., Fadhillah, F., Sulistiono, Primandiri, P., Rahmawati, I., & Santoso, A. (2022). Karakteristik Morfologi Tanaman Kepuh (*Sterculia foetida* L.) di Kabupaten Kediri. *Seminar Nasional Sains, Kesehatan, dan Pembelajaran* (pp. 561-568). Kediri: Universitas Nusantara PGRI.
- Newell, P., Fricker, A., Roco, C., Chandrangsu, P., & Merkel, S. (2013). A Small-Group Activity Introducing the Use and Interpretation of BLAST. *Journal of Microbiology & Biology Education*, 14(2), 238-243.
- Nugrahani, A., Maulida, M., & Khumaidi, A. (2020). Aktivitas Antibakteri Fraksi Serbuk Kayu Eboni (*Diospyros celebica* Bakh.) terhadap *Escherichia coli* dan *Staphylococcus aureus*. *Jurnal Sains Farmasi & Klinis*, 7(3), 194-201.
- Nurzaman, M., Setiawati, T., Hasan, R., Qotrunnada, N., Kusmoro, J., Permadi, N., & Julaha, E. (2024). The Phenetic Relationship of Citrus Plants Based on the Morphological and Anatomical Characteristics. *Biodiversitas*, 25(3), 1201-1213.
- Octavia, D., Mukaromah, A., Martiansyah, I., Mimin, Ma'mun, S., & Rukmanto, H. (2021). Isolasi DNA Tumbuhan Hasil Eksplorasi di Nusakambangan dengan Metode Kit di Laboratorium Treub, Kebun Raya Bogor. *Prosiding Biologi Achieving the Sustainable Development Goals with Biodiversity in Confronting Climate Change* (pp. 291-299). Gowa: UIN Alauddin.
- Pearson, W. (2013). An Introduction to Sequence Similarity ("Homology") Searching. *Curr Protoc Bioinformatics*, 3(1), 1-9.
- Pei, N., Erickson, D., Chen, B., Ge, X., Mi, X., Swenson, N., . . . Kress, W. (2015). Closely-Related Taxa Influence Woody Species Discrimination via DNA Barcoding: Evidence from Global Forest Dynamics Plot. *Scientific Reports*, 5(15127), 1-9.
- Pertsemlidis, A., & Fondon, J. (2001). Having A BLAST with Bioinformatics (and Avoiding BLASTphemy). *Genome Biology*, 2(10), 1-10.
- Pino-Bodas, R., Martin, M., Burgaz, A., & Lumbsch, H. (2013). Species Delimitation in *Cladonia* (Ascomycota): A Challenge to the DNA Barcoding Philosophy. *Molecular Ecology Resource*, 13(6), 1058-1068.
- Prasetya, E., Lazuardi, Harahap, F., Rachmawati, Y., Yusuf, Y., Idrus, S., & Prastowo, P. (2023). Region of Nuclear Ribosomal DNA (*ITS2*) and Chloroplast DNA (*rbcL* and *trnL-F*) as A Suitable DNA Barcode for Identification of *Zingiber loerzingii* Valetton from North Sumatera, Indonesia. *Journal of Tropical Biodiversity and Biotechnology*, 8(3), 1-12.
- Puillandre, N., Brouillet, S., & Achaz, G. (2020). ASAP: Assemble Species by Automatic Partitioning. *Molecular Ecology Resources*, 21(2), 609-620.
- Radford, A. (1986). *Fundamentals of Plant Systematics*. New York: Harper & Row.

- Rangkuti, A., Mawarni, A., & Rangkuti, R. (2022). Phylogenetic Reconstruction of Tree Species on the University of North Sumatra Campus, Based on the *rbcL* Gene. *IOP Conference Series: Earth and Environmental Science* (pp. 1-6). Sumatera Utara: IOP Publishing.
- Ren, J., Ren, L., & Zhang, R. (2024). Delimiting Species, Revealing Cryptic Diversity, and Population Divergence in Qinghai-Tibet Plateau Weevils Through DNA Barcoding. *Ecology and Evolution*, *14*(7), 1-12.
- Restu, M., Jufri, S., Mukrimin, M., Shicilia, S., Lamanda, S., & Prayudyarningsih, R. (2023). Characterization of Rhizosphere Fungi of the Ebony Plant (*Diospyros celebica* Bakh.) Which Has The Potential to Produce Indole-3-Acetic Acid and Gibberelic Acid Phytohormones. *IOP Conference Series: Earth and Environmental Science* (pp. 1-11). Makassar: IOP Publishing.
- Rindyastuti, R., Hapsari, L., & Wibowo, A. (2021). Analysis of Morphological Characteristics and Phenetic Relationship of Ebony (*Diospyros* spp.) in Indonesia. *BIODIVERSITAS*, *22*(7), 2739-2754.
- Riswan, S. (2002). Kajian Biologi Eboni (*Diospyros celebica* Bakh.). *Berita Biologi*, *6*(2), 211-218.
- Saleha, S., & Ngakan, P. (2016). Sebaran dan Struktur Populasi Anakan *Diospyros celebica* Bakh. di Bawah Pohon Induknya. *Jurnal Penelitian Kehutanan Wallacea*, *5*(2), 103-111.
- Semagn, K. (2014). Chapter 3: Leaf Tissue Sampling and DNA Extraction Protocols. In J. Walker, *Molecular Plant Taxonomy Methods and Protocols* (pp. 53-68). New York: Springer.
- Sharma, T., & Thakar, M. (2024). Development of A Standardized Methodology for Selecting Candidates DNA Barcodes of *Trillium govanianum* to Combat Biodiversity Crime and Environmental Exploitation. *Forensic Science Internaional: Animals and Environments*, *5*, 100078.
- Sikora, J., & Celinski, K. (2024). Exploring Taxonomic and Genetic Relationships in the *Pinus mugo* Complex Using Genome Skimming Data. *International Journal of Molecular Sciences*, *25*(18), 1-18.
- Singh, G. (2010). *Plant Systematics An Integrated Approach*. India: Science Publishers.
- Siripiyasing, P., Kaenratana, K., Mookkamul, P., Tanee, T., Sudmoon, R., & Chaveerach, A. (2012). DNA Barcoding of the *Cymbidium* Species (Orchidaceae) in Thailand. *African Journal of Agricultural Research*, *7*(3), 393-404.
- Sneath, P., & Sokal, R. (1973). *Numerical Taxonomy*. San Francisco: W. H. Freeman and Co.
- Soltis, P., & Soltis, D. (2003). Applying the Bootstrap in Phylogeny Reconstruction. *Statistical Science*, *18*(2), 256-267.

- Stuessy, T. (2009). *Plant Taxonomy: The Systematic Evaluation of Comparative Data Second Edition*. New York: Columbia University Press.
- Sugiyarto, Wahyudiningsih, T., Darmawan, E., & Hidayah, L. (2023). Morphological Characteristics and Similarity Analysis of Cassava (*Manihot esculenta* Crantz) in Wonosobo, Temanggung, and Magelang Regencies. *Jurnal Biodjati*, 8(2), 273-284.
- Suhartati, & Alfaizin, D. (2019). Ebony (*Diospyros celebica* Bakh.) Cultivation: A Short Review. *IOP Conf. Series: Earth and Environmental Sciences*, 533, 1-8.
- Sukmawati, T., & Nuraini. (2020). Hubungan Kekerabatan Intraspesies Tanaman Puring (*Codiaeum variegatum* L.) di Kecamatan Parigi Selatan Berdasarkan Analisis Fenetik. *Jurnal Bio-Edu*, 5(3), 161-172.
- Sumarlina, & Napitupulu, T. (2023). Evaluasi Aplikasi DNA Barcode Locus *psbA-trnH* pada Genus *Momordica*. *Jurnal Biotek*, 11(2), 182-195.
- Sun, Y., & Hong, S. (2012). Phylogenetic Relationship and Evolution Analysis of the Peony *Paeonia* Species Using Multi-Locus Deoxyribonucleic Acid (DNA) Barcodes. *Journal of Medicinal Plants Research*, 6(37), 5048-5058.
- Sunaryo, W. (2015). Review: Aplikasi DNA Barcoding untuk Analisis Keragaman Genetik Lai-Durian (*Durio zibethinus x kutejensis*) Asal Kalimantan Timur. *Pros Sem Nas Masy Biodiv Indon*, 1(6), 1273-1277.
- Susilawati, Y., & Muhamad, K. (2018). Keterampilan Mahasiswa dalam Mengidentifikasi Tumbuhan di Lingkungan Universitas Majalengka sebagai Kompetensi Mata Kuliah Morfologi Tumbuhan. *Jurnal Bioedusiana*, 3(1), 29-37.
- Tamura, K., Stecher, G., & Kumar, S. (2021). MEGA11: Molecular Evolutionary Genetics Analysis Version 11. *Molecular Biology and Evolution*, 38(7), 3022-3027.
- Ullah, F., Ahmad, M., Zafar, M., Jabeen, A., Sultana, S., Ghani, A., . . . Alam, F. (2019). Macromorphological and Micromorphological Seed Features of Selected Taxa of Caesalpiniaceae Using Light and Scanning Electron Microscopy. *Wiley Microscopy Research & Technique*, 82(7), 1073-1082.
- Usmanti, E., Kurniawan, F., Meidianing, M., Basri, A., & Semiarti, E. (2022). Biodiversitas dan Kekerabatan Fenetik Spesies Anggrek Alam di Kawasan Ekowisata Ayunan Langit, Kulonprogo. *Al-Kauniyah*, 15(2), 277-289.
- Wahyuningsih, Muslimin, & Yusran. (2017). Variasi Fenotip dan Genotip Eboni (*Diospyros celebica* Bakh) pada Hutan Alam dan Hutan Tanaman di Sulawesi Tengah dan Sulawesi Barat. *Jurnal ForestSains*, 15(1), 7-13.
- Wanda, I., Djuita, N., & Chikmawati, T. (2021). Molecular Phylogenetics of Malesian *Diospyros* (Ebenaceae) Based *trnL-F* Spacer Sequences. *Biodiversitas*, 22(9), 4106-4114.

- Wiradateti, & Semiadi, G. (2017). Variasi Genetik Trenggiling Sitaan di Sumatra, Jawa, dan Kalimantan Berdasarkan Control Region DNA Mitokondria. *Jurnal Veteriner*, 18(2), 181-191.
- Wulandari, A. A. (2023). Biosistematika *Diospyros* spp. (Family Ebenaceae) Region Sulawesi Berdasarkan Bukti Morfologis dan Penanda Molekular. *Skripsi*. Departemen Biologi Universitas Diponegoro, Semarang.
- Wulandari, A. A., Khotimperwati, L., & Wanda, I. (2024). Morphological Variation of *Diospyros* spp. Native to Sulawesi Based on Vegetative Organ Characters. *Journal of Tropical Biodiversity and Biotechnology*, 9(2), 1-15.
- Yigit, N. (2016). Micromorphological Studies on Plants and Their Importance. In R. Efe, L. Matchavariani, A. Yaldir, & L. Levai, *Developments in Science and Engineering* (pp. 113-124). Bulgaria: St. Kliment Ohridski University Press.
- Yusniar, Restu, M., Iswanto, & Larekeng, S. (2021). Comparison of the Effectiveness of *rbcL* and *matK* in Amplifying the Genome of *Diospyros*. *International Journal of Modern Agriculture*, 10(3), 49-56.
- Zahro, L. (2023). Identifikasi *Diospyros* sp. (Ebenaceae) Asal Sumatra Koleksi Kebun Raya Bogor Berdasarkan Karakter Morfologi dan Molekuler. *Skripsi*. UIN Walisongo, Semarang.
- Zhu, S., Liu, Q., Qiu, S., Dai, J., & Gao, X. (2022). DNA Barcoding: An Efficient Technology to Authenticate Plant Species of Traditional Chinese Medicine and Recent Advances. *Chinese Medicine*, 17(112), 1-17.
- Zou, Y., Zhang, Y., Hu, H., Hao, Y., Huang, S., & Li, B. (2024). Common Methods for Phylogenetic Tree Construction and Their Implementation in R. *Bioengineering*, 11(480), 1-22.