

## DAFTAR PUSTAKA

- Akbar, N., Aris, M., Irfan, M., Tahir, I., & Baksir, A. (2018). Kajian Filogenetik Ikan Tuna (*Thunnus* spp) Sebagai Data Pengelolaan di Perairan Sekitar Kepulauan Maluku, Indonesia. *Jurnal Kelautan: Indonesian. Journal of Marine Science and Technology*, 11(2): 120. <https://doi.org/10.21107/jk.v11i2.3459>
- Arrisujaya, D., Susanty, D., & Hastuti, L. T. (2020). The Effect of Three Variants of Extracting Solvents on the Total Phenolic Content and Antioxidant Activity of *Diospyros blancoi* Seeds. *International Journal of Fruit Science*, 20(sup3), S1192–S1200. <https://doi.org/10.1080/15538362.2020.1782803>
- Astarini, I. A., Ardiana, S. A., Putra, I. N. G., Pertiwi, P. D., Sembiring, A., Yusmalinda, A., & Al Malik, D. (2021). Genetic Diversity and Phylogenetic of Longtail Tuna (*Thunnus tonggol*) Landed in Pabean Fish Market, Surabaya. *Musamus Fisheries and Marine Journal*, 3(2), 107–115. <https://doi.org/10.35724/mfmj.v3i2.3375>
- Bag, D., Khilari, K., kumar Yadav, A., Singh, A., & Singh, P.D. (2022). Morphological and Molecular Characterization of *Fusarium* sp. causing Bakanae disease of Rice (*Oryza sativa*) in Western Uttar Pradesh, India. *The Indian Journal of Agricultural Sciences*, 92(5): 582-586.
- Bhagawati, Dian and Anggoro, Sutrisno and Zainuri, Muhammad and Sya'rani, Lachmudin (2016). Kontribusi Taksonomi dalam Pendayagunaan Spesies: Kajian Atribut Morfologi dan Kunci Dikotomi Kepiting Yutuk (Crustacea:Hippoidea) dari Pesisir Cilacap. In: *Prosiding Seminar Nasional Tahunan Ke V 2015 Hasil Penelitian Perikanan dan Kelautan*. Fakultas Perikanan dan Ilmu Kelautan UNDIP, pp. 550-564.
- Buih, P. T. J., & Susandarini, R. (2023). Karakterisasi Morfologi Citrus jambhiri Lush. dan Hubungan Kekerabatannya dengan *Citrus amblycarpa* (Hassk.) Ochse. *Al-Kauniah: Jurnal Biologi*, 16(2), 255–268. <https://doi.org/10.15408/kauniah.v16i2.22920>
- Changbunjong, T., Weluwanarak, T., Laojun, S., Duvallet, G., & Chaiphongpachara, T. (2024). Genetic and morphometric differentiation between two morphs of *Haematobosca sanguinolenta* (Diptera: Muscidae) from Thailand. *Current Research in Parasitology and Vector-Borne Diseases*, 6. <https://doi.org/10.1016/j.crpvbd.2024.100186>

- Danong, M. T., Maria, T. L. R., Kristina, M. N., Rony, S. M., Theresia, L. B., & Emilia, E. (2023). Hubungan Kekerabatan Fenetik Jenis-Jenis Tumbuhan Genus *Euphorbia* (Euphorbiaceae) Berdasarkan Ciri Morfologi. *Jurnal Sistematika Tumbuhan*, 7(2): 37-50.
- Deswina, P. ., Az Zahra, N. D. A., & Hesthiati, E. H. (2019). Morphological Characteristic of Apple Velvet (*Diospyros blancoi*) at Germplasm Garden of LIPI Cibinong Collection. *Jurnal Online Pertanian Tropik*, 6(3): 348-362. <https://doi.org/10.32734/jpt.v6i3.3165>
- Djauhariya, E., Rahardjo, M., Ma'mun, D., Penelitian, B., Obat, T., & Aromatik, D. (2006). Karakterisasi Morfologi dan Mutu Buah Mengkudu. In *Buletin Plasma Nutfah* (Vol. 12).
- Ekselsa, R. A., Bambang, S., & Sri, A. (2020). Rekonstruksi dan Pengembangan Lembar Kerja Siswa pada Materi Plantae Submateri Spermatophyta dengan Pendekatan Keterampilan Proses. *Jurnal Ilmiah Pendidikan Biologi*, 6(4): 507-518. <https://doi.org/10.22437/bio.v6i4.9505>
- Fakir, MSA., M M Rahman., M M Hasan., S Moonmoon., & M M Rahman. (2018). Flower Morphology and Fruit Maturity Of Four Minor Fruits (*Diospyros peregrina*, *D. discolor*, *Muntingia calabura* and *Careya arborea*) of Tropics and subtropics, *International Journal of Minor Fruits, Medicinal and Aromatic Plants*, 4(2): 18 – 27.
- Guo, H. Y., Wang, W. W., Yang, N., Guo, B. L., Zhang, S., Yang, R. J., Yuan, Y., Yu, J. L., Hu, S. N., Sun, Q. S., & Yu, J. (2010). DNA barcoding provides distinction between Radix Astragali and its adulterants. *Science China Life Sciences*, 53(8), 992–999. <https://doi.org/10.1007/s11427-010-4044-y>
- Haque, Md, R., Hossain, Md, M., & Rahim, Md, A. (2020). Morpho-Biochemical Evaluation of Eight Velvet Apple (*Diospyros discolor* Willd.) germplasms, *International Journal of Minor Fruits, Medicinal and Aromatic Plants*, 6(2): 45 – 55.
- HerdianaL., KamalM. M., ButetN. A., & AffandiR. (2018). Keragaman Morfometrik dan Genetik Gen COI Belut Sawah (*Monopterus albus*) Asal Empat Populasi di Jawa Barat. *Jurnal Ilmu Pertanian Indonesia*, 22(3), 180-190. <https://doi.org/10.18343/jipi.22.3.180>

- Hilu, K. W., & Liang, H. (1997). The matK gene sequence variation and application in plant systematics. *American Journal of Botany*, 84(6), 830–839. <https://doi.org/10.2307/2445819>
- Hollingsworth Peter M., Li De-Zhu, van der Bank Michelle and Twyford Alex D. (2016). Telling Plant Species Apart with DNA: From Barcodes to Genomes. *Phil. Trans. R. Soc*, 371(1702): 1-9. <https://doi.org/10.1098/rstb.2015.0338>
- Hung, S. F., Chen, I. Z. & Roan, S. F. 2015. Preliminary Results of Fruit Selection and Induced Parthenocarpy of Mabolo (*Diospyros blancoi* A. DC.). *Genet Resour Crop Evol*, 62: 1127–1134. <https://doi.org/10.1007/s10722-015-0316-5>
- Joy Santor, P. R., Anton Ordas, J. D., Edneil Olivar, J. C., Bangcaya, P. S., Nonato, M. G., & Jonathan Alejandro, G. D. (2021). DNA Barcoding of Six Ethnomedicinal and Economically Important Pandanus Parkinson (Pandanaceae) in the Philippines. In *Philippine Journal of Science* (Vol. 150, Issue 5). <https://science.mnhn.fr>
- Trimanto., Dyah, A. P., & Destario, M. (2020). Karakterisasi Morfologi dan Fenologi Pembungaan Dua Aksesori *Kopsia pauciflora* Hook.f. Bunga Putih dan Merah Muda di Kebun Raya Purwodadi, Jawa Timur L., & Surabaya-Malang, J. R. *Bul. Plasma Nutfah*, 26(2): 77-88.
- Khan, M. A., Md. Mahbubur Rahman., Md. Nazmul Sardar., Md. Saiful Islam Arman., Md. Badrul Islam., Md. Jahangir Alam Khandakar., Mamunur Rashid., Golam Sadik., & AHM Khurshid Alam. (2016). Comparative Investigation of the Free Radical Scavenging Potential and Anticancer Property of *Diospyros blancoi* (Ebenaceae). *Asian Pacific Journal of Tropical Biomedicine*, 6(5): 410-417. <https://doi.org/10.1016/j.apjtb.2016.03.004>
- Kimura, M. (1980). Journal of Molecular Evolution A Simple Method for Estimating Evolutionary Rates of Base Substitutions Through Comparative Studies of Nucleotide Sequences. In *J. Mol. Evol* (Vol. 16).
- Korpelainen, H., & Pietiläinen, M. (2019). The effects of sample age and taxonomic origin on the success rate of DNA barcoding when using herbarium material. *Plant Systematics and Evolution*, 305(4), 319–324. <https://doi.org/10.1007/s00606-019-01568-4>

- Kress, W. J. (2017). Plant DNA Barcodes: Applications Today and in the Future. *Journal of Systematics and Evolution*, 55(4): 291-307. <https://doi.org/10.1111/jse.12254>
- Kress, W. J., Carlos, G. R., Maria, U., & David, L. E. (2015). DNA Barcodes for Ecology, Evolution, and Conservation. *Trends in Ecology & Evolution*, 30(1): 25-35. <https://doi.org/10.1016/j.tree.2014.10.008>
- Levin, D. A. (2019). Plant speciation in the age of climate change. In *Annals of Botany* (Vol. 124, Issue 5, pp. 769–775). Oxford University Press. <https://doi.org/10.1093/aob/mcz108>
- Li, S., Li, J., Yang, X.L., Cheng, Z., Zhang, W. (2011). Genetic Diversity and Differentiation of Cultivated Ginseng (*Panax ginseng* C. A. Meyer) Populations in North-east China Revealed by Inter-Simple Sequence Repeat (ISSR) Markers. *Genet Resour Crop Evol*, 58: 815–824. <https://doi.org/10.1007/s10722-010-9618-9>
- Liu, J., Jiang, J., Song, S., Tornabene, L., Chabarria, R., Naylor, G. J. P., & Li, C. (2017). Multilocus DNA barcoding - Species Identification with Multilocus Data. *Scientific Reports*, 7(1). <https://doi.org/10.1038/s41598-017-16920-2>
- Ma, Y., Zhang, J., & Liu, J. (n.d.). (2017). *TrnH-psbA* sequence analyses of *asparagus cochinchinensis* from different geographical origin in China.
- Martiansyah, I. (2021). Mini Review: Pendekatan Molekuler DNA Barcoding: Studi Kasus Identifikasi dan Analisis Filogenetik *Syzygium* (Myrtaceae). Prosiding Biologi Achieving the Sustainable Development Goals with Biodiversity in Confronting Climate Change. 7(1): 187-195. <https://doi.org/10.24252/psb.v7i1.23712>
- Nidyasari, R. S., Hilda, A., & Nunik, S. A. (2018). Karakterisasi Morfologi dan Anatomi Tanaman Manggis dan Kerabatnya (*Garcinia* spp.) di Taman Buah Mekarsari. *Jurnal Sumber Daya Hayati*, 4(1): 12-20. <https://doi.org/10.29244/jsdh.4.1.12-20>
- Patten, M. A. (2015). Subspecies and the philosophy of science. *Source: The Auk*, 132(2), 481–485. <https://doi.org/10.2307/90009051>
- Polihito, R.A., Masra, L., & Novri, Y. K. (2022). Hubungan Kekerbatan Fenetik Lima Anggota Familia Araceae. *BIOSFER: Jurnal Biologi dan Pendidikan Biologi*, 7(2): 128-133. <https://doi.org/10.23969/biosfer.v7i2.6120>

- Princepe, D., Czarnobai, S., Caetano, R. A., Marquitti, F. M. D., de Aguiar, M. A. M., & Araujo, S. B. L. (2023). *Intermittent migration can induce pulses of speciation in a two-island system*. <https://doi.org/10.1093/evolut/qpad210>
- Puglisi, C., T. Jimbo., & A. Hagwood. (2022). Two New Species of *Diospyros* from New Guinea. *Edinburgh Journal of Botany*: 79(1879): 1-10. <https://doi.org/10.24823/EJB.2022.1879>
- Puillandre, N., Brouillet, S., & Achaz, G. (2021). ASAP: Assemble Species by Automatic Partitioning. *Molecular Ecology Resources*, 21(1): 609-620. <https://doi.org/10.1111/1755-0998.13281>
- Radford, A. E. (1986). *Fundamentals of plant systematics*. New York: Harper & Row.
- Rauf, A., Uddin, G., Patel, S., Khan, A., Halim, S. A., Bawazeer, S., Ahmad, K., Muhammad, N., & Mubarak, M. S. (2017). *Diospyros*, an Under-Utilized, Multi-Purpose Plant Genus: A review. *Biomedicine & pharmacotherapy = Biomedecine & pharmacotherapie*, 91: 714–730. <https://doi.org/10.1016/j.biopha.2017.05.012>
- Ridgway, H. J., Amponsah, N. T., Brown, D. S., Baskarathevan, J., Jones, E. E., & Jaspers, M. V. (2011). Detection of Botryosphaeriaceous Species in Environmental Samples Using a Multi-Species Primer Pair. *Plant Pathology*, 60: 1118 – 1127. <https://doi.org/10.1111/j.1365-3059.2011.02474.x>
- Rindyastuti, R., Lia, H., & Anjar, T. W. (2021). Analysis of Morphological Characteristics and Phenetic Relationship of Ebony (*Diospyros* spp.) in Indonesia. *Biodiversitas*, 22(7): 2739-2754.
- Saitou, N., & M Nei. (1987). The Neighbor-Joining Method: A New Method For Reconstructing Phylogenetic Trees, *Molecular Biology and Evolution*, 4(4): 406–425, <https://doi.org/10.1093/oxfordjournals.molbev.a040454>
- Saleky, D., Leatemia, S. P., Pattiasina, T. F., Isma, I., Pangaribuan, R. D., Welliken, M. A., Melmambessy, E. H., & Dailami, M. (2020). Analisis Pola Pertumbuhan dan Pendekatan DNA Barcoding untuk Identifikasi *Turbo stenogyrus* P. Fischer, 1873 (Mollusca: Gastropoda). *Biotropika: Journal of Tropical Biology*, 8(2): 79–86. <https://doi.org/10.21776/ub.biotropika.2020.008.02.03>

- Saleky, D., Reny, S., Muhammad, D., & Aradea, B. K. (2021). Kajian Molekuler Ikan *Oreochromis* spp. dari Perairan Daratan Merauke-Papua, Berdasarkan DNA Mitokondria Fragmen Gen Sitokrom Oksidase Subunit I. *Jurnal Perikanan*, 23(1): 37 – 43. <https://doi.org/10.22146/jfs.61026>
- Sandratrianiaina, N. A., Ravo, N. R., Bakolimalala, R., Michael, C. W., John. C. H., & Bako, H. R. (2023). Young Stem and Leaf Anatomy of 15 Malagasy-Endemic *Diospyros* Species (Ebenaceae): Taxonomic Implications. *Botanical Journal of the Linnean Society*, 203(1): 94-109. <https://doi.org/10.1093/botlinnean/boad013>
- Štorchová, H., & Olson, M. S. (2007). The architecture of the chloroplast psbA-trnH non-coding region in angiosperms. *Plant Systematics and Evolution*, 268(1–4), 235–256. <https://doi.org/10.1007/s00606-007-0582-6>
- Suharno, Chrystomo LY, Sujarta P, Tanjung RHR. (2020). Rapid Assessment of Lichen Diversity in Baliem Valley, Jayawijaya, Papua, Indonesia. *Biodiversitas*, 21(6): 2403 – 2409. <https://doi.org/10.13057/biodiv/d210610>
- Tambuwun, J. S., Kolondam, B. J., Tallei, T. E., Program, Biologi, S., Fmipa, J. B., & Manado, U. (n.d.). (2017). *Variasi Gen matK dan Filogenetik Tumbuhan Kantong Semar (Nepenthes sp.) dari Gunung Mahawu dan Gunung Soputan di Sulawesi Utara (The Variation of matK Gene and the Phylogeny of Nepenthes sp. Obtained from Mount Mahawu and Mount Soputan in North Sulawesi)*. <http://www.ebi.ac.uk/Tools/msa/clus>
- Than, O. (2021). Morphological Characters, Elemental Analysis and Nutritional Values of *Diospyros discolor* Willd. (Fruit). *Journal Myanmar Acad*, 19(4b): 123-130.
- Tokumasa, H. (2016). an Introduction to Molecular Phylogenetic Analysis. *Reviews in Agricultural Science*, 4: 36- 45.
- Via Vertiana, E., Oksari, A. A., & Hariri, M. R. (2023). Studi Perbandingan Kode Batang Dna Inti dan Kloroplas Pada *Heliconia* *In Silico Comparisonal In Silico Study Of Nuclear And Chloroplast Dna Barcode in Heliconia*. In *Bio Sains: Jurnal Ilmiah Biologi* (Vol. 2, Issue 2). <https://www.ncbi.nlm.nih.gov/>
- Walker, J. M. (n.d.). (2021) *Method Sin Molecular Biology*. <http://www.springer.com/series/7651>

- Wanda IF, Djuita NR, Chikmawati T. (2021). Molecular Phylogenetics of Malesian *Diospyros* (Ebenaceae) Based *trnL-F spacer sequences*. *Biodiversitas*, 22: 4106 – 4114. <https://doi.org/10.13057/biodiv/d220959>
- Wanda, I. F., Arief, N. R., & Ade, A. O. (2022). Leaf Morphometric and Chlorophyll Content Study of Bisbul (*Diospyros discolor* Willd.) at the Bogor Botanical Garden. *Journal of Tropical Biodiversity and Biotechnology*, 07(02): 1-12. <https://doi.org/10.22146/jtbb.72565>
- Wanda, I. F., Chikmawati, T., Djuita, N. R. (2021). Studi DNA Barcoding *Diospyros* spp. Kawasan Malesia. *Thesis*. Institut Pertanian Bogor. <https://repository.ipb.ac.id/handle/123456789/108302>
- Wanda, I. F., Peniwidiyanti., & Oksari, A. A. (2019). Ex situ Conservation of *Diospyros* spp. (Ebenaceae) in the Bogor Botanic Gardens, Indonesia. *IOP Conf. Series: Earth and Environmental Science*, 308: 1-8.
- Whitlock, B. A., Hale, A. M., & Groff, P. A. (2010). Intraspecific inversions pose a challenge for the *trnH-psbA* plant DNA barcode. *PLoS ONE*, 5(7). <https://doi.org/10.1371/journal.pone.0011533>
- Widowati., KhumaidaN., ArdieS. W., & Trikoesoemaningtyas. (2016). Karakterisasi Morfologi dan Sifat Kuantitatif Gandum (*Triticum aestivum* L.) di Dataran Menengah. *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, 44(2): 162 – 169. <https://doi.org/10.24831/jai.v44i2.13485>
- Winda, A. F., Abdul, R., & Yuni, A. (2021). Analisis Filogenetik Ikan Tuna (*Thunnus* Spp) di Perairan Maluku Utara Menggunakan COI (*Cytocrome Oxydase I*). *Jurnal Biologi Makassar*, 6(2): 31-39. <http://journal.unhas.ac.id/index.php/bioma>
- Wulandari, A. A., Khotimperwati, L., & Wanda, I. F. (2024). Morphological Variation of *Diospyros* spp. Native to Sulawesi Based on Vegetative Organ Characters. *Journal of Tropical Biodiversity and Biotechnology*, 9(2). <https://doi.org/10.22146/jtbb.86597>
- Xia, X. (2018). Maximum Likelihood in Molecular Phylogenetics. In *Bioinformatics and the Cell* (pp. 381–395). Springer International Publishing. [https://doi.org/10.1007/978-3-319-90684-3\\_16](https://doi.org/10.1007/978-3-319-90684-3_16)
- Yamasaki, M., Maud I. Tenaillon., Irie Vroh Bi., Steve G. Schroeder., Hector Sanchez-Villeda., John F. Doebley., Brandon S. Gaut., Michael D.

McMullen. (2005). A Large-Scale Screen for Artificial Selection in Maize Identifies Candidate Agronomic Loci for Domestication and Crop Improvement, *The Plant Cell*, 17(11): 2859–2872. <https://doi.org/10.1105/tpc.105.037242>

Zhang, Y., Wang, L. Di, Hasegawa, K., Nagae, S., Chen, H. X., Li, L. W., & Li, L. (2022). Molecular identification of a new species of Rhigonema (Nematoda: Rhigonematidae) and phylogenetic relationships within the infraorder Rhigonematomorpha. *Parasites and Vectors*, 15(1). <https://doi.org/10.1186/s13071-022-05544-9>