

DAFTAR PUSTAKA

- Abedini, A., Roumy, V., Neut, C., Biabiany, M., Joseph, H., Sahpaz, S., Bailleul, F., & Hennebelle, T. (2012). Antibacterial activity of the methanolic extract of *Hyptis atrorubens* (Lamiaceae). *Planta Medica*, 78. <https://doi.org/10.1055/s-0032-1320493>
- Abubakar, A. R., & Haque, M. (2020). Preparation of Medicinal Plants: Basic Extraction and Fractionation Procedures for Experimental Purposes. *Journal of Pharmacy & Bioallied Sciences*, 12(1), 1–10. https://doi.org/10.4103/jpbs.JPBS_175_19
- Adamu, K., Musa, H., Aliyu, A., & Musa, A. O. (2021). Antifungal Activity of *Hyptis spicigera* Methanol Leaf Extract and Flavonoid Fraction. *Journal of Applied Sciences and Environmental Management*, 25, 1167–1172. <https://doi.org/10.4314/jasem.v25i7.10>
- Adjanohoun, É. J. (1986). Contribution aux études ethnobotaniques et floristiques au Togo : rapport présenté à l' A.C.C.T. In *Contribution aux études ethnobotaniques et floristiques au Togo : rapport présenté à l' A.C.C.T.* Agence de coopération culturelle et technique.
- Almtorp, G. T., Hazell, A. C., & Torssell, K. B. G. (1991). A lignan and pyrone and other constituents from *Hyptis capitata*. *Phytochemistry*, 30(8), 2753–2756. [https://doi.org/https://doi.org/10.1016/0031-9422\(91\)85137-O](https://doi.org/https://doi.org/10.1016/0031-9422(91)85137-O)
- Atun, S. (2014). Metode Isolasi dan Identifikasi Struktur Senyawa Metabolit. *Jurnal Konservasi Cagar Budaya Borobudur*, 8(2), 53–61.
- Barros, L., Dueñas, M., Dias, M. I., Sousa, M. J., Santos-Buelga, C., & Ferreira, I. C. F. R. (2013). Phenolic profiles of cultivated, in vitro cultured and commercial samples of *Melissa officinalis* L. infusions. *Food Chemistry*, 136(1), 1–8. <https://doi.org/10.1016/j.foodchem.2012.07.107>
- Bele, A. A., & Khale., A. (2011). An overview on thin layer chromatography. *Journal of Pharmaceutical Sciences*, 2(2), 256–267.
- Bernhoft, A. (2010). A brief review on bioactive compounds in plants. *Bioactive compounds in plants- benefits and risks for man and animals*, 11–17.
- Bhavyasri, K., Manisha, M., & Rambabu, D. (2019). *Liquid chromatography-tandem mass spectrometry and its applications : A review*. 8(5), 540–545.
- Bulugahapitiya, V. (2013). Plants Based Natural products Extraction, Isolation and Phytochemical screening methods. In *Indika Graphics: Vol. 1 era ed.* (Nomor April). https://www.researchgate.net/publication/324136585_Plants_Based_Natural_products_Extraction_Isolation_and_Phytochemical_screening_methods

- Cai, L. (2014). Thin Layer Chromatography. In *Current Protocols Essential Laboratory Techniques* (Vol. 2014, hal. 6.3.1-6.3.18). <https://doi.org/10.1002/9780470089941.et0603s08>
- Chan Woon Karen, K., & Ho Shing, W. (2015). Anti-oxidative and hepatoprotective effects of lithospermic acid against carbon tetrachloride-induced liver oxidative damage in vitro and in vivo. *Oncol Rep*, *34*(2), 673–680. <https://doi.org/10.3892/or.2015.4068>
- Chen, H., Zhang, Q., Wang, X., Yang, J., & Wang, Q. (2011). Qualitative analysis and simultaneous quantification of phenolic compounds in the aerial parts of *salvia miltiorrhiza* by HPLC-DAD and ESI/MSn. *Phytochemical Analysis*, *22*(3), 247–257. <https://doi.org/10.1002/pca.1272>
- Deng, Y., Balunas, M. J., Kim, J., Lantvit, D. D., Chin, Y., Chai, H., Sugiarto, S., Kardono, L. B. S., Fong, H. H. S., Pezzuto, J. M., Swanson, S. M., Blanco, E. J. C. De, & Kinghorn, A. D. (2009). Bioactive 5, 6-Dihydro- γ -pyrone Derivatives from *Hyptis brevipes*. *Journal of Natural Products*, *72*(6), 1165–1169.
- dos Santos, K. P., Sedano-Partida, M. D., Sala-Carvalho, W. R., Loureiro, B. O. S. J., da Silva-Luz, C. L., & Furlan, C. M. (2018). Biological activity of *Hyptis Jacq. (Lamiaceae)* is determined by the environment. *Industrial Crops and Products*, *112*, 705–715. <https://doi.org/10.1016/j.indcrop.2017.12.065>
- Fatimah, F., Martha, R. D., & Kusumawati, A. (2020). Deteksi dan Identifikasi Senyawa Flavonoid Ekstrak Etanol Kulit Batang Tanaman Majapahit (*Crescentia cujete*) dengan LCMS. *CHEESA: Chemical Engineering Research Articles*, *3*(2), 88. <https://doi.org/10.25273/cheesa.v3i2.7688.88-98>
- Goun, E., Cunningham, G., Chu, D., Nguyen, C., & Miles, D. (2003). Antibacterial and antifungal activity of Indonesian ethnomedical plants. *Fitoterapia*, *74*, 592–596. [https://doi.org/10.1016/S0367-326X\(03\)00117-5](https://doi.org/10.1016/S0367-326X(03)00117-5)
- Gravina, C., Formato, M., Piccolella, S., Fiorentino, M., Stinca, A., Pacifico, S., & Esposito, A. (2023). *Lavandula austroapennina (Lamiaceae)*: Getting Insights into Bioactive Polyphenols of a Rare Italian Endemic Vascular Plant. *International Journal of Molecular Sciences*, *24*(9). <https://doi.org/10.3390/ijms24098038>
- Grayer, R. J., Eckert, M. R., Veitch, N. C., Kite, G. C., Marin, P. D., Kokubun, T., Simmonds, M. S. J., & Paton, A. J. (2003). The chemotaxonomic significance of two bioactive caffeic acid esters, nepetoidins A and B, in the *Lamiaceae*. *Phytochemistry*, *64*(2), 519–528. [https://doi.org/10.1016/S0031-9422\(03\)00192-4](https://doi.org/10.1016/S0031-9422(03)00192-4)

- Grzegorzczak-Karolak, I., Krzemińska, M., Kiss, A. K., Olszewska, M. A., & Owczarek, A. (2020). Phytochemical profile and antioxidant activity of aerial and underground parts of *salvia bulleyana* diels. *Plants. Metabolites*, *10*(12), 1–18. <https://doi.org/10.3390/metabo10120497>
- Hao, D. C., Gu, X.-J., & Xiao, P. G. (2015). *1 - Chemotaxonomy: a phylogeny-based approach* (D. C. Hao, X.-J. Gu, & P. G. B. T.-M. P. Xiao (ed.); hal. 1–48). Woodhead Publishing. <https://doi.org/https://doi.org/10.1016/B978-0-08-100085-4.00001-3>
- Harley, R., & Pastore, J. F. (2012). A generic revision and new combinations in the *Hyptidinae* (*Lamiaceae*), based on molecular and morphological evidence. *Phytotaxa*, *58*, 1–55. <https://doi.org/10.11646/phytotaxa.58.1.1>
- Houghton, P., & Raman, A. (2012). *Laboratory Handbook for the Fractionation of Natural Extracts*. Springer US. <https://books.google.co.id/books?id=t4vkBwAAQBAJ>
- Hsu, F.-C., Lin, Y. L., Tsai, S. F., Hsieh, T.-H., & Lee, S.-S. (2023). Bioactive chemical constituents from *Hyptis suaveolens* stem. *Journal of the Chinese Chemical Society*, *70*(10), 1916–1923. <https://doi.org/https://doi.org/10.1002/jccs.202300243>
- Hsu, F.-C., Tsai, S.-F., Lin, Y.-L., Hsieh, T.-H., Chang, C.-C., & Lee, S.-S. (2024). Application of high-performance liquid chromatography-solid phase extraction-nuclear magnetic resonance in the identification of bioactive constituents from *Hyptis spicigera* leaf and *H. brevipes* aerial part. *Journal of the Chinese Chemical Society*, *71*(6), 619–629. <https://doi.org/https://doi.org/10.1002/jccs.202400029>
- Ibrahim, H. A.-H. (2018). *Introductory Chapter: Fractionation* (H. A.-H. Ibrahim (ed.)). IntechOpen. <https://doi.org/10.5772/intechopen.78050>
- Johnson, G., Sunderwirth, S. G., Gibian, H., Coulter, A. W., & Gassner, F. X. (1963). *Lithospermum ruderales*: Partial characterization of the principal polyphenol isolated from the roots. *Phytochemistry*, *2*(2), 145–150. [https://doi.org/https://doi.org/10.1016/S0031-9422\(00\)82974-X](https://doi.org/https://doi.org/10.1016/S0031-9422(00)82974-X)
- Kashiwada, Y., Wang, H.-K., Nagao, T., Kitanaka, S., Yasuda, I., Fujioka, T., Yamagishi, T., Cosentino, L. M., Kozuka, M., Okabe, H., Ikeshiro, Y., Hu, C.-Q., Yeh, E., & Lee, K.-H. (1998). Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. *Journal of Natural Products*, *61*(9), 1090–1095. <https://doi.org/10.1021/np9800710>
- Kuhn, A., Tedesco, M., Boligon, A., Frescura, V., Linde Athayde, M., & Tedesco, S. (2015). Genotoxic and chromatographic analyses of aqueous extracts of

Peltodon longipes Kunth ex Benth. (hortelã-do-campo). *Brazilian Journal of Pharmaceutical Sciences*, 51, 533–540. <https://doi.org/10.1590/S1984-82502015000300005>

- Kumar, B. R. (2017). Application of HPLC and ESI-MS techniques in the analysis of phenolic acids and flavonoids from green leafy vegetables (GLVs). *Journal of Pharmaceutical Analysis*, 7(6), 349–364. <https://doi.org/https://doi.org/10.1016/j.jpha.2017.06.005>
- Lee, K. H., Lin, Y. M., Wu, T. S., Zhang, D. C., Yamagishi, T., Hayashi, T., Hall, I. H., Chang, J. J., Wu, R. Y., & Yang, T. H. (1988). The cytotoxic principles of *Prunella vulgaris*, *Psychotria serpens*, and *Hyptis capitata*: ursolic acid and related derivatives. *Planta Medica*, 54(4), 308–311. <https://doi.org/10.1055/s-2006-962441>
- Li, X. F., Tang, L., Zheng, N. N., An, S., Wang, Y. X., Zhang, W. X., & Hu, Y. N. (2014). Determination of Antioxidant Activity In Vitro from *Hyptis rhomboidea* Mart. et Gal. Ethanol Extracts. *Applied Mechanics and Materials*, 472, 824–828. <https://doi.org/10.4028/www.scientific.net/AMM.472.824>
- Lin, Y.-L., Tsay, H.-J., Lai, T.-H., Tzeng, T.-T., & Shiao, Y.-J. (2015). Lithospermic acid attenuates 1-methyl-4-phenylpyridine-induced neurotoxicity by blocking neuronal apoptotic and neuroinflammatory pathways. *Journal of Biomedical Science*, 22(1), 37. <https://doi.org/10.1186/s12929-015-0146-y>
- Maheshwaran, L., Nadarajah, L., Senadeera, S. P. N. N., Ranaweera, C. B., Chandana, A. K., & Pathirana, R. N. (2024). Phytochemical Testing Methodologies and Principles for Preliminary Screening/ Qualitative Testing. *Asian Plant Research Journal*, 12(5), 11–38. <https://doi.org/10.9734/aprj/2024/v12i5267>
- McNeil, M., Facey, P., & Porter, R. (2011). Essential oils from the *Hyptis* genus - A review (1909-2009). *Natural Product Communications*, 6(11), 1775–1796. <https://doi.org/10.1177/1934578x1100601149>
- Miron, T. L., Herrero, M., & Ibáñez, E. (2013). Enrichment of antioxidant compounds from lemon balm (*Melissa officinalis*) by pressurized liquid extraction and enzyme-assisted extraction. *Journal of Chromatography A*, 1288, 1–9. <https://doi.org/10.1016/j.chroma.2013.02.075>
- Mori, M., Ciaco, S., Mély, Y., & Karioti, A. (2020). Inhibitory Effect of Lithospermic Acid on the HIV-1 Nucleocapsid Protein. *Molecules*, 25(22), 1–11. <https://doi.org/10.3390/MOLECULES25225434>
- Nakamura, M., Ra, J. H., Jee, Y., & Kim, J. S. (2017). Impact of different partitioned solvents on chemical composition and bioavailability of *Sasa*

quelpaertensis Nakai leaf extract. *Journal of Food and Drug Analysis*, 25(2), 316–326. <https://doi.org/10.1016/j.jfda.2016.08.006>

- O'Malley, S. J., Tan, K. L., Watzke, A., Bergman, R. G., & Ellman, J. A. (2005). Total Synthesis of (+)-Lithospermic Acid by Asymmetric Intramolecular Alkylation via Catalytic C–H Bond Activation. *Journal of the American Chemical Society*, 127(39), 13496–13497. <https://doi.org/10.1021/ja052680h>
- Ozarowski, M., Mikolajczak, P. L., Piasecka, A., Kachlicki, P., Kujawski, R., Bogacz, A., Bartkowiak-Wieczorek, J., Szulc, M., Kaminska, E., Kujawska, M., Jodynis-Liebert, J., Gryszczynska, A., Opala, B., Lowicki, Z., Seremak-Mrozikiewicz, A., & Czerny, B. (2016). Influence of the *Melissa officinalis* Leaf Extract on Long-Term Memory in Scopolamine Animal Model with Assessment of Mechanism of Action. *Evidence-based Complementary and Alternative Medicine*, 2016. <https://doi.org/10.1155/2016/9729818>
- Parker, C., & Acevedo-Rodriguez, P. (2022, Januari 7). *Hyptis brevipes* (lesser roundweed). CABI Compendium; CABI International. <https://doi.org/10.1079/cabicompendium.27851>
- Partida, M. D. S., Santos, K. P., Loureiro, B., & Furlan, C. M. (2015). Anti-HIV activity of *Hyptis* Jacq. (Lamiaceae). *Planta Medica*, 81. <https://doi.org/10.1055/s-0035-1565465>
- Pavia, D. L., Lampman, G. M., Kriz, G. S., & Vyvyan, J. R. (2015). Introduction to spectroscopy. In *TA - TT* - (Fifth edit). Cengage Learning. <https://doi.org/LK-https://worldcat.org/title/864087517>
- Pedersen, J. A. (2000). *Distribution and taxonomic implications* *Distribution and taxonomic implications.pdf*. 28.
- Pezeshki, S., & Petersen, M. (2018a). *Rosmarinic Acid and Related Metabolites BT - Biotechnology of Natural Products* (W. Schwab, B. M. Lange, & M. Wüst (ed.); hal. 25–60). Springer International Publishing. https://doi.org/10.1007/978-3-319-67903-7_2
- Pezeshki, S., & Petersen, M. (2018b). Rosmarinic Acid and Related Metabolites. In *Biotechnology of Natural Products* (hal. 25–60). https://doi.org/10.1007/978-3-319-67903-7_2
- Pratiwi, R. A., Nandiyanto, A. B. D., Bayu, A., & Nandiyanto, D. (2022). Indonesian Journal of Educational Research and Technology How to Read and Interpret UV-VIS Spectrophotometric Results in Determining the Structure of Chemical Compounds. *Indonesian Journal of Educational Research and Technology*, 2(1), 1–20.
- Rabel, F., & and Sherma, J. (2017). Review of the state of the art of preparative

- thin-layer chromatography. *Journal of Liquid Chromatography & Related Technologies*, 40(4), 165–176. <https://doi.org/10.1080/10826076.2017.1294081>
- Rocha, F. S., Gomes, A. J., Lunardi, C. N., Kaliaguine, S., & Patience, G. S. (2018). Experimental methods in chemical engineering: Ultraviolet visible spectroscopy—UV-Vis. *Canadian Journal of Chemical Engineering*, 96(12), 2512–2517. <https://doi.org/10.1002/cjce.23344>
- Rohmah, I. H. (2024). *Isolasi dan Identifikasi Senyawa Flavonoid Fraksi Diklorometana Daun Tanaman Genggeyan (Hyptis brevipes) sebagai Antioksidan*. Universitas Diponegoro.
- Saibaba, S., Kumar, M., & Shanmuga, P. (2016). *Mini review on LC/MS techniques*. 5. <https://doi.org/10.20959/wjpps20164-6581>
- Sala-Carvalho, W. R., dos Santos, K. P., Sedano-Partida, M. D., da Silva-Luz, C. L., Pena Ferreira, M. J., & Furlan, C. M. (2019). Is *Hyptis lacustris* A. St.-Hil. ex Benth. (*Lamiaceae*) extract a good candidate for antibacterial uses? *Industrial Crops and Products*, 133, 26–32. <https://doi.org/https://doi.org/10.1016/j.indcrop.2019.02.054>
- Saleem, A., Durrani, A., Awan, F., Irfan, A., Noreen, M., Kamran, M., Arif, D., & Imran, I. (2019). Preparation of Marketable Functional Food to Control Hypertension using Basil (*ocimum basillium*) and Peppermint (*mentha piperita*). *International Journal of Innovations in Science and Technology*, 1, 15–32. <https://doi.org/10.33411/IJIST/2019010102>
- Sedano-partida, M. D. (2018). *Chemical and biological potential of Hyptis Jacq. (Lamiaceae)*. University of São Paulo.
- Sedano-Partida, M. D., dos Santos, K. P., Sala-Carvalho, W. R., Silva-Luz, C. L., & Furlan, C. M. (2020). A review of the phytochemical profiling and biological activities of *Hyptis* Jacq.: a Brazilian native genus of *Lamiaceae*. *Brazilian Journal of Botany*, 43(1), 213–228. <https://doi.org/10.1007/s40415-020-00582-y>
- Setyawati, T., Narulita, S., Bahri, I. P., & Raharjo, G. T. (2015). A Guide Book to Invasive Alien Plant Species in Indonesia. In *Journal of Chemical Information and Modeling* (Vol. 53, Nomor 9).
- Stuart, B. (2015). Infrared Spectroscopy. In *Kirk-Othmer Encyclopedia of Chemical Technology* (hal. 1–18). <https://doi.org/https://doi.org/10.1002/0471238961.0914061810151405.a01.p ub3>
- Suárez-Ortiz, G. A., Cerda-García-Rojas, C. M., Hernández-Rojas, A., & Pereda-

- Miranda, R. (2013). Absolute configuration and conformational analysis of brevipolides, bioactive 5,6-dihydro- α -pyrones from *Hyptis brevipes*. *Journal of Natural Products*, 76(1), 72–78. <https://doi.org/10.1021/np300740h>
- Tang, L., Li, X.-F., Yang, S.-X., Qiu, Y., & Yuan, K. (2014). [Chemical constituents of *Hyptis rhomboidea* and their antifungal activity]. *Zhongguo Zhong yao za zhi = Zhongguo zhongyao zazhi = China journal of Chinese materia medica*, 39(12), 2284–2288.
- Tsai, S.-F., & Lee, S.-S. (2014). Neolignans as xanthine oxidase inhibitors from *Hyptis rhomboides*. *Phytochemistry*, 101, 121–127. <https://doi.org/https://doi.org/10.1016/j.phytochem.2014.01.016>
- Verma, R. K., Khan, B. A., Wagh, V. V., Meena, B., Behera, S. K., Tamta, S., & Chaudhary, L. B. (2022). Notes on the distribution of an alien weed *Hyptis brevipes* (*Lamiaceae*) in India. *Plant Science Today*, 9(5), 1–4. <https://doi.org/10.14719/PST.1421>
- Vogeser, M., & Parhofer, K. G. (2007). Liquid chromatography tandem-mass spectrometry (LC-MS/MS) - Technique and applications in endocrinology. *Experimental and Clinical Endocrinology and Diabetes*, 115(9), 559–570. <https://doi.org/10.1055/s-2007-981458>
- Wang, B., Pham, L. B., & Adhikari, B. (2024). Complexation and conjugation between phenolic compounds and proteins: mechanisms, characterisation and applications as novel encapsulants. *Sustainable Food Technology*, 1206–1227. <https://doi.org/10.1039/d4fb00013g>
- Xie, M., Zhang, M., Qiao, Y., Yang, Y., Xie, F., Chen, L., Liu, N., & Gu, J. (2024). Molecular mechanism of PSORI-CM01 for psoriasis by regulating the inflammatory cytokines network. *Journal of Ethnopharmacology*, 318(Pt A), 116935. <https://doi.org/10.1016/j.jep.2023.116935>
- Xu, D. H., Huang, Y. S., Jiang, D. Q., & Yuan, K. (2013). The essential oils chemical compositions and antimicrobial, antioxidant activities and toxicity of three *Hyptis* species. *Pharmaceutical Biology*, 51(9), 1125–1130. <https://doi.org/10.3109/13880209.2013.781195>
- Yang, W., Li, J., Tian, J., Liu, X., Xie, W., Wu, X., Zhang, Z., Song, Y., Wang, S., Zhao, S., Wang, Z., Yang, Y., & Jin, Z. (2025). Pharmacological activity, phytochemistry, and organ protection of lithospermic acid. *Journal of Cellular Physiology*, 240(1), e31460. <https://doi.org/10.1002/jcp.31460>
- Zeng, G., Xiao, H., Liu, J., & Liang, X. (2006). Identification of phenolic constituents in *Radix Salvia miltiorrhizae* by liquid chromatography/electrospray ionization mass spectrometry. *Rapid Communications in Mass Spectrometry*, 20(3), 499–506.

<https://doi.org/10.1002/rcm.2332>

- Zhu, S., Wen, H., Wang, W., Chen, Y., Han, F., & Cai, W. (2023). Anti-hepatitis B virus activity of lithospermic acid, a polyphenol from *Salvia miltiorrhiza*, in vitro and in vivo by autophagy regulation. *Journal of Ethnopharmacology*, 302, 115896. <https://doi.org/https://doi.org/10.1016/j.jep.2022.115896>
- Zhu, Z., Zhang, H., Zhao, L., Dong, X., Li, X., Chai, Y., & Zhang, G. (2007). Rapid separation and identification of phenolic and diterpenoid constituents from *Radix Salvia miltiorrhizae* by high-performance liquid chromatography diode-array detection, electrospray ionization time-of-flight mass spectrometry and electrospray ioniza. *Rapid Communications in Mass Spectrometry: RCM*, 21(12), 1855–1865. <https://doi.org/10.1002/rcm.3023>
- Zollo, P. H. A., Biyiti, L., Tchoumboungang, F., Menut, C., Lamaty, G., & Bouchet, P. (1998). Aromatic plants of Tropical Central Africa. Part XXXII. Chemical composition and antifungal activity of thirteen essential oils from aromatic plants of Cameroon. *Flavour and Fragrance Journal*, 13(2), 107–114. [https://doi.org/https://doi.org/10.1002/\(SICI\)1099-1026\(199803/04\)13:2<107::AID-FFJ701>3.0.CO;2-G](https://doi.org/https://doi.org/10.1002/(SICI)1099-1026(199803/04)13:2<107::AID-FFJ701>3.0.CO;2-G)