

DAFTAR PUSTAKA

- Adame-Soto, P. J., Aréchiga-Carvajal, E. T., López, M. G., González-Herrera, S. M., Moreno-Jiménez, M. R., Urtiz-Estrada, N., & Rutiaga-Quiñones, O. M. (2019). Potential production of 2-phenylethanol and 2-phenylethylacetate by non-Saccharomyces yeasts from *Agave durangensis*. *Annals of Microbiology*, 69(9), 989–1000. <https://doi.org/10.1007/s13213-019-01489-0>
- Aminah, A., Ramadini, R., & Naid, T. (2019). Analisis Cemaran DNA Tikus pada Bakso Daging Sapi yang Beredar di Makassar dengan Metode Polymerase Chain Reaction (PCR). *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy)* (e-Journal), 5(1), 93–100. <https://doi.org/10.22487/j24428744.2019.v5.i1.12036>
- Bandjar, A., FJDP Tanasale, M., & Syalal Luhukay, M. (2015). KINETIC PARAMETERS DETERMINATION OF GLUCOAMYLASE ON HYDROLYSIS REACTION OF SAGOO STARCH (Metroxylon sp) Penentuan Parameter Kinetika Glukoamilase pada Reaksi Hidrolisis Pati Sagu (Metroxylon Sp.). In *J. Chem. Res* (Vol. 2).
- Becerra, A. G., & Lahoz-Beltra, R. (2020). A microbial screening in silico method for the fitness step evaluation in evolutionary algorithms. *Applied Sciences (Switzerland)*, 10(11). <https://doi.org/10.3390/app10113936>
- Bertrand R.L. Lag Phase Is a Dynamic, Organized, Adaptive, and Evolvable Period That Prepares Bacteria for Cell Division. *J. Bacteriol.* 2019;201:e00697-18. doi: 10.1128/JB.00697-18.
- Braga, A., Guerreiro, C., & Belo, I. (2018). Generation of Flavors and Fragrances Through Biotransformation and De Novo Synthesis. *Food and Bioprocess Technology*, 11(12), 2217–2228. <https://doi.org/10.1007/s11947-018-2180-8>
- Cai, H., Zhang, T., Zhang, Q., Luo, J., Cai, C., & Mao, J. (2018). Microbial diversity and chemical analysis of the starters used in traditional Chinese sweet rice wine. *Food Microbiology*, 73, 319–326.
- Dalis, C., Mesfin, F. M., Manohar, K., Liu, J., Shelley, W. C., Brokaw, J. P., & Markel, T. A. (2023). Volatile Organic Compound Assessment as a Screening Tool for Early Detection of Gastrointestinal Diseases.

Microorganisms, 11(7), 1822.
<https://doi.org/10.3390/microorganisms11071822>

El Hadi, M. A. M., Zhang, F. J., Wu, F. F., Zhou, C. H., & Tao, J. (2013). Advances in fruit aroma volatile research. In *Molecules* (Vol. 18, Issue 7, pp. 8200–8229). <https://doi.org/10.3390/molecules18078200>

Etschmann, M., Bluemke, W., Sell, D., & Schrader, J. (2002). Biotechnological production of 2-phenylethanol. In *Applied Microbiology and Biotechnology* (Vol. 59, Issue 1, pp. 1–8). <https://doi.org/10.1007/s00253-002-0992-x>

Etschmann, M. M. W., Sell, D., & Schrader, J. (2003). Screening of yeasts for the production of the aroma compound 2-phenylethanol in a molasses-based medium. In *Biotechnology Letters* (Vol. 25).

Güneşer, O., Demirkol, A., Karagül Yüceer, Y., Özmen Toğay, S., İşleten Hoşoğlu, M., & Elibol, M. (2015). Bioflavour production from tomato and pepper pomaces by *Kluyveromyces marxianus* and *Debaryomyces hansenii*. *Bioprocess and Biosystems Engineering*, 38(6). <https://doi.org/10.1007/s00449-015-1356-0>

Heriyana, Hera., Noor, Trisna Insan., Isyanto, Agus Yuniawan. 2021. Faktor-Faktor yang Mempengaruhi Produksi pada Usahatani Padi Ketan di Desa Panyiaran Kecamatan Cikaong Kabupaten Tasikmalaya. *Jurnal Ilmiah Mahasiswa AGROINFO GALUH*. 8 (1): 73-84.

He, R., Li, Q., Liu, J., Yuan, J., & Ju, X. (2015). Selenium enrichment, microwave drying and extrusion puffing of germinated Brown rice. *Food Science*, 36(6), 82–85.

Hosoglu, M. I., Guneser, O., & Yuceer, Y. K. (2018). Different Bioengineering Approaches on Production of Bioflavor Compounds. In *Role of Materials Science in Food Bioengineering* (pp. 37–71). Elsevier. <https://doi.org/10.1016/B978-0-12-811448-3.00002-4>

Iacumin, L., Ginaldi, F., Manzano, M., Anastasi, V., Reale, A., Zotta, T., Rossi, F., Coppola, R., & Comi, G. (2015). High resolution melting analysis (HRM) as a new tool for the identification of species belonging to the *Lactobacillus*

casei group and comparison with species-specific PCRs and multiplex PCR. *Food Microbiology*, 46, 357–367. <https://doi.org/10.1016/j.fm.2014.08.007>

Kimia, J., Matematika, F., Ilmu, D., & Alam, P. (2016). Identifikasi Molekuler Gen 16S rRNA Isolat Bakteri Pendegradasi Inulin dari Rizosfer Umbi Dahlia Deristiana Dewata #1, Minda Azhar #2, Budhi Oktavia #3. *Chemistry Journal*, 5(2). <http://ejournal.unp.ac.id/index.php/kimia>

Korkmaz, A., Atasoy, A. F., & Hayaloglu, A. A. (2020). Changes in volatile compounds, sugars and organic acids of different spices of peppers (*Capsicum annum* L.) during storage. *Food Chemistry*, 311.

Kurniati, L.I., N. Aida., S. Gunawan., dan T. Widjaja, 2012. Pembuatan Mocaf (Modified Cassava Flour) Dengan Proses Fermentasi Menggunakan *Lactobacillus plantarum*, *saccharomyces cerevisiae*, dan *Rhizopus oryzae*. *Jurnal Teknik POMITS*. 1 (1) : 1-6.

Li, K., Fang, S., Zhang, X., Wei, X., Wu, P., Zheng, R., Liu, L., & Zhang, H. (2024). Effects of Environmental Stresses on Synthesis of 2-Phenylethanol and IAA by *Enterobacter* sp. CGMCC 5087. *Microorganisms*, 12(4). <https://doi.org/10.3390/microorganisms12040663>

Liu, Q., Wang, L., Hu, J., Miao, Y., Wu, Z., & Li, J. (2017). Main organic acids in rice wine and beer determined by capillary electrophoresis with indirect UV detection using 2, 4-dihydroxybenzoic acid as chromophore. *Food Analytical Methods*, 10(1), 111–117.

Masuo, S., Osada, L., Zhou, S., Fujita, T., & Takaya, N. (2015). *Aspergillus oryzae* pathways that convert phenylalanine into the flavor volatile 2-phenylethanol. *Fungal Genetics and Biology*, 77, 22–30. <https://doi.org/10.1016/j.fgb.2015.03.002>

Medeiros, A. B. P., Pandey, A., Freitas, R. J. S., Christen, P., & Socol, C. R. (2000). Optimization of the production of aroma compounds by *Kluyveromyces marxianus* in solid-state fermentation using factorial design and response surface methodology. In *Biochemical Engineering Journal* (Vol. 6).

- Mohamed, H. N., & Yusof, N. A. I. (2021). Identification of volatile flavor compounds in fermented glutinous rice (Tapai) using gas chromatography. *AIP Conference Proceedings*, 2370(1), 060014. <https://doi.org/10.1063/5.0062351>
- Muñoz-Olivas, R. (2004). Screening analysis: An overview of methods applied to environmental, clinical and food analyses. *TrAC - Trends in Analytical Chemistry*, 23(3), 203–216. [https://doi.org/10.1016/S0165-9936\(04\)00318-8](https://doi.org/10.1016/S0165-9936(04)00318-8)
- Nyenje, M. E., Odjadjare, C. E., Tanih, N. F., Green, E., & Ndip, R. N. (2012). Foodborne pathogens recovered from ready-to-eat foods from roadside cafeterias and retail outlets in Alice, Eastern Cape Province, South Africa: Public health implications. *International Journal of Environmental Research and Public Health*, 9(8), 2608–2619. <https://doi.org/10.3390/ijerph9082608>
- Özdemir, Nilgün., Budak, Nilgün H. (2022). Bioactive compounds and volatile aroma compounds in rose (*Rosa damascena* Mill.) vinegar during the aging period, *Food Bioscience*, Volume 50, Part A, 102062, ISSN 2212-4292, <https://doi.org/10.1016/j.fbio.2022.102062>.
- Pennerman, K. K., AL-Maliki, H. S., Lee, S., & Bennett, J. W. (2016). Chapter 7 - Fungal Volatile Organic Compounds (VOCs) and the Genus *Aspergillus*. In V. K. Gupta (Ed.), *New and Future Developments in Microbial Biotechnology and Bioengineering* (pp. 95–115). Elsevier. <https://doi.org/10.1016/B978-0-444-63505-1.00007-5>
- Pletnev P., Osterman I., Sergiev P., Bogdanov A., Dontsova O. Survival Guide: *Escherichia coli* in the Stationary Phase. *Acta Nat.* 2015;7:22–33. doi: 10.32607/20758251-2015-7-4-22-33.
- Roy, P., & Gahlawat, V. (2019). A Review Production of Bioflavour from Microbial Sources and its health benefits Microbial production of esters View project 1. A Metrics Design for Evaluation of Component's Performance during Software Development Process View project. In *Article in Indian Journal of Biochemistry and Biophysics*. <https://www.researchgate.net/publication/336252387>
- Sharma, A., Sharma, P., Singh, J., Singh, S., & Nain, L. (2020). Prospecting the Potential of Agroresidues as Substrate for Microbial Flavor Production. In

Frontiers in Sustainable Food Systems (Vol. 4). Frontiers Media S.A.
<https://doi.org/10.3389/fsufs.2020.00018>

Sukardi., Rizka, N., M. H. Pulungan. (2018). Ekstraksi Minyak Atsiri Bunga Mawar dengan Metode Pelarut Menguap Menggunakan Perlakuan PEF (Pulsed Electric Field). *Indonesian Journal of Essential Oil*. Vol. 3, No. 1, pp. 26-36,

Tian, H., Shi, Y., Zhang, Y., Yu, H., Mu, H., & Chen, C. (2019). Screening of aroma-producing lactic acid bacteria and their application in improving the aromatic profile of yogurt. *Journal of Food Biochemistry*, 43(10).
<https://doi.org/10.1111/jfbc.12837>

Tripathi, V., Kumar, P., Tripathi, P., & Kishore, A. (2019). Microbial Genomics in Sustainable Agroecosystems: Volume 1. In *Microbial Genomics in Sustainable Agroecosystems: Volume 1* (Vol. 1). Springer Singapore.
<https://doi.org/10.1007/978-981-13-8739-5>

Vadasz P., Vadasz A.S. Predictive modeling of microorganisms: LAG and LIP in monotonic growth. *Int. J. Food Microbiol.* 2005;102:257–275.
 doi: 10.1016/j.ijfoodmicro.2004.12.018.

Van Kranenburg, R., Kleerebezem, M., Van Hylckama Vlieg, J., Orn, B., Ursing, M., Boekhorst, J., Smit, B. A., Ayad, E. H. E., Smit, G., & Siezen, R. J. (2002). Flavour formation from amino acids by lactic acid bacteria: predictions from genome sequence analysis. In *International Dairy Journal* (Vol. 12).

van Wyk, N., Kroukamp, H., & Pretorius, I. S. (2018). The smell of synthetic biology: Engineering strategies for aroma compound production in yeast. In *Fermentation* (Vol. 4, Issue 3). MDPI AG.
<https://doi.org/10.3390/fermentation4030054>

Vanderhaegen, B., Neven, H., Coghe, S., Verstrepen, K. J., Derdelinckx, G., & Verachtert, H. (2003). Bioflavoring and beer refermentation. In *Applied Microbiology and Biotechnology* (Vol. 62, Issues 2–3, pp. 140–150).
<https://doi.org/10.1007/s00253-003-1340-5>

- Verma et al. (2014). Review Article: Scientific Concepts Of Polymerase Chain Reaction (PCR). *International Journal of Pharmaceutical Sciences and Research*, Vol. 5. No. 8. pp. 3086 – 3095. E-ISSN: 0975-8232; P-ISSN: 2320-5148.
- Wang, Z., Jiang, M., Guo, X., Liu, Z., & He, X. (2018). Reconstruction of metabolic module with improved promoter strength increases the productivity of 2-phenylethanol in *Saccharomyces cerevisiae*. *Microbial Cell Factories*, 17(1). <https://doi.org/10.1186/s12934-018-0907-x>
- Yousefi, B., Shahbazi, K., Khamisabady, H., Gheitury, M. (2021). Assessment of variability of essential oil components in different accessions of damask rose (*Rosa damascena* mill.) by multivariate analysis. *Trends Phytochem. Res.* 5, 199–208. doi: 10.30495/tpr.2021.1940496.1222
- Yue, X., Geng, Z., Liang, G., Zhang, C., Yang, C., Ge, Y., & Wang, Y. (2015). Research advance of glycosidically flavor precursors in tobacco. *Journal of Xinyang Normal University Natural Science Edition*, 28(4), 627–632.
- Zhu L, Xu S, Li Y, Shi G (2021) Improvement of 2-phenylethanol production in *Saccharomyces cerevisiae* by evolutionary and rational metabolic engineering. *PLoS ONE* 16(10): e0258180. <https://doi.org/10.1371/journal.pone.0258180>
- Ziadi, M., Bergot, G., Courtin, P., Chambellon, E., Hamdi, M., & Yvon, M. (2010). Amino acid catabolism by *Lactococcus lactis* during milk fermentation. *International Dairy Journal*, 20(1), 25–31. <https://doi.org/10.1016/j.idairyj.2009.07.004>