

DAFTAR PUSTAKA

- Aldrich, S. (2022). Eugenol untuk sintesis. *Material Safety Data Sheet, Kategori 2*, 1–11. https://www.merckmillipore.com/ID/id/product/msds/MDA_CHEM-818455
- Almashhadani, H. A., & Saleh, K. A. (2019). Corrosion protection of pure titanium implant by electrochemical deposition of hydroxyapatite post-anodizing. *IOP Conference Series: Materials Science and Engineering*, 571(1). <https://doi.org/10.1088/1757-899X/571/1/012071>
- Aziz, H., Tetra, O. N., Alif, A., Syukri, S., & Perdana, Y. A. (2017). Performance Karbon Aktif dari Limbah Cangkang Kelapa Sawit sebagai Bahan Elektroda Superkapasitor. *Jurnal Zarah*, 5(2), 1–6. <https://doi.org/10.31629/zarah.v5i2.208>
- Charan Raja, M. R., Srinivasan, V., Selvaraj, S., & Mahapatra, S. K. (2015). Pharmaceutica Analytica Acta Versatile and Synergistic Potential of Eugenol: A Review. *Pharm Anal Acta*, 6(6), 1–6. <https://doi.org/10.4172/21532435.1000367>
- Cowd, M. . (1991). *Kimia Polimer*. ITB.
- Das, T. K., & Prusty, S. (2012). Review on Conducting Polymers and Their Applications. *Polymer - Plastics Technology and Engineering*, 51(14), 1487–1500. <https://doi.org/10.1080/03602559.2012.710697>
- Dutta, K., Das, S., Kumar, P., & Kundu, P. P. (2014). Polymer electrolyte membrane with high selectivity ratio for direct methanol fuel cells: A preliminary study based on blends of partially sulfonated polymers polyaniline and PVdF-co-HFP. *Applied Energy*, 118, 183–191. <https://doi.org/10.1016/j.apenergy.2013.12.029>
- Fessenden. (1990). *Organic Chemistry*. USA : Willart Grant Press.
- Gustian, I., Asdim, A. dan Evi, M. (2006). *Pengantar Sintesis Dan Karakterisasi Membrane Sel Bahan Bakar Berbasis Polimer*. Badan Penerbitan Fakultas Pertanian Universitas Bengkulu.
- Irzaman., Erviansyah, R., Syafutra, H., Maddu, A., & Siswadi. (2010). Studi Konduktivitas Listrik Film Tipis Ba_{0.25}Sr_{0.75}TiO₃ Yang Didadah Ferium Oksida (Bfst) Menggunakan Metode Chemical Solution Deposition. *Berkala Fisika*, 13(1), Pp. 33-38.
- Jayalakshmi, M., & Balasubramanian, K. (2008). Simple capacitors to supercapacitors - An overview. *International Journal of Electrochemical Science*, 3(11), 1196–1217. [https://doi.org/10.1016/s1452-3981\(23\)15517-9](https://doi.org/10.1016/s1452-3981(23)15517-9)
- Kiswandono, A. A., Hadi, S., Mudasir, Sinjia, F., Sari, M. Y., & Irfan, M. (2019). Copoly Eugenol Crosslinked Dialylphthalate 8% as a Carrier in Phenol and Pb(II) Metal Transport. *Journal of Physics: Conference Series*, 1338(1).

<https://doi.org/10.1088/1742-6596/1338/1/012004>

- Klaysom, C., Ladewig, B. P., Lu, G. M. dan Wang, L. (2011). Preparation and Characterization of Sulfonated Polyethersulfone for Cation-Exchange Membranes. *Journal of Membrane Science*, 368((1-2)), 48–53.
- Lade, H., Kumar, V., Arthanareeswaran, G., & Ismail, A. F. (2017). Sulfonated poly(arylene ether sulfone) nanocomposite electrolyte membrane for fuel cell applications: A review. *International Journal of Hydrogen Energy*, 42(2), 1063–1074. <https://doi.org/10.1016/j.ijhydene.2016.10.038>
- Le Van, K., & Luong Thi, T. T. (2014). Activated carbon derived from rice husk by NaOH activation and its application in supercapacitor. *Progress in Natural Science: Materials International*, 24(3), 191–198. <https://doi.org/10.1016/j.pnsc.2014.05.012>
- Liang, Y., Zhou, X., Liao, Y., Wu, J., Xie, X., & Zhou, H. (2016). Reactive polycarbonate/diallyl phthalate blends with high optical transparency, good flowability and high mechanical properties. *Polymer*, 91, 89–97. <https://doi.org/10.1016/j.polymer.2016.03.059>
- Logue, M. W., & Welsh, W. J. (2005). *Marshall W. Logue, Michigan Technological Uni V ersity JA0597202 10.1021/ja0597202*. 14950–14952.
- Mahendra, A., & Supardi, Z. A. I. (2021). Sebuah Review: Spektroskopi Impedansi Elektrokimia Dan Aplikasinya Dalam Baterai Lithium-Ion. *Inovasi Fisika Indonesia*, 10(2), 59–67. <https://doi.org/10.26740/ifi.v10n2.p59-67>
- Marina, D., & Kurniawan, W. B. (2021). Karakteristik Karbon Aktif Limbah Kulit Lada (*Piper Nigrum L*) sebagai Elektroda Superkapasitor. *Jurnal Riset Fisika Indonesia*, 2(1), 7–14. <https://doi.org/10.33019/jrfi.v2i1.3171>
- Modjinou, T., Versace, D. L., Abbad-Andallousi, S., Bousserhine, N., Dubot, P., Langlois, V., & Renard, E. (2016). Antibacterial and antioxidant bio-based networks derived from eugenol using photo-activated thiol-ene reaction. *Reactive and Functional Polymers*, 101, 47–53. <https://doi.org/10.1016/j.reactfunctpolym.2016.02.002>
- Mossfika, E., Syukri, S., & Aziz, H. (2020). Preparation of Activated Carbon from Tea Waste by NaOH Activation as A Supercapacitor Material. *Journal of Aceh Physics Society*, 9(2), 42–47. <https://doi.org/10.24815/jacps.v9i2.15905>
- Ngadiwiyana, Prasetya, N. B. A., Gunawan, Kusworo, T. D., & Susanto, H. (2021). Synthesis, characterization, and study of proton exchange polymer membrane properties of sulfonated copolymer eugenol-diallyl phthalate. *Indonesian Journal of Chemistry*, 21(1), 168–178. <https://doi.org/10.22146/ijc.55353>
- Pandolfo, A. G., & Hollenkamp, A. F. (2006). Carbon properties and their role in supercapacitors. *Journal of Power Sources*, 157(1), 11–27. <https://doi.org/10.1016/j.jpowsour.2006.02.065>
- Pramono, Dewi, Edi, Chintya, Rahmawati, & Fitria. (2023). *Kinetics Study on Thermal Degradation of Polystyrene and Sulfonated Polystyrene from*

- Styrofoam Waste. Molekul.* <https://doi.org/18.10.20884/1.jm.2023.18.3.7306>. 386.
- Prasetya, N. B. A., Ajizan, A. I., Widodo, D. S., Ngadiwiyana, N., & Gunawan, G. (2023). A polyeugenol/graphene composite with excellent anti-corrosion coating properties. *Materials Advances*, 4(1), 248–255. <https://doi.org/10.1039/d2ma00875k>
- Pupuk, D., Sapi, K., Syahbanu, I., Tamnasi, M. T., Nabela, C., & Furnata, M. D. (2018). *Indonesian Journal of Pure and Applied Chemistry*. 1(1), 30–38.
- Sandford, C., Edwards, M. A., Klunder, K. J., Hickey, D. P., Li, M., Barman, K., Sigman, M. S., White, H. S., & Minter, S. D. (2019). A synthetic chemist's guide to electroanalytical tools for studying reaction mechanisms. *Chemical Science*, 10(26), 6404–6422. <https://doi.org/10.1039/c9sc01545k>
- Sasongko, P., Washington, W., & Ahmadi, K. (2022). Potensi Usaha Pengolahan Minyak Atsiri Daun Cengkeh Di Kecamatan Sipora Selatan Kabupaten Kepulauan Mentawai. *Journal of Food Technology and Agroindustry*, 4(2), 100–115. <https://doi.org/10.24929/jfta.v4i2.2127>
- Sembiring, S. (2014). *Preparasi dan Karakterisasi Bahan* (B. A. Jurusan & F. U. L. B. Lampung (eds.)).
- The OSHA Standard 29. (2012). Safety Data Sheet . قةر شن تة اذ ايب سلا قم . Safety Data Sheet. *Material Safety Data Sheet*, 4(2), 1–6. <https://shrinkwrapcontainments.com/Images/media/SDS Shrink Film.pdf>
- Vega, A., Hernández, C., Flores, S., Zaragoza, A., & Investigación, C. De. (2013). *Synthesis and Electroactivity of Polystyrene / polyaniline Core – shell Composites*. 79, 4–7.
- Vlachos, N., Skopelitis, Y., Psaroudaki, M., Konstantinidou, V., Chatzilazarou, A., & Tegou, E. (2006). Applications of Fourier transform-infrared spectroscopy to edible oils. *Analytica Chimica Acta*, 573–574, 459–465. <https://doi.org/10.1016/j.aca.2006.05.034>
- Vuorilehto, K., & Nuutinen, M. (2014). *Supercapacitors -basics and applications*.
- Wang, G., Zhang, L., & Zhang, J. (2012). A review of electrode materials for electrochemical supercapacitors. *Chemical Society Reviews*, 41(2), 797–828.
- Wang, Q., Lu, Y., & Li, N. (2016). Preparation, characterization and performance of sulfonated poly(styrene-ethylene/butylene-styrene) block copolymer membranes for water desalination by pervaporation. *Desalination*, 390, 33–46. <https://doi.org/10.1016/j.desal.2016.04.005>
- Widayat, W., Cahyono, B., & Ngadiwiyana, N. (2012). Rancang Bangun Dan Uji Alat Proses Peningkatan Minyak Cengkeh Pada Klaster Minyak Atsiri Kabupaten Batang. *Jurnal Ilmu Lingkungan*, 10(2), 64. <https://doi.org/10.14710/jil.10.2.64-69>
- Yao, J., Xu, G., Zhao, Z., Guo, J., Li, S., Cai, W., & Zhang, S. (2019). An enhanced

- proton conductivity and reduced methanol permeability composite membrane prepared by sulfonated covalent organic nanosheets/Nafion. *International Journal of Hydrogen Energy*, 44(45), 24985–24996. <https://doi.org/10.1016/j.ijhydene.2019.07.197>
- Yu, L., Yue, B., Yan, L., Zhao, H., & Zhang, J. (2019). Proton conducting composite membranes based on sulfonated polysulfone and polysulfone-g-(phosphonated polystyrene) via controlled atom-transfer radical polymerization for fuel cell applications. *Solid State Ionics*, 338(April), 103–112. <https://doi.org/10.1016/j.ssi.2019.05.012>
- Yuk, J., Lee, S., Nugraha, A. F., Lee, H., Park, S. H., Yim, S. D., & Bae, B. (2016). Synthesis and characterization of multi-block poly(arylene ether sulfone) membranes with highly sulfonated blocks for use in polymer electrolyte membrane fuel cells. *Journal of Membrane Science*, 518, 50–59. <https://doi.org/10.1016/j.memsci.2016.06.037>
- Zhang, C., Xue, J., Yang, X., Ke, Y., Ou, R., Wang, Y., Madbouly, S. A., & Wang, Q. (2022). From plant phenols to novel bio-based polymers. *Progress in Polymer Science*, 125, 101473. <https://doi.org/10.1016/J.PROGPOLYMSCI.2021.101473>
- Zou, Y., Zhang, Z., Zhong, W., & Yang, W. (2018). Hydrothermal direct synthesis of polyaniline, graphene/polyaniline and N-doped graphene/polyaniline hydrogels for high performance flexible supercapacitors. *Journal of Materials Chemistry A*, 6(19), 9245–9256. <https://doi.org/10.1039/c8ta01366g>