

DAFTAR PUSTAKA

- A Review of Light shelf Designs for Daylit Environments.* (n.d.). Retrieved December 5, 2025, from <https://www.mdpi.com/2071-1050/10/1/71>
- Abdullah, K., Jannah, M., Aiman, U., Hasda, S., Fadilla, Z., Taqwin, N., Masita, Ardiawan, K., & Sari, M. (2021). *Metodologi Penelitian Kuantitatif*. Yayasan Penerbit Muhammad Zain.
- Ali, M. E., & Pangestu, M. D. (2022). PENGARUH BENTUK *LIGHT SHELF* TERHADAP PENETRASI CAHAYA PADA GEDUNG PERKANTORAN DI KAWASAN TROPIS. *ALUR: Jurnal Arsitektur*, 5(1), 1–10. <https://doi.org/10.54367/alur.v5i1.1942>
- AL-Mowallad, E., Huang, X., Lu, Z., Li, X., Wu, K., Zhu, Z., & Liu, G. (2024). Assessment and Improvement of Daylighting Quality in Classrooms with Double-Side Windows. *Buildings*.
- Arifa, N., Huda, N., & Hermina, D. (2025). *Riset Evaluasi*.
- Arisal, & Sari, Y. (2020). Analisis Penerapan Arsitektur Tropis Pada Bangunan Kantor Sewa Wisma Dharmala Sakti Jakarta. *Jurnal Universitas Muhammadiyah Jakarta*.
- Arrahman, D., & Sudarwanto, B. (2024). PENGARUH SUN SHADING TERHADAP KENYAMANAN THERMAL DAN VISUAL PADA RUANG BACA GEDUNG AUDITORIUM POLITEKNIK PEKERJAAN UMUM SEMARANG. *Jurnal Arsitektur ARCADE*. <https://e-journal.ukri.ac.id/index.php/arcade/article/view/3868>
- Atthailah, Mangkuto, R., Koerniawan, M., Hensen, J., & Yulianto, B. (2022). *Optimization of Daylighting Design Using Self-Shading Mechanism in Tropical School Classrooms with Bilateral Openings. Volume 9*(Issue 2), 117–136.
- Auffray, B., Monsere, C., & Bertini, R. (2007). An Empirical Investigation of the Impacts of Sun-Related Glare on Traffic Flow. *R Presentation and Publication to the 87th Annual Meeting of the Transportation Research Board*.
- Bambang, R. R., & Sari, Y. (2021). Penerapan Konsep Arsitektur Tropis Pada Bangunan Pendidikan “Studi Kasus Menara Phinisi UNM.” *Journal of Architectural Design and Development (JAD)*, 2(1), 20–31. <https://doi.org/10.37253/jad.v2i1.4341>
- BMKG. (2020). *Analisis Perubahan Iklim di Indonesia*. BMKG.
- Budiyanto, A., & Lubis, M. (2020). *Comparison Result of Hourly Solar Radiation under the Clear Sky Condition Based on of Solar Radiation Model and Measured Data Experiment*.
- Carlucci, S., Causone, F., De Rosa, F., & Pagliano, L. (2015). A review of indices for assessing visual comfort with a view to their use in optimization processes to support building integrated design. *Renewable and Sustainable Energy Reviews*, 11.
- Cerita, S. G. P. (2019, August 16). *Kantor Gubernur Jawa Tengah—Setiap Gedung Punya Cerita*. <https://setiapgedung.id/2019/08/kantor-gubernur-jawa-tengah.html>
- Chaloeytoy, K., Ichinose, M., & Chien, S.-C. (2020). Determination of the Simplified Daylight Glare Probability (DGPs) Criteria for Daylit Office Spaces in Thailand. *Buildings*, 3.

- Chan, C.-S. (2012). *Phenomenology Of Rhythm in Design*.
- Dewanto, R., Alfianto, I., & Dewi, C. (2024). Kenyamanan Pencahayaan Laboratorium Teknik Sipil Universitas Negeri Malang. *Jurnal Inovasi Teknologi Dan Edukasi Teknik*, 9.
- EN 12464. (2002). *Light and lighting—Lighting of work places—Part 1: Indoor work places*.
- Fakhari, M., Vahabi, V., & Fayaz, R. (2021). *A study on the factors simultaneously affecting visual comfort in classrooms: A structural equation modeling approach*. 12.
- Fakra, A., Boyer, H., & Maamari, F. (2008). Experimental validation for software DIALUX: application in CIE testCases for building daylighting simulation. *Experimental Validation for Software DIALUX: Application in CIE testCases for Building Daylighting Simula*.
- Farisi, A. F., & Satwikasari, A. F. (2023). Kajian Konsep Arsitektur Tropis pada Bangunan Pusat Perbelanjaan Modern Transmart Cibubur. *Jurnal Universitas Muhammadiyah Jakarta*.
- Giarma, C., Tsikaloudaki, K., & Aravantinos, D. (2017). Daylighting and Visual Comfort in Buildings' Environmental Performance Assessment Tools: A Critical Review. *Elsevier*, 2.
- Hafiz, D. (2015). *Daylighting, Space, and Architecture: A Literature Review*.
- Hakim, F., Atthailah, & Mangkuto, R. (2021). *USULAN PEMBARUAN TABEL FAKTOR LANGIT PADA SNI 03-2396-2001 TENTANG PENCAHAYAAN ALAMI PADA BANGUNAN*.
- Hawort. (n.d.). *Light Reflectance Values* Hawort. hawort.
- IES. (1947). *IES Lighting Handbook*.
- Jian-Feng, L., Yang, Z.-Y., Yi, H.-Q., & Yang, Z.-D. (2017). *Study on the Reflection Characteristics of Ceramic Tile Building Materials to Solar Radiation: Proceedings of the International Conference on Environmental Science and Sustainable Energy*.
- Kapoor, N., Kumar, A., Alam, T., Kumar, A., Kulkarni, K., & Bleich, P. (2021). A Review on Indoor Environment Quality of Indian School Classrooms. *Sustainability*, 13(11855), 23.
- Králíková, R., Džučňová, L., Lumnitzer, E., & Piňosová, M. (2022). *Simulation of Artificial Lighting Using Leading Software to Evaluate Lighting Conditions in the Absence of Daylight in a University Classroom*.
- Kristanto, L. (2004). PENELITIAN TERHADAP KUAT PENERANGAN DAN HUBUNGANNYA DENGAN ANGKA REFLEKTANSI WARNA DINDING: Studi Kasus Ruang Kelas Unika Widya Mandala Surabaya. *Dimensi : Journal of Architecture and Built Environment*, 32, 7.
- Kristanto, L. (2018). PENELITIAN TERHADAP KUAT PENERANGAN DAN HUBUNGANNYA DENGAN ANGKA REFLEKTANSI WARNA DINDING Studi Kasus Ruang Kelas Unika Widya Mandala Surabaya. *Jurusan Teknik Arsitektur, Fakultas Teknik Sipil Dan Perencanaan - Universitas Kristen Petra*, 7.
- Lam, K. P., Wong, H., & Henry, F. (1999). *A STUDY OF THE USE OF PERFORMANCE-BASED SIMULATION TOOLS FOR BUILDING DESIGN AND EVALUATION IN SINGAPORE*.

Langit, A., & Hendrawati, D. (2019). Peran Material Selubung Bangunan dalam Efisiensi Energi pada Bangunan di Iklim Tropis. *Seminar Karya & Pameran Arsitektur Indonesia 2019*.

LEED V4. (2019). *LEED v4 for BUILDING DESIGN AND CONSTRUCTION*. LEED.

Lin, Y., Chen, C.-C., & Gandomi, Y. (2023). Strategies on Visual Display Terminal Lighting in Office Space under Energy-Saving Environment. *Energies* 2023, 16(3), 1317; <https://doi.org/10.3390/en16031317>.

Madina, R., Nurriszka, A., & Komala, D. (2013). Pengaruh Desain Fasade Bangunan Terhadap Kondisi Pencahayaan Alami dan Kenyamanan Termal (Studi Kasus: Campus Center Barat ITB). *TEMU ILMIAH IPLBI 2013*.

Mahdavi, A., Rao, S., & Inangda, N. (2013). *Parametric Studies on Window-To-Wall Ratio for Day lighting Optimisation in High-Rise Office Buildings in Kuala Lumpur, Malaysia*.

Mandala, A., & Ritva, A. (2018). *A Comparative Study on the Daylighting Simulation Tools: DIALux, Radiance, and Relux*.

Mangkuto, R., Kurnia, K., Azizah, D., Atmodipoero, R., & Soelami, N. (2017). *Determination of discomfort glare criteria for daylit space in Indonesia*.

Mardika, K., & Syahrozi. (2024). Optimalisasi Penggunaan Cahaya Alami Dalam Desain Arsitektur. *ALIBI – Jurnal Arsitektur Dan Lingkungan Binaan*.

Martínez, D., Ebenhack, B., & Wagner, T. (2019). *Energy Efficiency: Concepts and Calculations*.

Matin, N., Eydgahi, A., & Gharipour, A. (2025). Sustainable Design: Minimizing Discomfort Glare Through Data-Driven Methods for Responsive Facades. *Sustainability*.

McPartland, R. (2016). *What is BREEAM?* NBS. <https://www.thenbs.com/knowledge/what-is-breem>

Müeller, H. F. O. (2013). *Daylight Factor in Daylighting*.

Nazari, S., Mohammadi, P., & Sareh, P. (2023). *A multi-objective optimization approach to designing window and shading systems considering building energy consumption and occupant comfort*.

Noshin, S., Kanwal, H., & Ahmad, A. (2020). A Comparative Study on Daylight Performance Assessment of Light Shelves Based on Inclination. *Mehran University Research Journal of Engineering and Technology*, 39(4), 800–805. <https://doi.org/10.22581/muet1982.2004.12>

Nurhaiza, & Lisa, N. (2016). Optimalisasi Pencahayaan Alami pada Ruang Studi Kasus: Gedung Prodi Arsitektur Universitas Malikussaleh. *Jurnal Arsitekno*, 7(7), 32–40.

Palarino, C., & Piderit, M. (2020). *Optimisation of Passive Solar Design Strategies in Side-lit Offices: Maximising Daylight Penetration While Reducing the Risk of Glare in Different Chilean Climate Contexts. Volume 7*(Issue 1), 107–121.

Patianus, R. (1997). *PENGARUH EXISTENSI PEMATAHAN SINAR PADA FASADE BANGUNAN TERHADAP EFISIENSI PEMATAHAN BEBAN ENERGI AC DI DAERAH TROPIS LEMBAB (Studi Kasus Gedung Kantor Sekwilda TK. I Jawa Tengah Semarang)*.

Pinem, L., Atthailah, Fahrizal, E., Saputr, E., & Badriana. (2022). *SIMULASI*

PENCAHAYAAN ALAMI SIANG HARI TERHADAP DESAIN FASAD (STUDI KASUS: GEDUNG LABORATORIUM TEKNIK ELEKTRO UNIVERSITAS MALIKUSSALEH). *Nature*, 9(1), 71–82.

Ping Tan, H., & Majid, R. (2023). Transformation of Malaysian Shop Office and The Impact of Visual Comfort. *Talenta*, 14.

Polyflor. (2019). *Polyflor Light Reflectance Values*.

Pradipta, N. (2011). *OPTIMASI DESAIN LIGHT SHELF UNTUK DAYLIGHTING BANGUNAN HEMAT ENERGI* [Universitas Gadjah Mada]. https://etd.repository.ugm.ac.id/home/detail_pencarian/52446?utm_source=chatgpt.com

Putra, Z. (2018). *PENGARUH PENCAHAYAAN ALAMI TERHADAP KENYAMANAN VISUAL PENGGUNA RUANG KULIAH GEDUNG BARU TEKNIK PENGAIRAN UNIVERSITAS BRAWIJAYA*. Universitas Brawijaya.

RW, F. (2023). *The influence of latitude and sky conditions on daylight harvesting inbuildings*.

Safitri, S., & Zakiah, A. (2020). Pengaruh Desain Shading Bangunan terhadap Nilai OTTV melalui studi preseden. *Seminar Karya & Pameran Arsitektur Indonesia 2020*.

Sari, L., & Rauzi, E. (2019). *Diagram Lintasan Matahari dalam Arsitektur*.

Seftyarizki, D., Hakim, A., & Razali, M. (2020). Identification of Visual and Thermal Comfort in Classroom. *IOP Conf. Series: Materials Science and Engineering* 874.

Shafavi, N., Tahsildoost, M., & Zomorodian, Z. (2020). *Investigation of illuminance-based metrics in predicting occupants' visual comfort (case study: Architecture design studios)*.

SNI. (2001). *SNI 03-2396-2001 Tata Cara Perancangan Sistem Pencahayaan Alami Pada Bangunan Gedung*. SNI.

Tekce, I., Artan, D., & Ergen, E. (2020). An Empirical Study of Visual Comfort in Office Buildings. *Sustainable Design and Manufacturing*, 23.

Vasconcellos, D. de, & Gabriela. (2017). *Evaluation of Annual Sunlight Exposure (ASE) as a Proxy to Glare: A Field Study in a NZEB and LEED Certified Office in San Francisco*.

Volf, C., Petersen, P., Thorseth, A., Vestegaard, S., & Martiny, K. (2023). *Daylight quality: High-transmittance glass versus low transmittance glass—Effects on daylight quality, health, comfort and energy consumption*.

Widiyantoro, H., Muladi, E., & Vidiyanti, C. (2017). Analisis Pencahayaan Terhadap Kenyamanan Visual Pada Pengguna Kantor. *Jurnal Arsitektur Vitruvian, Bangunan & Lingkungan*, 6, 65–70.

Wienold, J., Iwata, T., & Andersen, M. (2019). *Cross-validation and robustness of daylight glare metrics*.

Wijaya, D., Utami, S., & Mangkuto, R. (2024). *Multi-Objective Optimisation of Skylight Design Parameters for a Low-rise Building in the Tropics*.

Wymelenberg, V. D., & Inanici, M. (2014). *A Critical Investigation of Common Lighting Design Metrics for Predicting Human Visual Comfort in Offices with Daylight*.

Yawale, P., Varade, P., Wagh, V., & Shaligram, A. D. (2022). *Daylight simulation for a typical laboratory using DIALux and Integration of Daylight with artificial lighting for Laboratory Work*.

Zomorodian, Z., Korsavi, S., & Tahsildoost, M. (2015). *The effect of window configuration on daylight performance in classrooms: A field and simulation study.*