

DAFTAR PUSTAKA

- Abriyani, E., Putri, N. S., Rosidah, R. Si. N., & Ismanita, S. S. (2022). Analisis Kafein Menggunakan Metode Uv-Vis: Tinjauan Literatur. *Jurnal Pendidikan dan Konseling (JPDK)*, 4(6), 12732–12739.
- Aryal, S., Baniya, M. K., Danekhu, K., Kunwar, P., Gurung, R., & Koirala, N. (2019). Total Phenolic Content, Flavonoid Content and Antioxidant Potential of Wild Vegetables from Western Nepal. *Plants*, 8(4), 96. <https://doi.org/10.3390/plants8040096>
- Balitbangtan. (2013). *Teh merah (Camelia sinensis) hasil eksplorasi di kabupaten Wonosobo*.
- Dewi, P. P., Hidayat, Ri., & Permatasari, R. (2009). *Pengukuran Kapasitas Antioksidan pada Teh Komersial serta Korelasinya dengan Kandungan Total Fenol*.
- Dorđević, S., Cakić, M., & Amr, S. (2000). The Extraction of Apigenin and Luteolin from The Sage *Salvia Officinalis* L. from Jordan. *Working and Living Environmental Protection*, 5, 87–93.
- Fachriyah, E., Kusriani, D., Haryanto, I. B., Wulandari, S. M. B., Lestari, W. I., & Sumariyah, S. (2020). Phytochemical Test, Determination of Total Phenol, Total Flavonoids and Antioxidant Activity of Ethanol Extract of Moringa Leaves (*Moringa oleifera* Lam). *Jurnal Kimia Sains dan Aplikasi*, 23(8), 290–294. <https://doi.org/10.14710/jksa.23.8.290-294>
- Farnsworth, N. R. (1966). Biological and Phytochemical Screening of Plants. *J. Pharm Sci.*, 55(3), 225–276.
- Fauziah, A., Sudirga, S. K., & Parwanayoni, N. M. S. (2021). Uji Antioksidan Ekstrak Daun Tanaman Leunca (*Solanum nigrum* L.). *Metamorfosa: Journal of Biological Sciences*, 8(1), 28. <https://doi.org/10.24843/metamorfosa.2021.v08.i01.p03>
- Fernando, C. D., & Soysa, P. (2015). Optimized enzymatic colorimetric assay for determination of hydrogen peroxide (H₂O₂) scavenging activity of plant extracts. *MethodsX*, 2, 283–291. <https://doi.org/10.1016/j.mex.2015.05.001>
- Gray, N. E., Alcazar Magana, A., Lak, P., Wright, K. M., Quinn, J., Stevens, J. F., Maier, C. S., & Soumyanath, A. (2018). *Centella asiatica*: phytochemistry and mechanisms of neuroprotection and cognitive enhancement. Dalam *Phytochemistry Reviews* (Vol. 17, Nomor 1, hlm. 161–194). Springer Netherlands. <https://doi.org/10.1007/s11101-017-9528-y>

- Gulcin, İ., & Alwasel, S. H. (2023). DPPH Radical Scavenging Assay. *Processes*, *11*(8). <https://doi.org/10.3390/pr11082248>
- Heliawati, L. (2018). *Kimia Organik Bahan Alam*. Pascasarjana - UNPAK.
- Hikmawanti, N. P. E., Nurkamalia, N., & Nurhidayah, S. (2019). Chemical Components of *Ocimum basilicum* L. and *Ocimum tenuiflorum* L. Stem Essential Oils and Evaluation of Their Antioxidant Activities Using DPPH Method. *Original Article Pharmaceutical Sciences and Research (PSR)*, *6*(3), 149–154.
- Khair-ul-Bariyah, S., Ahmed, D., & Ikram, M. (2012). *Ocimum Basilicum*: A Review on Phytochemical and Pharmacological Studies. *Pakistan Journal of Chemistry*, *2*(2), 78–85. <https://doi.org/10.15228/2012.v02.i02.p05>
- Leslie, P. J., & Gunawan, S. (2019). Uji fitokimia dan perbandingan efek antioksidan pada daun teh hijau, teh hitam, dan teh putih (*Camellia sinensis*) dengan metode DPPH (2,2-difenil-1-pikrilhidrazil). *Tarumanagara Medical Journal*, *1*(2), 383–388.
- Luis Alexandre-Tudo, J., & du Toit, W. (2019). The Role of UV-Visible Spectroscopy for Phenolic Compounds Quantification in Winemaking. Dalam *Frontiers and New Trends in the Science of Fermented Food and Beverages*. IntechOpen. <https://doi.org/10.5772/intechopen.79550>
- Mammen, D., & Daniel, M. (2012). A critical evaluation on the reliability of two aluminum chloride chelation methods for quantification of flavonoids. *Food Chemistry*, *135*(3), 1365–1368. <https://doi.org/10.1016/j.foodchem.2012.05.109>
- Meyer, B. R., White, H. M., McCormack, J. D., & Niemeyer, E. D. (2023). Catechin Composition, Phenolic Content, and Antioxidant Properties of Commercially-Available Bagged, Gunpowder, and Matcha Green Teas. *Plant Foods for Human Nutrition*, *78*(4), 662–669. <https://doi.org/10.1007/s11130-023-01121-2>
- Muflihah, Y. M., Gollavelli, G., & Ling, Y.-C. (2021). Correlation Study of Antioxidant Activity with Phenolic and Flavonoid Compounds in 12 Indonesian Indigenous Herbs. *Antioxidants*, *10*(10), 1530. <https://doi.org/10.3390/antiox10101530>
- Munteanu, I. G., & Apetrei, C. (2021). Analytical Methods Used in Determining Antioxidant Activity: A Review. *International Journal of Molecular Sciences*, *22*(7), 3380. <https://doi.org/10.3390/ijms22073380>

- Pandey, A., & Tripathi, S. (2014). Concept of standardization, extraction and pre phytochemical screening strategies for herbal drug. *Journal of Pharmacognosy and Phytochemistry*, 2(5), 115–119.
- Pane, M. H., Rahman, A. O., & Ayudia, E. I. (2021). *GAMBARAN PENGGUNAAN OBAT HERBAL PADA MASYARAKAT INDONESIA DAN INTERAKSINYA TERHADAP OBAT KONVENSIONAL TAHUN 2020*.
- Papuc, C., Goran, G. V., Predescu, C. N., Nicorescu, V., & Stefan, G. (2017). Plant Polyphenols as Antioxidant and Antibacterial Agents for Shelf-Life Extension of Meat and Meat Products: Classification, Structures, Sources, and Action Mechanisms. *Comprehensive Reviews in Food Science and Food Safety*, 16(6), 1243–1268. <https://doi.org/10.1111/1541-4337.12298>
- Pérez, M., Dominguez-López, I., & Lamuela-Raventós, R. M. (2023). The Chemistry Behind the Folin–Ciocalteu Method for the Estimation of (Poly)phenol Content in Food: Total Phenolic Intake in a Mediterranean Dietary Pattern. *Journal of Agricultural and Food Chemistry*, 71(46), 17543–17553. <https://doi.org/10.1021/acs.jafc.3c04022>
- Prinsi, B., Morgutti, S., Negrini, N., Faoro, F., & Espen, L. (2020). Insight into composition of bioactive phenolic compounds in leaves and flowers of green and purple basil. *Plants*, 9(1). <https://doi.org/10.3390/plants9010022>
- Ramandey, J. M., & Bunei, P. (2021). *IDENTIFIKASI TANAMAN PEGAGAN (Centela asiatica L.) SEBAGAI TANAMAN OBAT BAGI MASYARAKAT SUKU MEE DI DISTRIK TIGI TIMUR KABUPATEN DEIYAI*.
- Sholehah, D. N. (2016). MORFOLOGI DAN KANDUNGAN MINYAK ATSIRI AKSESI SELASIH (*Ocimum basilicum L.*) ASAL MADURA. *AGROVIGOR*, 9(2), 90–95.
- Sunarni, T., idjiyo Pramono, S., & Ratna Asmah, dan. (2007). Flavonoid antioksidan penangkap radikal dari daun kepek (*Stelechocarpus burahol* (Bl.) Hook f. & Th.). Dalam *Titik Sunarni Majalah Farmasi Indonesia* (Vol. 18, Nomor 3).
- Sundari, D., Handayani, D. S., & Suryanti, V. (2023). Identifikasi senyawa dari ekstrak metanol daging buah kepel (*Stelechocarpus burahol*). *Pros Sem Nas Masy Biodiv Indon*, 9(1), 86–90. <https://doi.org/10.13057/psnmbi/m090113>
- Talapessy, S., Suryanto, E., & Yudistira, A. (2013). UJI AKTIVITAS ANTIOKSIDAN DARI AMPAS HASIL PENGOLAHAN SAGU (*Metroxylon sagu Rottb*). *Jurnah Ilmiah Farmasi UNSRAT*, 2(03), 40–44.
- Wahyuni, W. T., Darusman, L. K., Pitria, P., & Rahmat, A. (2018). ANALISIS KADAR FLAVONOID DAN ANTIOKSIDAN EKSTRAK DAUN KENIKIR

(COSMOS CAUDATUS), RUMPUT MUTIARA (OLDENLANDIA CORYMBOSA), DAN SIRSAK (ANNONA MURICATA) DENGAN TEKNIK SPEKTROMETRI. *ANALIT: ANALYTICAL AND ENVIRONMENTAL CHEMISTRY*, 38–46.
<https://doi.org/10.23960/aec.v3.i1.2018.p38-46>

Wientarsih, I., Sjarif, S. Hr., & Hamzah, I. M. (2013). AKTIVITAS ANTIOKSIDAN FRAKSI METANOL DAUN PEGAGAN (*Centella asiatica* (L.) Urban). *Fitofarmaka*, 3(2).

Xie, J., & Schaich, K. M. (2014). Re-evaluation of the 2,2-Diphenyl-1-picrylhydrazyl Free Radical (DPPH) Assay for Antioxidant Activity. *Journal of Agricultural and Food Chemistry*, 62(19), 4251–4260.
<https://doi.org/10.1021/jf500180u>

Yapıcı, İ., Altay, A., Öztürk Sarıkaya, B., Korkmaz, M., Atila, A., Gülçin, İ., & Köksal, E. (2021). *In vitro* Antioxidant and Cytotoxic Activities of Extracts of Endemic *Tanacetum erzincanense* Together with Phenolic Content by LC-ESI-QTOF-MS. *Chemistry & Biodiversity*, 18(3).
<https://doi.org/10.1002/cbdv.202000812>

Yuanisyak, A., Zunaidah, F. N., Nurmilawati, M., Primandiri, P. R., & Santoso, A. M. (2022). Karakteristik Morfologi Tanaman Kepel (*Stelechocarpus burahol* (Blume) Hook.F & Th.) di Kabupaten Kediri. *Seminar Nasional Sains*.

Zahran, E. M., Abdelmohsen, U. R., Khalil, H. E., Desoukey, S. Y., Fouad, M. A., & Kamel, M. S. (2020). Diversity, phytochemical and medicinal potential of the genus *Ocimum* L. (Lamiaceae). Dalam *Phytochemistry Reviews* (Vol. 19, Nomor 4, hlm. 907–953). Springer Science+Business Media B.V.
<https://doi.org/10.1007/s11101-020-09690-9>

Zhao, T., Li, C., Wang, S., & Song, X. (2022). Green Tea (*Camellia sinensis*): A Review of Its Phytochemistry, Pharmacology, and Toxicology. *Molecules*, 27(12), 3909. <https://doi.org/10.3390/molecules27123909>