

DAFTAR PUSTAKA

- Cai, K., Wang, H., Xia, J., Shao, J., Huang, Y., Li, Y., & Thang, S. H. (2025). Spray-driven assembly of micro/nano hierarchical structures in photocurable organosilicon/silica hybrid superhydrophobic coatings. *Chemical Engineering Journal*, 511. <https://doi.org/10.1016/j.cej.2025.161812>
- Chen, C., Shi, S., Wang, M., Ma, H., Zhou, L., & Xu, J. (2014). Superhydrophobic SiO₂-based nanocomposite modified with organic groups as catalyst for selective oxidation of ethylbenzene. *Journal of Materials Chemistry A*, 2(21), 8126–8134. <https://doi.org/10.1039/c4ta00943f>
- Dignes, C., Nicolas, N. J., Schroeder, T. B. H., & Aizenberg, J. (2025). Robust PFAS-Free Superhydrophobicity Exhibited in Hierarchically Nanostructured Coatings on Textiles. *Advanced Engineering Materials*, 27(13). <https://doi.org/10.1002/adem.202401736>
- Du, J., Yang, K. L., Yuan, Z. Q., Li, X. Y., Liu, S. J., Li, C. C., & Meng, S. tong. (2024). Preparation of a robust and stable superhydrophobic coating with self-cleaning and mold resistance properties on natural bamboo substrate. *Construction and Building Materials*, 411. <https://doi.org/10.1016/j.conbuildmat.2023.134454>
- Duron, C. M., Zhong, J., David, A. E., Ashurst, W. R., Bhavnani, S. H., Morris, J. R., & Bates, A. C. (2017). Development of a durable vapor phase deposited superhydrophobic coating for steam cycle power generation condenser tubes. *American Society of Mechanical Engineers, Power Division (Publication) POWER*, 1. <https://doi.org/10.1115/POWER-ICOPE2017-3080>
- Feng, X., Chen, K., Guo, X., Sun, J., Jian, Y., Yan, W., Qian, S., Xu, W., & Chen, D. (2024). Structure-property relationship of polyhedral oligomeric silsesquioxanes/polydimethylsiloxane superhydrophobic coatings for cotton fabrics. *Progress in Organic Coatings*, 192. <https://doi.org/10.1016/j.porgcoat.2024.108476>
- Gao, S.-R., Jia, Q.-H., Shi, S.-H., Liu, Z., Wei, B.-J., Wang, Y.-F., Zheng, S.-F., Yang, Y.-R., & Wang, X.-D. (2024). Experimental study on contact time of a water droplet impact under controlled surface temperature. *Physics of Fluids*, 36(3). <https://doi.org/10.1063/5.0193368>
- Gao, X., Wen, G., & Guo, Z. (2018). Durable superhydrophobic and underwater superoleophobic cotton fabrics growing zinc oxide nanoarrays for application in separation of heavy/light oil and water mixtures as need. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 559, 115–126. <https://doi.org/10.1016/j.colsurfa.2018.09.041>

- Guo, X.-J., Xue, C.-H., Li, M., Li, X., & Ma, J.-Z. (2017). Fabrication of robust, superhydrophobic, electrically conductive and UV-blocking fabrics: Via layer-by-layer assembly of carbon nanotubes. *RSC Advances*, 7(41), 25560–25565. <https://doi.org/10.1039/c7ra02111a>
- Han, S. W., Kim, K.-D., Seo, H. O., Kim, I. H., Jeon, C. S., An, J. E., Kim, J. H., Uhm, S., & Kim, Y. D. (2017). Oil–Water Separation Using Superhydrophobic PET Membranes Fabricated Via Simple Dip-Coating Of PDMS–SiO₂ Nanoparticles. *Macromolecular Materials and Engineering*, 302(11). <https://doi.org/10.1002/mame.201700218>
- Hao, X., Wu, G., Wang, L., Lv, D., Luo, Y., Li, L., & He, N. (2015). Superhydrophobic surfaces based on ZnO-constructed hierarchical architectures. *Microelectronic Engineering*, 141, 44–50. <https://doi.org/10.1016/j.mee.2015.01.015>
- He, P., Qu, J., Li, S., Sun, R., Huang, K., Zhao, J., & Mo, J. (2024). Study on the construction of durable superhydrophobic coatings using simple spray coating method and their underwater drag reduction performance. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 701. <https://doi.org/10.1016/j.colsurfa.2024.134858>
- Jereb, S., Može, M., Zupančič, M., & Golobič, I. (2025). Towards accurate evaluation of pressure-induced Cassie-to-Wenzel wetting transition on superhydrophobic surfaces. *Journal of Colloid and Interface Science*, 694. <https://doi.org/10.1016/j.jcis.2025.137697>
- Jia, Z., Lei, W., He, J., & Cai, T. (2014). Vibration-induced Wenzel-Cassie wetting transition on rough patterned surface. *Huagong Xuebao/CIESC Journal*, 65(2), 544–549. <https://doi.org/10.3969/j.issn.0438-1157.2014.02.025>
- Jian, W., Yanhe, S., Xiaohang, X., Yifan, L., Tianwei, H., Fang, C., Li, Y., Jun, G., Senhan, Y., Xuezeng, Z., Feiran, L., & Zhen, L. (2025). Cotton-Based Janus fabrics with asymmetric superwettability for efficient emulsion separation. *Applied Surface Science*, 710. <https://doi.org/10.1016/j.apsusc.2025.163896>
- Kim, H., Ha, M. Y., & Jang, J. (2017). Effects of Surface Geometry on the Wenzel-to-Cassie Transition of a Water Droplet. *Bulletin of the Korean Chemical Society*, 38(9), 1010–1015. <https://doi.org/10.1002/bkcs.11197>
- Kim, S. H., Son, J., Lee, G., & Lee, S. G. (2025). Superamphiphobic PDMS/silica nanoparticle surfaces with high liquid impact resistance: effect of structural hierarchy on superamphiphobicity. *Macromolecular Research*, 33(2), 235–245. <https://doi.org/10.1007/s13233-025-00374-x>

- Lathe, S. S., Sudhagar, P., Ravidhas, C., Jennifer Christy, A., David Kirubakaran, D., Venkatesh, R., Devadoss, A., Terashima, C., Nakata, K., & Fujishima, A. (2015). Self-cleaning and superhydrophobic CuO coating by jet-nebulizer spray pyrolysis technique. *CrystEngComm*, 17(13), 2624–2628. <https://doi.org/10.1039/c5ce00177c>
- Li, J., Li, D., Liu, Y., Feng, L., Shi, X., Bai, W., Duan, X., & Qiang, X. (2024). Robust superhydrophobic fabrics: Rapid preparation and outstanding photothermal-induced performance. *Materials Research Bulletin*, 178. <https://doi.org/10.1016/j.materresbull.2024.112891>
- Li, J., & Weng, R. (2014). Preparation of Nano-SiO₂ / amino-modified polysiloxane hybrid superhydrophobic coating and thermal-stability characterization. *Journal Wuhan University of Technology, Materials Science Edition*, 29(1), 35–39. <https://doi.org/10.1007/s11595-014-0863-1>
- Li, S., Huang, J., Chen, Z., Chen, G., & Lai, Y. (2017). A review on special wettability textiles: theoretical models, fabrication technologies and multifunctional applications. *Journal of Materials Chemistry A*, 5(1), 31–55. <https://doi.org/10.1039/c6ta07984a>
- Li, X., Du, S., Ma, C., Shi, T., Qi, W., & Yang, H. (2024). Nano-SiO₂ based anti-corrosion superhydrophobic coating on Al alloy with mechanical stability, anti-pollution and self-cleaning properties. *Ceramics International*, 50(6), 9469–9478. <https://doi.org/10.1016/J.CERAMINT.2023.12.264>
- Liu, B., Tian, T., Yao, J., Huang, C., Tang, W., Xiang, Z., Xu, X., & Min, J. (2017). Superhydrophobic organosilicon-based coating system by a novel ultravioletcurable method. *Nanomaterials and Nanotechnology*, 7. <https://doi.org/10.1177/1847980417702795>
- Long, J., Pan, L., Fan, P., Gong, D., Jiang, D., Zhang, H., Li, L., & Zhong, M. (2016). Cassie-State Stability of Metallic Superhydrophobic Surfaces with Various Micro/Nanostructures Produced by a Femtosecond Laser. *Langmuir*, 32(4), 1065–1072. <https://doi.org/10.1021/acs.langmuir.5b04329>
- Long, M., Peng, S., Deng, W., Yang, X., Miao, K., Wen, N., Miao, X., & Deng, W. (2017). Robust and thermal-healing superhydrophobic surfaces by spin-coating of polydimethylsiloxane. *Journal of Colloid and Interface Science*, 508, 18–27. <https://doi.org/10.1016/j.jcis.2017.08.027>
- Lu, X., & Hu, Y. (2016). The superhydrophobicity of LbL assembly of SiO₂/wood composite materials and the formation mechanism. *Gongneng Cailiao/Journal of Functional Materials*, 47(7), 7109–7113. <https://doi.org/10.3969/j.issn.1001-9731.2016.07.021>

- Mats, L., Young, R., Bramwell, A., Dupont, J., Liu, G., & Oleschuk, R. (2014). Fluorinated superhydrophobic surfaces for digital microfluidic devices with electrowetting on dielectric and magnetic actuation. *18th International Conference on Miniaturized Systems for Chemistry and Life Sciences, MicroTAS 2014*, 1443–1445. <https://www.scopus.com/inward/record.uri?eid=2-s2.0-84941671366&partnerID=40&md5=6f41ffa622c56cb625ee79b3eb5a5b41>
- Mohammadipour-Nodoushan, R., Shekarriz, S., Shariatinia, Z., Montazer, M., & Heydari, A. (2024). Corrigendum to “Multifunctional carbonized Zn-MOF coatings for cotton fabric: Unveiling synergistic effects of superhydrophobic, oil-water separation, self-cleaning, and UV protection features” [Surf. Coat. Technol. volume 475, 25 December 2023, 130194] (Surface & Coatings Technology (2023) 475, (S0257897223009696), (10.1016/j.surfcoat.2023.130194)). *Surface and Coatings Technology*, 479. <https://doi.org/10.1016/j.surfcoat.2024.130606>
- MohammadKarimi, S., Ershad-Langroudi, A., & Alizadegan, F. (2024). Surface analysis and water contact angle of modified natural biopolymers. Dalam *Handbook of Natural Polymers, Volume 2: Functionalization, Surface Modification, and Properties* (hlm. 473–500). Elsevier. <https://doi.org/10.1016/B978-0-323-99856-7.00010-0>
- Myronyuk, O., Dudko, V., Baklan, D., & Melnik, L. (2017). Study of structure influence on wear resistance of hierarchical superhydrophobic coatings. *Eastern-European Journal of Enterprise Technologies*, 3(12–87), 44–49. <https://doi.org/10.15587/1729-4061.2017.103028>
- Neto, A. I., Meredith, H. J., Jenkins, C. L., Wilker, J. J., & Mano, J. F. (2013). Combining biomimetic principles from the lotus leaf and mussel adhesive: Polystyrene films with superhydrophobic and adhesive layers. *RSC Advances*, 3(24), 9352–9356. <https://doi.org/10.1039/c3ra40715b>
- Nie, S., Xie, A., Rui, J., Meng, J., Wang, F., Feng, H., Ge, Z., Wei, C., Luo, J., & Cui, J. (2024). Fabrication of a superhydrophobic cotton@LDH composite for effective oil adsorption. *New Journal of Chemistry*, 48(38), 16828–16835. <https://doi.org/10.1039/d4nj03370a>
- Prudente, I. N. R., Santos, H. C. D., Fonseca, J. L., & Barreto, L. S. (2024). Advancements in self-cleaning building materials: Photocatalysts, superhydrophobic surfaces, and biocides approaches. *Construction and Building Materials*, 434. <https://doi.org/10.1016/j.conbuildmat.2024.136700>
- Przybylak, M., Szolyga, M., & Maciejewski, H. (2024). Superhydrophobic cotton fabrics: a quick and easy method of modification. *Cellulose*, 31(5), 3303–3320. <https://doi.org/10.1007/s10570-024-05811-1>

- Qi, C., Zheng, Y., Cao, L., Gao, J., & Wan, Y. (2016). Preparation and performance of sol-gel-derived alumina film modified by stearic acid. *Journal of Sol-Gel Science and Technology*, 78(3), 641–646. <https://doi.org/10.1007/s10971-016-3989-0>
- Saeed, A., Rehan, Z. A., Nawaz, R., Zhan, D., Zahid, M., Zi-Hao, L., Haider, A. A., Shareef, S., Gao, Z.-W., Tang, X., & Liu, J. (2025). Eco-friendly fabrication of hierarchical superhydrophobic nonwoven polyester membranes via sol-gel/phase inversion for ultra-high flux oil-water separation. *Journal of Membrane Science*, 734. <https://doi.org/10.1016/j.memsci.2025.124460>
- Samadhiya, A., Jhinge, P. K., & Kushwah, K. K. (2025). Superhydrophobic Silica-based Nano-Coatings for Anti-Reflective and Anti-Soiling Surface: Effect of HMDS and DIPEA. *Journal of Scientific and Industrial Research*, 84(5), 509–519. <https://doi.org/10.56042/jsir.v84i5.9965>
- Seyedmehdi, S. A., Zhang, H., & Zhu, J. (2016). Influence of production method, silicone type and thickness on silicon rubber superhydrophobic coatings. *Progress in Organic Coatings*, 90, 291–295. <https://doi.org/10.1016/j.porgcoat.2015.10.024>
- Si, Y., & Guo, Z. (2016). Eco-friendly functionalized superhydrophobic recycled paper with enhanced flame-retardancy. *Journal of Colloid and Interface Science*, 477, 74–82. <https://doi.org/10.1016/j.jcis.2016.05.044>
- Silviana, S., Darmawan, A., Dalanta, F., Subagio, A., Hermawan, F., & Santoso, H. M. (2021). Superhydrophobic coating derived from geothermal silica to enhance material durability of bamboo using hexadimethylsilazane (HMDS) and trimethylchlorosilane (TMCS). *Materials*, 14(3), 1–20. <https://doi.org/10.3390/ma14030530>
- Tagliaro, I., Mariani, M., Akbari, R., Contardi, M., Summa, M., Saliu, F., Nisticò, R., & Antonini, C. (2024). PFAS-free superhydrophobic chitosan coating for fabrics. *Carbohydrate Polymers*, 333. <https://doi.org/10.1016/j.carbpol.2024.121981>
- Vrancken, N., Sergeant, S., Vereecke, G., Doumen, G., Holsteys, F., Terryn, H., De Gendt, S., & Xu, X. (2017). Superhydrophobic Breakdown of Nanostructured Surfaces Characterized in Situ Using ATR-FTIR. *Langmuir*, 33(15), 3601–3609. <https://doi.org/10.1021/acs.langmuir.6b04471>
- Wang, G., Zhang, D.-Y., & Chen, H.-W. (2014). Preparation and analysis of superhydrophobic SiO₂-PTFE composite coating. *Gongneng Cailiao/Journal of Functional Materials*, 45(22), 22013–22016. <https://doi.org/10.3969/j.issn.1001-9731.2014.22.003>

- Wang, J., Bing, W., Jin, H., & Tian, L. (2025). Bionic sustainable superhydrophobic coating featuring high durability, antifouling, and anticorrosion properties. *Progress in Organic Coatings*, 204. <https://doi.org/10.1016/j.porgcoat.2025.109264>
- Wang, L., Li, H., Shi, G., Hong, J., Chen, Z., Jin, C., Sun, C., & Yao, B. (2017). Synthesis of SiOH-functionalized composite particles with buckled surface by seeded emulsion polymerization. *Colloid and Polymer Science*, 295(3), 471–478. <https://doi.org/10.1007/s00396-017-4026-8>
- Wang, S., Chen, Z., Zhao, Y., Sun, C., & Li, J. (2021). High photocatalytic activity over starfish-like La-doped ZnO/SiO₂ photocatalyst for malachite green degradation under visible light. *Journal of Rare Earths*, 39(7), 772–780. <https://doi.org/10.1016/j.jre.2020.04.009>
- Wang, W., Lockwood, K., Boyd, L. M., Davidson, M. D., Movafaghi, S., Vahabi, H., Khetani, S. R., & Kota, A. K. (2016). Superhydrophobic Coatings with Edible Materials. *ACS Applied Materials and Interfaces*, 8(29), 18664–18668. <https://doi.org/10.1021/acsami.6b06958>
- Wang, W., Sun, C., Zhang, H., Fang, R., Guo, L., & Wang, G. (2025). Preparation of an Organosilicon-Modified Micro-Nano Symbiotic Superhydrophobic Surface by a One-Step Spray Method. *Advanced Materials Technologies*, 10(7). <https://doi.org/10.1002/admt.202400555>
- Wu, J., Li, J., Wang, Z., Yu, M., Jiang, H., Li, L., & Zhang, B. (2015). Designing breathable superhydrophobic cotton fabrics. *RSC Advances*, 5(35), 27752–27758. <https://doi.org/10.1039/c5ra01028d>
- Wu, J., Yang, X., Lei, W., Xia, J., & Wang, B. (2013). Superhydrophobic zinc oxide film: Effect of hybrid nanostructure on hydrophobicity and wetting stability. *Micro and Nano Letters*, 8(6), 271–273. <https://doi.org/10.1049/mnl.2013.0143>
- Xue, C.-H., Deng, L.-Y., Jia, S.-T., & Wei, P.-B. (2016). Fabrication of superhydrophobic aromatic cotton fabrics. *RSC Advances*, 6(109), 107364–107369. <https://doi.org/10.1039/c6ra23558a>
- Xue, C.-H., Zhang, L., Wei, P., & Jia, S.-T. (2016). Fabrication of superhydrophobic cotton textiles with flame retardancy. *Cellulose*, 23(2), 1471–1480. <https://doi.org/10.1007/s10570-016-0885-2>
- Yang, C., Li, P., Wei, Y., Li, J., Zhang, J., & Wang, S. (2025). Superhydrophobic Nanocoatings Fabricated by Materials with Low Young's Contact Angle. *Langmuir*, 41(4), 2960–2967. <https://doi.org/10.1021/acs.langmuir.4c05143>

- Ye, L., Jiao, D., Liu, S., Xu, S., Li, L., & Zhang, Y. (2025). Two-step sol-gel method-based superhydrophobic SiO₂ antireflective coatings with high transmittance and excellent environmental stability. *Ceramics International*, 51(3), 4023–4030. <https://doi.org/10.1016/j.ceramint.2024.11.381>
- Yin, H., Ma, K., Yu, L., Zhou, C., He, W., Yu, G., Zhang, Q., Liu, Q., & Zhao, Y. (2025). Preparation of superhydrophobic coatings with excellent self-cleaning and chemical stability by dip-coating method using unmodified SiO₂. *Progress in Organic Coatings*, 200. <https://doi.org/10.1016/j.porgcoat.2025.109087>
- Zeng, C., Wang, H., Zhou, H., & Lin, T. (2015). Washing-durable, solvent-resistant, self-cleaning, superhydrophobic fabrics. *Fiber Society 2015 Fall Meeting and Technical Conference - Fibers: Where Tradition Meets Innovation*. <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85045155945&partnerID=40&md5=c1dfb35a9e42929247671dc155b19b70>
- Zhang, J., Liu, Z., Liu, J., E, L., & Liu, Z. (2016). Effects of seed layers on controlling of the morphology of ZnO nanostructures and superhydrophobicity of ZnO nanostructure/stearic acid composite films. *Materials Chemistry and Physics*, 183, 306–314. <https://doi.org/10.1016/j.matchemphys.2016.08.031>
- Zhang, M., & Li, H. (2025). Robust and UV-durable superhydrophobic SiO₂/ZnO/micro-structures on glass substrate with high transmittance. *Materials Chemistry and Physics*, 338. <https://doi.org/10.1016/j.matchemphys.2025.130634>
- Zhang, M., Zhou, T., Li, H., & Liu, Q. (2023). UV-durable superhydrophobic ZnO/SiO₂ nanorod arrays on an aluminum substrate using catalyst-free chemical vapor deposition and their corrosion performance. *Applied Surface Science*, 623. <https://doi.org/10.1016/j.apsusc.2023.157085>
- Zhang, X., Zhang, J., Huang, Y., Liu, X., Shang, B., Liu, X., Xu, W., & Chen, D. (2025). Fluorine-free, breathable, durable and thermal self-healable superhydrophobic cotton fabrics. *Industrial Crops and Products*, 228. <https://doi.org/10.1016/j.indcrop.2025.120861>
- Zhao, J., Song, L., Yin, J., & Ming, W. (2013). Anti-bioadhesion on hierarchically structured, superhydrophobic surfaces. *Chemical Communications*, 49(80), 9191–9193. <https://doi.org/10.1039/c3cc44971h>
- Zhao, L., & Cheng, J. (2017). Contact line dynamics of water droplets spreading on nanostructured teflon surfaces in dropwise condensation. *ASME 2017 Heat Transfer Summer Conference, HT 2017*, 2. <https://doi.org/10.1115/HT2017-4814>

- Zhou, C., Lu, M., Rong, H., Deng, L., Zhang, J., Li, S., & Dong, A. (2025). Facile fabrication of eco-friendly flame retardant and superhydrophobic coatings on cotton fabrics. *Surfaces and Interfaces*, 69. <https://doi.org/10.1016/j.surfin.2025.106758>
- Zhou, F., Zhang, Y., Zhang, D., Zhang, Z., Fu, F., Zhang, X., Yang, Y., Lin, H., & Chen, Y. (2021). Fabrication of robust and self-healing superhydrophobic PET fabrics based on profiled fiber structure. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 609. <https://doi.org/10.1016/j.colsurfa.2020.125686>