

DAFTAR PUSTAKA

- Akash, M. S. H., & Rehman, K. (2020). Ultraviolet-Visible (UV-VIS) Spectroscopy BT - Essentials of Pharmaceutical Analysis (M. S. H. Akash & K. Rehman (eds.); pp. 29–56). Springer Nature Singapore. https://doi.org/10.1007/978-981-15-1547-7_3
- Akiyama, T., & Mori, K. (2015). Stronger Brønsted Acids: Recent Progress. *Chemical Reviews*, 115(17), 9277–9306. <https://doi.org/10.1021/acs.chemrev.5b00041>
- Alfaruqi, M. H. (2008). Pengaruh konsentrasi hidrogen klorida (HCl) dan temperatur perlakuan hidrotermal terhadap kristalinitas material mesopori silika SBA-15. Jakarta: Universitas Indonesia.
- Attia, A., Shouman, M., Khedr, S., & Hassan, N. (2018). Fixed-Bed Column Studies for the Removal of Congo Red Using *Simmondsia chinensis* (Jajoba) and Coated with Chitosan. *Indonesian Journal of Chemistry*, 18, 294. <https://doi.org/10.22146/ijc.29264>
- Beckhoff, B., Kanngießer, B., Langhoff, N., Wedell, R., & Wolff, H. (2007). *Handbook of practical X-ray fluorescence analysis*. Springer Science & Business Media.
- Broom, D. P., & Broom, D. P. (2011). Gas sorption measurement techniques. *Hydrogen Storage Materials: The Characterisation of Their Storage Properties*, 117–139.
- Cai, W., Yu, J., Anand, C., Vinu, A., & Jaroniec, M. (2011). Facile synthesis of ordered mesoporous alumina and alumina-supported metal oxides with tailored adsorption and framework properties. *Chemistry of Materials*, 23(5), 1147–1157.
- Chakraborty, S., Basak, B., Dutta, S., Bhunia, B., & Dey, A. (2013). Decolorization and biodegradation of congo red dye by a novel white rot fungus *Alternaria alternata* CMERI F6. *Bioresource Technology*, 147, 662–666. <https://doi.org/10.1016/j.biortech.2013.08.117>
- Chieng, Z., Mohyaldinn, M., Hassan, A., & Bruining, H. (2020). Experimental Investigation and Performance Evaluation of Modified Viscoelastic Surfactant (VES) as a New Thickening Fracturing Fluid. *Polymers*, 12, 1470. <https://doi.org/10.3390/polym12071470>
- Cowley, J. M. (1995). *Diffraction physics*. In North Holland personal library TA - TT - (3. rev. ed). Elsevier. <https://doi.org/LK> - <https://worldcat.org/title/247191522>
- Cullity, B. D. (1956). *Elements of X-ray Diffraction*. Addison-Wesley Publishing.
- Damayanti, U. N. (2022). Sintesis Silika Alumina Mesopori dari Lumpur Lapindo

dengan Variasi Massa Template CTAB Menggunakan Metode Hidrothermal Sebagai Adsorben Methylene Blue. Universitas Diponegoro.

- Dipowardani, B. T., Sriatun, S., & Taslimah, T. (2008). Sintesis silika kristalin menggunakan surfaktan cetiltrimetilamonium bromida (CTAB) dan trimetilamonium klorida (TMACl) sebagai pencetak pori. *Jurnal Kimia Sains Dan Aplikasi*, 11(1), 20–28.
- Emeis, C. A. (1993). Determination of integrated molar extinction coefficients for infrared absorption bands of pyridine adsorbed on solid acid catalysts. *Journal of Catalysis*, 141(2), 347–354.
- Garbarino, G., Riani, P., Comite, A., Finocchio, E., & Busca, G. (2024). Effect of large d0 cation doping on gamma-alumina's acid–base and catalytic properties. *Journal of Chemical Technology and Biotechnology*, 99(3), 727–736. <https://doi.org/10.1002/jctb.7577>
- Griffiths, P. R., De Haseth, J. A., & Winefordner, J. D. (2007). *Fourier Transform Infrared Spectrometry*. Wiley. https://books.google.co.id/books?id=C_c0GVe8MX0C
- Guo, Z., Wu, L., Wang, Y., Zhu, Y., Wan, G., Li, R., Zhang, Y., Qian, D., Wang, Y., & Zhou, X. (2020). Design of dendritic large-pore mesoporous silica nanoparticles with controlled structure and formation mechanism in dual-templating strategy. *ACS Applied Materials & Interfaces*, 12(16), 18823–18832.
- Hafiyah, S. (2013). Kinetika Adsorpsi Zat Warna Rhodamin B Menggunakan Karbon Aktif Sekam Padi (*Oryza Sativa* L.). *Journal of Chemical Information and Modeling*, 53(9), 1689–1699.
- Harfani, R. (2009). Sintesis Katalis Padatan Asam Gamma Alumina Terfosfat (γ -Al₂O₃/PO₄) dan digunakan untuk sintesis senyawa Metil ester asam lemak dari Limbah Produksi Margarin. *Fmipa Ui*, 2(1), 1–117.
- Iler, R. K. (1961). Fibrillar colloidal boehmite; progressive conversion to gamma, theta, and alpha aluminas. *Journal of the American Ceramic Society*, 44(12), 618–624.
- Jalandoni-Buan, A. C., Decena-Soliven, A. L. A., Cao, E. P., Barraquio, V. L., & Barraquio, W. L. (2010). Characterization and identification of Congo red decolorizing bacteria from monocultures and consortia. *Philippine Journal of Science*, 139(1).
- Ji, Y., Zhang, F., Yu, F., Zhang, J., & Zhang, J. (2018). Methyl chloride synthesis over metal chlorides-modified mesoporous alumina catalyst. *Catalysts*, 8(3), 1–12. <https://doi.org/10.3390/catal8030099>
- Kavil, Y. N., Shaban, Y. A., Alelyani, S. S., Al-Farawati, R., Orif, M. I., Ghandourah, M. A., Schmidt, M., Turki, A. J., & Zobidi, M. (2020). The removal of methylene blue as a remedy of dye-based marine pollution: a

- photocatalytic perspective. *Research on Chemical Intermediates*, 46, 755–768.
- Lalawmpuia, R., Lalhruaitluangi, M., Lalhmunsiama, L., Tiwari, D., & Yang, J.-K. (2023). Metal Organic Framework (MOF): Synthesis and Fabrication for the Application of Electrochemical Sensing. <https://doi.org/10.20944/preprints202309.0192.v1>
- Meng, L.-Y., Wang, B., Ma, M.-G., & Lin, K.-L. (2016). The progress of microwave-assisted hydrothermal method in the synthesis of functional nanomaterials. *Materials Today Chemistry*, 1, 63–83.
- Mostafa, M. S., El Naga, A. O. A., Galhoum, A. A., Guibal, E., & Morshedy, A. S. (2019). A new route for the synthesis of self-acidified and granulated mesoporous alumina catalyst with superior Lewis acidity and its application in cumene conversion. *Journal of Materials Science*, 54(7), 5424–5444. <https://doi.org/10.1007/s10853-018-03270-1>
- Mustopa, R. S., Adzima, A. F., Asy'Ari, M. K., & Risanti, D. D. (2013). Physical properties characterization of Porong Sidoarjo mud and its potentials as CO gas adsorbent materials. *AIP Conference Proceedings*, 1554(1), 75–78.
- Nuryanto, R., Trisunaryanti, W., & Triyono. (2020). Variation of gelatin amount as template for Mesoporous silica-alumina synthesis based on Lapindo mud. *Asian J Chem*, 32, 1576–1580.
- Paglia, G., Buckley, C. E., Rohl, A. L., Hart, R. D., Winter, K., Studer, A. J., Hunter, B. A., & Hanna, J. V. (2004). Boehmite derived γ -alumina system. 1. Structural evolution with temperature, with the identification and structural determination of a new transition phase, γ' -alumina. *Chemistry of Materials*, 16(2), 220–236.
- Putra, A. N. H. E., Tjahjanto, R. T., & Khunur, M. M. (2013). Optimasi ekstraksi silika dan alumina dari lumpur Sidoarjo. Brawijaya University.
- Rasmussen, S. B., Portela, R., Bazin, P., Ávila, P., Bañares, M. A., & Daturi, M. (2018). Transient operando study on the NH₃/NH₄⁺ interplay in V-SCR monolithic catalysts. *Applied Catalysis B: Environmental*, 224, 109–115. <https://doi.org/10.1016/j.apcatb.2017.10.026>
- Renuka, N. K., Shijina, A. V., & Praveen, A. K. (2012). Mesoporous γ -alumina nanoparticles: Synthesis, characterization and dye removal efficiency. *Materials Letters*, 82, 42–44. <https://doi.org/10.1016/j.matlet.2012.05.043>
- Rios, J. V., Bess-Oberto, L., Tiemann, K. J., & Gardea-Torresdey, J. L. (1999). Investigation of metal ion binding by agricultural by-products. *Proceedings of the International Conference on Hazardous Waste Research*, 125.
- Rouquerol, J., Avnir, D., Fairbridge, C. W., Everett, D. H., Haynes, J. M., Pernicone, N., Ramsay, J. D. F., Sing, K. S. W., & Unger, K. K. (1994). Recommendations for the characterization of porous solids (Technical Report). *Pure and Applied Chemistry*, 66(8), 1739–1758.

- Schubert, U. S., & Hüsing, N. (2019). *Synthesis of inorganic materials*. John Wiley & Sons.
- Segal, F. M., Correa, M. F., Bacani, R., Castanheira, B., Politi, M. J., Brochsztain, S., & Triboni, E. R. (2018). A novel synthesis route of mesoporous γ -alumina from polyoxohydroxide aluminum. *Materials Research*, 21(1), 36–38. <https://doi.org/10.1590/1980-5373-mr-2017-0674>
- Sinta, T. W. (2008). Studi pengaruh pH awal kristalisasi secara hidrotermal dan temperatur kalsinasi terhadap karakter alumina mesopori hasil sintesis [Universitas Brawijaya]. <http://repository.ub.ac.id/id/eprint/151985/>
- Thommes, M., Kaneko, K., Neimark, A. V., Olivier, J. P., Rodriguez-Reinoso, F., Rouquerol, J., & Sing, K. S. W. (2015). Physisorption of gases, with special reference to the evaluation of surface area and pore size distribution (IUPAC Technical Report). *Pure and Applied Chemistry*, 87(9–10), 1051–1069. <https://doi.org/10.1515/pac-2014-1117>
- Tyas, U. (2016). Sintesis dan karakterisasi zeolit Y dari lumpur lapindo dengan variasi suhu hidrotermal menggunakan metode sol-gel. Universitas Islam Negeri Maulana Malik Ibrahim.
- Ulfindrayani, I. F., Fanani, N., A'yuni, Q., Ikhlas, N., Gaol, B. L., & Lestari, D. (2019). Pengaruh Perbedaan Preparasi Lumpur Lapindo terhadap Kandungan Senyawanya. *E-Prosiding SNasTekS*, 1(1), 235–240.
- Vogel, A. I. (1958). *Elementary practical organic chemistry*. Longmans Green & Co., London.
- Yanagisawa, T., Shimizu, T., Kuroda, K., & Kato, C. (1990). The preparation of alkyltrimethylammonium–kanemite complexes and their conversion to microporous materials. *Bulletin of the Chemical Society of Japan*, 63(4), 988–992.
- Yue, M. B., Xue, T., Jiao, W. Q., Wang, Y. M., & He, M. Y. (2011). CTAB-directed synthesis of mesoporous γ -alumina promoted by hydroxy carboxylate: The interplay of tartrate and CTAB. *Solid State Sciences*, 13(2), 409–416. <https://doi.org/10.1016/j.solidstatesciences.2010.12.003>
- Yuh-Shan, H. (2004). Citation review of Lagergren kinetic rate equation on adsorption reactions. *Scientometrics*, 59(1), 171–177.
- Zakharova, M., Kleitz, F., & Fontaine, F.-G. (2017). Lewis Acidity Quantification and Catalytic Activity of Ti, Zr and Al-Supported Mesoporous Silica. *Dalton Trans.*, 46. <https://doi.org/10.1039/C7DT00035A>