

DAFTAR PUSTAKA

- Ahriani, Zelviani, S., Hernawati, & Fitriyanti. (2021). Analisis Nilai Absorbansi Untuk Menentukan Kadar Flavonoid Daun Jarak Merah (*Jatropha Gossypifolia* L.) Menggunakan Spektrofotometer Uv-Vis. *Jurnal Fisika dan Terapannya*, 8(2715–2774), 56–64. <https://doi.org/10.24252/jft.v8i2.23379>
- Aji, A., Bahri, S., & Tantalia, T. (2018). Pengaruh Waktu Ekstraksi dan Konsentrasi HCl untuk Pembuatan Pektin dari Kulit Jeruk Bali (*Citrus maxima*). *Jurnal Teknologi Kimia Unimal*, 6(1), 33. <https://doi.org/10.29103/jtku.v6i1.467>
- Al-Alawi, A., Van de Voort, F. R., & Sedman, J. (2004). New FTIR Method for the Determination of FFA in Oils. *Journal of the American Oil Chemists' Society*, 81(5), 441–446. <https://doi.org/10.1007/s11746-004-0920-9>
- Apak, R., Gorinstein, S., Böhm, V., Schaich, K. M., Özyürek, M., & Güçlü, K. (2013). Methods of measurement and evaluation of natural antioxidant capacity/activity (IUPAC technical report). *Pure and Applied Chemistry*, 85(5), 957–998. <https://doi.org/10.1351/PAC-REP-12-07-15>
- Aryal, S., Baniya, M. K., Danekhu, K., Kunwar, P., Gurung, R., & Koirala, N. (2019). Total Phenolic content, Flavonoid content and antioxidant potential of wild vegetables from western Nepal. *Plants*, 8(4). <https://doi.org/10.3390/plants8040096>
- Ayele, D. T., Akele, M. L., & Melese, A. T. (2022). Analysis of total phenolic contents, flavonoids, antioxidant and antibacterial activities of *Croton macrostachyus* root extracts. *BMC Chemistry*, 16(1), 1–9. <https://doi.org/10.1186/s13065-022-00822-0>
- Azhari, D. A. (2021). Pembelajaran Pemisahan Dan Pemurnian Kimia Dasar Menggunakan Augmented Reality (AR). *Teknik Geologi*, 11. <http://journal.unilak.ac.id/index.php/JIEB/article/view/3845%0Ahttp://dspac.e.uc.ac.id/handle/123456789/1288>
- Badaring, D. R., Sari, S. P. M., Nurhabiba, S., Wulan, W., & Lembang, S. A. R. (2020). Uji Ekstrak Daun Maja (*Aegle marmelos* L.) terhadap Pertumbuhan Bakteri *Escherichia coli* dan *Staphylococcus aureus*. *Indonesian Journal of Fundamental Sciences*, 6(1), 16. <https://doi.org/10.26858/ijfs.v6i1.13941>
- Bajracharya, G. B., Paudel, M., & Rajendra, K. C. (2017). Insight Into the Structure Elucidation of Flavonoids Through UV-Visible Spectral Analysis of Quercetin Derivatives Using Shift Reagent. *Nepal Chemical Society*, 37, 55–64.

- Bhuiyan, M. N. I., Begum, J., & Nandi, N. C. (2010). Chemical component studies on the leaf and inflorescence essential oil of *Hyptis brevipes* (Poit.). *Journal of Medicinal Plants Research*, 4(20), 2128–2131.
- Bridi, H., Meirelles, G. D. C., & Poser, G. L. Von. (2020). Subtribe Hyptidinae (Lamiaceae): A promising source of bioactive metabolites. *Journal of Ethnopharmacology*, 264, 1–30.
- Deng, Y., Marcy J. Balunas, Kim, J.-A., Lantvit, D. D., Chin, Y.-W., Chai, H., Sugiarto, S., S., L. B. K., Fong, H. H. S., Pezzuto, J. M., Swanson, S. M., Blanco, E. J. C. de, & Douglas, A. K. (2009). Bioactive 5,6-Dihydro- α -pyrone Derivatives from *Hyptis brevipes*. *Natural Product*, 72, 1–7. <https://doi.org/10.1021/np9001724>. Bioactive
- Dinda, B., Das, S. K., Hajra, A. K., Bhattacharya, A., De, K., Chel, G., & Achari, B. (1999). Chemical constituents of *Plumbago indica* roots and reactions of plumbagin: Part II. *Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry*, 38(5), 577–582.
- dos Santos, K. P., Sedano-Partida, M. D., Sala-Carvalho, W. R., Loureiro, B. O. S. J., da Silva-Luz, C. L., & Furlan, C. M. (2018). Biological activity of *Hyptis Jacq.* (Lamiaceae) is determined by the environment. *Industrial Crops and Products*, 112, 705–715. <https://doi.org/10.1016/j.indcrop.2017.12.065>
- Dwi Warono, S. (2013). Unjuk Kerja Spektrofotometer untuk Analisa Zat Aktif Ketoprofen. *Konversi*, 2, 57–65. <https://doi.org/10.1016/j.jpba.2020.113853>
- Emilda, & Delfira, N. (2023). Pemanfaatan Silika Gel 70-230 Mesh Bekas Sebagai Pengganti Fase Diam Kromatografi Kolom pada Praktikum Kimia Organik. *Indonesian Journal of Laboratory*, 6(1), 45–51. <https://doi.org/10.22146/ijl.v1i1.82006>
- Fajriati, I., Rizkiyah, M., & Muzzaky. (2014). Studi Ekstraksi Padat Cair Menggunakan Pelarut HF dan HNO₃ pada Penentuan Logam Cr dan Cu dalam Sampel Sedimen Sungai di Sekitar Calon PLTN Muria. *Jurnal Ilmu Dasar*, 12(1), 13–22.
- Fattahi, S., Zabihi, E., Abedian, Z., Pourbagher, R., Motevalizadeh Ardekani, A., Mostafazadeh, A., & Akhavan-Niaki, H. (2014). Total Phenolic and Flavonoid Contents of Aqueous Extract of Stinging Nettle and In Vitro Antiproliferative Effect on Hela and BT-474 Cell Lines. *International journal of molecular and cellular medicine*, 3(2), 102–107.

- Firsty, G. R., Sugihartini, N., & Mulyaningsih, S. (2023). Effect of ethanol solvent concentrations in pepino melon fruit (*Solanum muricatum* Aiton) extraction on total flavonoid, phenolic, and beta-carotene content. *Pharmaciana*, *13*(2), 257. <https://doi.org/10.12928/pharmaciana.v13i2.25226>
- Ghaffari, H., Ghassam, B. J., Chandra Nayaka, S., Ramachandra Kini, K., & Prakash, H. S. (2014). Antioxidant and neuroprotective activities of *Hyptis suaveolens* (L.) Poit. against oxidative stress-induced neurotoxicity. *Cellular and Molecular Neurobiology*, *34*(3), 323–331. <https://doi.org/10.1007/s10571-013-0016-7>
- Halliwell, B. (1995). The Definition And Measurement Of Antioxidants In Biological Systems. *Free Radical Biology and Medicine*, *18*(I), 125–126.
- Handayani, V., Ahmad, A. R., Sudir, M., Etlingera, P., & Sm, R. M. (2014). Uji Aktivitas Antioksidan Ekstrak Metanol Bunga dan Daun Patikala (*Etlingera elatior* (Jack) R . M . Sm) Menggunakan Abstrak. *Pharm Sci Res*, *1*(2), 86–93.
- Handoyo Sahumena, M., Ruslin, R., Asriyanti, A., & Nurrohwiata Djuwarno, E. (2020). Identifikasi Jamu Yang Beredar Di Kota Kendari Menggunakan Metode Spektrofotometri Uv-Vis. *Journal Syifa Sciences and Clinical Research*, *2*(2), 65–72. <https://doi.org/10.37311/jsscr.v2i2.6977>
- Iqbal, Rustam, N., & Kasman. (2016). Analysis of Absorbance Value on the Flavonoid Level of Red Betel (*Piper Crocatm*) and Green Betel (*Piper Betle* L) Leaves. *Journal Gravitasi*, *15*(1), 1–8.
- Ivan Limachi, C. C., Palmaa, C., Ninna, N., Salamancaa, E., Ticonaa, J. C., Udaetaa, E., Floresa, N., Seratoc, A., Marupac, N., Chaoc, B., Ibaguarid, G., Naye, C., Mannerb, S., Sternerb, O., & Giméneza, and A. (2014). Antiparasitic Metabolites from *Hyptis brevipes*, a Tacana Medicinal Plant. *Natural Product Communications*, *9*(8), 1–4.
- Kumar, S., Jyotirmayee, K., & Sarangi, M. (2013). Thin layer chromatography: A tool of biotechnology for isolation of bioactive compounds from medicinal plants. *International Journal of Pharmaceutical Sciences Review and Research*, *18*(1), 126–132.
- Malik, A., Ahmad, A. R., & Najib, A. (2017). Pengujian Aktivitas Antioksidan Ekstrak Terpurifikasi Daun Teh Hijau Dan Jati Belanda. *Jurnal Fitofarmaka Indonesia*, *4*(2), 238–240. <https://doi.org/10.33096/jffi.v4i2.267>

- Mardawati, E., A. dan H. H. (2008). Kajian Aktivitas Antioksidan Ekstrak Kulit Manggis (*Garcinia mangostana* L) dalam Rangkaian Pemanfaatan Limbah Kulit Manggis di Kecamatan Puspahiang Kabupaten Tasikmalaya. *Industri Teknologi Pertanian*, 2(3), 17.
- Mirwan, A. (2013). Keberlakuakn Model HB-GFT Sistem n-heksana – MEK – Air Pada Ekstraksi Cair-cair Kolom Isian. *Konversi*, 2(1), 32. <https://doi.org/10.20527/k.v2i1.126>
- Mohammed Golam Rasul. (2018). Conventional Extraction Methods Use in Medicinal Plants, their Advantages and Disadvantages. *International Journal of Basic Sciences and Applied Computing*, 2(6), 10–14.
- Muhsin, L. B., & Ramandha, M. E. P. (2023). Ekstraksi Jahe (*Zingiberis Officinale*) dan uji pemisahan Kromatografi Lapis Tipis (KLT). *Biocity Journal of Pharmacy Bioscience and Clinical Community*, 1(2), 66–72. <https://doi.org/10.30812/biocity.v1i2.2802>
- Mukhriani. (2014). Ekstraksi, Pemisahan Senyawa, dan Identifikasi Senyawa Aktif. *Jurnal Kesehatan*, VII(2), 362.
- Mutmainnah, P. A., Hakim, A., Rudyat, L., & Savalas, T. (2017). Identifikasi Senyawa Turunan Hasil Fraksinasi Kayu Akar *Artocarpus odoratissimus*. *Jurnal Penelitian Pendidikan IPA (JPPIPA)*, 3(2), 2460–2582.
- Nurhasnawati, H., Sundu, R., Sapri, Supriningrum, R., Kuspradini, H., & Arung, E. T. (2019). Antioxidant activity, total phenolic and flavonoid content of several indigenous species of ferns in East Kalimantan, Indonesia. *Biodiversitas*, 20(2), 576–580. <https://doi.org/10.13057/BIODIV/D200238>
- Nurlinda, N., Handayani, V., & Rasyid, F. A. (2021). Spectrophotometric Determination of Total Flavonoid Content in *Biancaea Sappan* (*Caesalpinia sappan* L.) Leaves. *Jurnal Fitofarmaka Indonesia*, 8(3), 1–4. <https://doi.org/10.33096/jffi.v8i3.712>
- P., M. C., Hidayat, R. N., & Setiawan, D. (2016). Pemisahan Renium-188 Dari Sasaran Wolfram-188 Dengan Metode Ekstraksi Menggunakan Pelarut Metil Etil Keton. *Jurnal Forum Nuklir (JFN)*, 10(1), 4.
- Pavia Donald L., L. G. M. dan K. G. S. (2014). *Introduction to Spectroscopy* (Third), 2, 13-82.

- Pérez, M., Dominguez-López, I., & Lamuela-Raventós, R. M. (2023). The Chemistry Behind the Folin-Ciocalteu Method for the Estimation of (Poly)phenol Content in Food: Total Phenolic Intake in a Mediterranean Dietary Pattern. *Journal of Agricultural and Food Chemistry*, *71*(46), 17543–17553. <https://doi.org/10.1021/acs.jafc.3c04022>
- Popova, M., & Bankova, V. (2023). Contemporary methods for the extraction and isolation of natural products. *BMC Chemistry*, *17*(1), 1–2. <https://doi.org/10.1186/s13065-023-00960-z>
- Rabel, F., & Sherma, J. (2017). Review of the state of the art of preparative thin-layer chromatography. *Journal of Liquid Chromatography and Related Technologies*, *40*(4), 165–176. <https://doi.org/10.1080/10826076.2017.1294081>
- Reed. (1977). Economically Important Foreign Weeds: Potential Problems in the United States. *Agricultural Research Service, Animal and Plant Health Inspection Service. U. S. Dept. of Agriculture, Washington, DC.*, 498, 746.
- Rondang Tambun, Harry P. Limbong, Christika Pinem, & Ester Manurung. (2017). Pengaruh Ukuran Partikel, Waktu Dan Suhu Pada Ekstraksi Fenol Dari Lengkuas Merah. *Jurnal Teknik Kimia USU*, *5*(4), 53–56. <https://doi.org/10.32734/jtk.v5i4.1555>
- Rusmana, D., Wahyudianingsih, R., Elisabeth, M., Balqis, Maesaroh, & Widowati, W. (2017). Antioxidant activity of Phyllanthus niruri extract, rutin and quercetin. *Indonesian Biomedical Journal*, *9*(2), 84–90. <https://doi.org/10.18585/inabj.v9i2.281>
- Silva, C. G., Raulino, R. J., Cerqueira, D. M., Mannarino, S. C., Pereira, M. D., Panek, A. D., Silva, J. F. M., Menezes, F. S., & Eleutherio, E. C. A. (2009). In vitro and in vivo determination of antioxidant activity and mode of action of isoquercitrin and Hyptis fasciculata. *Phytomedicine*, *16*(8), 761–767. <https://doi.org/10.1016/j.phymed.2008.12.019>
- Suárez-Ortiz, G. A., Cerda-García-Rojas, C. M., Fragoso-Serrano, M., & Pereda-Miranda, R. (2017). Complementarity of DFT Calculations, NMR Anisotropy, and ECD for the Configurational Analysis of Brevipolides K-O from Hyptis brevipes. *Journal of Natural Products*, *80*(1), 181–189. <https://doi.org/10.1021/acs.jnatprod.6b00953>
- Suárez-Ortiz, G. A., Cerda-García-Rojas, C. M., Hernández-Rojas, A., & Pereda-Miranda, R. (2013). Absolute configuration and conformational analysis of brevipolides, bioactive 5,6-dihydro- α -pyrones from Hyptis brevipes. *Journal of Natural Products*, *76*(1), 72–78. <https://doi.org/10.1021/np300740h>

- Theafelicia, Z., & Narsito Wulan, S. (2023). Perbandingan Berbagai Metode Pengujian AKTIVITAS Atioksidan (DPPH, ABTS Dan FRAP) Pada Teh Hitam (*Camellia sinensis*). *Jurnal Teknologi Pertanian*, 24(1), 35–44. <https://doi.org/10.21776/ub.jtp.2023.024.01.4>
- Wing, B. (1972). [8] Preparative Thin-Layer Chromatography. *Separation And Analysis*, 60–64. <https://doi.org/10.3139/B978-0-12-746206-6.50015-1>
- Xu, D. H., Huang, Y. S., Jiang, D. Q., & Yuan, K. (2013). The essential oils chemical compositions and antimicrobial, antioxidant activities and toxicity of three *Hyptis* species. *Pharmaceutical Biology*, 51(9), 1125–1130. <https://doi.org/10.3109/13880209.2013.781195>
- Zhang, Q. W., Lin, L. G., & Ye, W. C. (2018). Techniques for extraction and isolation of natural products: A comprehensive review. *Chinese Medicine (United Kingdom)*, 13(1), 1–26. <https://doi.org/10.1186/s13020-018-0177-x>