

## DAFTAR PUSTAKA

- Abreu, J. S., Costa, L. M., Ferreira, L. D. L., de Oliveira, R. K. F. G., de Souza, T. da C. C., Nunes, E. H. M., & Houmard, M. (2023). Hydrothermal treatment as a tool to tailor the mesoporous structure of sol-gel silica. *Journal of Non-Crystalline Solids*, *610*, 122323. <https://doi.org/10.1016/j.jnoncrysol.2023.122323>
- Agusriyadin, A. (2021). Karakterisasi Abu Dasar Batubara Termodifikasi 8-Hidroksikuinolin sebagai Adsorben Ion Logam Cu(II) dan Cd(II). *SAINTIFIK*, *7*(1), 77–86. <https://doi.org/10.31605/saintifik.v7i1.307>
- Aisyiyah Jenie, S. N., Krismastuti, F. S. H., Ningrum, Y. P., Kristiani, A., Yuniati, M. D., Astuti, W., & Petrus, H. T. B. M. (2020). Geothermal silica-based fluorescent nanoparticles for the visualization of latent fingerprints. *Materials Express*, *10*(2), 258–266. <https://doi.org/10.1166/mex.2020.1551>
- Al Ja'farawy, M. S., Hikmah, D. N., Riyadi, U., Purwanto, A., & Widiyandari, H. (2021). A Review: The Development of SiO<sub>2</sub>/C Anode Materials for Lithium-Ion Batteries. *Journal of Electronic Materials*, *50*(12), 6667–6687. <https://doi.org/10.1007/s11664-021-09187-x>
- An, S. J., Li, J., Daniel, C., Meyer, H. M., Trask, S. E., Polzin, B. J., & Wood, D. L. (2017). Electrolyte Volume Effects on Electrochemical Performance and Solid Electrolyte Interphase in Si-Graphite/NMC Lithium-Ion Pouch Cells. *ACS Applied Materials & Interfaces*, *9*(22), 18799–18808. <https://doi.org/10.1021/acsami.7b03617>
- Askaruly, K., Yeleuov, M., Taurbekov, A., Sarsembayeva, B., Tolynbekov, A., Zhylybayeva, N., Azat, S., Abdisattar, A., & Daulbayev, C. (2023). A facile synthesis of graphite-coated amorphous SiO<sub>2</sub> from biosources as anode material for LIBs. *Materials Today Communications*, *34*(November 2022), 105136. <https://doi.org/10.1016/j.mtcomm.2022.105136>
- Astuti, I. P., Mahatmanti, F. W., Setyadji, M., & Sudibyoy, R. (2021). Leaching Time and HNO<sub>3</sub> Concentration Effect on the Separation of Lanthanum and Neodymium Elements from Neodymium Concentrates. *Indonesian Journal of Chemical Science*, *10*(1), 15–20.
- Astuti, Y., Ana Tasiman, B. H., Widiyandari, H., Arutanti, O., Mufti, N., & Ogi, T. (2024). A mixed Bi<sub>2</sub>O<sub>3</sub>/CQDs provides better photocatalytic activity in organic dyes pollutant model. *Nanotechnology for Environmental Engineering*. <https://doi.org/10.1007/s41204-024-00383-8>
- Attias, R., Dlugatch, B., Chae, M. S., Goffer, Y., & Aurbach, D. (2021). Changes in the interfacial charge-transfer resistance of Mg metal electrodes, measured by dynamic electrochemical impedance spectroscopy. *Electrochemistry Communications*, *124*, 106952. <https://doi.org/10.1016/j.elecom.2021.106952>

- Azari, B. L. H., Wicaksono, T., Damayanti, J. F., & Azari, D. F. H. (2021). The Study of The Electrical Conductivity and Activation Energy on Conductive Polymer Materials. *Computational And Experimental Research In Materials And Renewable Energy*, 4(2), 71. <https://doi.org/10.19184/cerimre.v4i2.28371>
- Bakhtiar, M., Ali, F., Ali, N., Saeed, S., Khan, M. M., Rtimi, S., Show, P. L., & Bilal, M. (2022). Silica-based polymer nanocomposites and their biomedical applications. *Smart Polymer Nanocomposites: Design, Synthesis, Functionalization, Properties, and Applications*, November, 507–528. <https://doi.org/10.1016/B978-0-323-91611-0.00006-2>
- Basaran, C., Nie, S., & Gunel, E. M. (2012). Damage Coupled Viscoplastic Modeling of Particulate Composites With Imperfect Interphase. In *Wiley Encyclopedia of Composites* (hal. 1–15). Wiley. <https://doi.org/10.1002/9781118097298.weoc063>
- BerbethMary, S., Nalini, K., & Rajalakshmi, K. (2022). Synthesis, characterization and thermoelectric properties of Ca substituted nanostructured SrMnO<sub>3</sub> by sol-gel hydrothermal method. *Materials Today: Proceedings*, 57, 2344–2349. <https://doi.org/10.1016/j.matpr.2022.01.273>
- Bonakdarpour, A., Stosevski, I., Smith, S. R., Kelly, J., Wood, B. D., Way, B., & Wilkinson, D. P. (2022). Impact of Electrolyte Volume on the Cycling Performance and Impedance Growth of 18650 Li-Ion Cells. *ECS Meeting Abstracts*, MA2022-01(2), 198–198. <https://doi.org/10.1149/MA2022-012198mtgabs>
- Borah, R., Hughson, F. R., Johnston, J., & Nann, T. (2020). On battery materials and methods. *Materials Today Advances*, 6, 100046. <https://doi.org/10.1016/j.mtadv.2019.100046>
- Boulos, M., Guillemetfritsch, S., Mathieu, F., Durand, B., Lebey, T., & Bley, V. (2005). Hydrothermal synthesis of nanosized BaTiO powders and dielectric properties of corresponding ceramics. *Solid State Ionics*, 176(13–14), 1301–1309. <https://doi.org/10.1016/j.ssi.2005.02.024>
- Buchmann, I. (2017). *Batteries in a Portable World - A Handbook on Rechargeable Batteries for Non-Engineers* (fourth edi). Battery University.
- Bunaciu, A. A., Udriștioiu, E. gabriela, & Aboul-Enein, H. Y. (2015). X-Ray Diffraction: Instrumentation and Applications. *Critical Reviews in Analytical Chemistry*, 45(4), 289–299. <https://doi.org/10.1080/10408347.2014.949616>
- Cao, L., Huang, J., Lin, Z., Yu, X., Wu, X., Zhang, B., Zhan, Y., Xie, F., Zhang, W., Chen, J., & Meng, H. (2018). Amorphous SiO<sub>2</sub>/C composite as anode material for lithium-ion batteries. *Journal of Materials Research*, 33(9), 1219–1225. <https://doi.org/10.1557/jmr.2017.298>

- Chen, Y., Kang, Y., Zhao, Y., Wang, L., Liu, J., Li, Y., Liang, Z., He, X., Li, X., Tavajohi, N., & Li, B. (2021). A review of lithium-ion battery safety concerns: The issues, strategies, and testing standards. *Journal of Energy Chemistry*, *59*, 83–99. <https://doi.org/10.1016/j.jechem.2020.10.017>
- Cheng, H., Shapter, J. G., Li, Y., & Gao, G. (2021). Recent progress of advanced anode materials of lithium-ion batteries. *Journal of Energy Chemistry*, *57*, 451–468. <https://doi.org/10.1016/j.jechem.2020.08.056>
- Cui, J., Cheng, F., Lin, J., Yang, J., Jiang, K., Wen, Z., & Sun, J. (2017). High surface area C/SiO<sub>2</sub> composites from rice husks as a high-performance anode for lithium ion batteries. *Powder Technology*, *311*, 1–8. <https://doi.org/10.1016/j.powtec.2017.01.083>
- Dafnaz, H. R. (2022). Pengaruh Penambahan Cetyltrimethylammoniumbromide (CTAB) Pada Sintesis Silika Dari Natrium Silikat (Na<sub>2</sub>SiO<sub>3</sub>). *Jurnal Periodic Jurusan Kimia*, *11*(1), 102.
- Dany, H., Aji, M. P., & Sulhadi. (2015). Unnes Physics Journal Sintesis Carbon Nanodots Sulfur (C-Dots Sulfur) Dengan Metode Microwave. *Upj*, *4*(1), 1–8. <http://journal.unnes.ac.id/sju/index.php/upj>
- Dao, V.-D., & Choi, H.-S. (2018). Balance between the charge transfer resistance and diffusion impedance in a CNT/Pt counter electrode for highly efficient liquid-junction photovoltaic devices. *Organic Electronics*, *58*, 159–166. <https://doi.org/10.1016/j.orgel.2018.03.046>
- Diwan, I., Tripathi, G. K., & Khare, P. S. (2024). Synthesis of green fluorescent, energy efficient nitrogen doped carbon quantum dots. *Optik*, *303*. <https://doi.org/10.1016/j.ijleo.2024.171725>
- Du, Y., Ruan, Z., Zhang, R., & Zhang, H. (2023). Improving Cyclic Stability and Rate Performance of Lithium Ion Batteries Using La<sup>3+</sup> Modified LiNi<sub>0.6</sub>Co<sub>0.2</sub>Mn<sub>0.2</sub>O<sub>2</sub> Cathode Materials. *Journal of Wuhan University of Technology-Mater. Sci. Ed.*, *38*(4), 735–742. <https://doi.org/10.1007/s11595-023-2753-x>
- Dunn, B., Kamath, H., & Tarascon, J. M. (2011). Electrical energy storage for the grid: A battery of choices. *Science*, *334*(6058), 928–935. <https://doi.org/10.1126/science.1212741>
- Eftekhari, A. (2017). Lithium-Ion Batteries with High Rate Capabilities. *ACS Sustainable Chemistry and Engineering*, *5*(4), 2799–2816. <https://doi.org/10.1021/acssuschemeng.7b00046>
- El Sharkawy, H. M., Dhmees, A. S., Tamman, A. R., El Sabagh, S. M., Aboushabha, R. M., & Allam, N. K. (2020). N-doped carbon quantum dots boost the electrochemical supercapacitive performance and cyclic stability of MoS<sub>2</sub>. *Journal of Energy Storage*, *27*(October 2019). <https://doi.org/10.1016/j.est.2019.101078>

- Elgrishi, N., Rountree, K. J., McCarthy, B. D., Rountree, E. S., Eisenhart, T. T., & Dempsey, J. L. (2018). A Practical Beginner's Guide to Cyclic Voltammetry. *Journal of Chemical Education*, *95*(2), 197–206. <https://doi.org/10.1021/acs.jchemed.7b00361>
- Endro Suseno, J., & Sofjan Firdausi, K. (2008). Rancang Bangun Spektroskopi FTIR (Fourier Transform Infrared) untuk Penentuan Kualitas Susu Sapi. *Berkala Fisika*, *11*(1), 23–28.
- Fergus, J. W. (2010). Recent developments in cathode materials for lithium ion batteries. *Journal of Power Sources*, *195*(4), 939–954. <https://doi.org/10.1016/j.jpowsour.2009.08.089>
- García, J., Delgado, F. J., Ortega, P. R., & Bermejo, S. (2018). Photovoltaic and fuel cells in power microelectromechanical systems for smart energy management. In *Smart Sensors and MEMs* (hal. 461–498). Elsevier. <https://doi.org/10.1016/B978-0-08-102055-5.00017-6>
- Ginting, J., Yulianti, E., & Sudaryanto. (2014). Sintesis Li<sub>2</sub>TiO<sub>3</sub> Sebagai Bahan Anoda Baterai Li-ion degan Metode Reaksi Padatan. *Jurnal Sains Materi Indonesia*, *15*(4), 196–200.
- Han, S., Zhao, Y., Tang, Y., Tan, F., Huang, Y., Feng, X., & Wu, D. (2015). Ternary MoS<sub>2</sub>/SiO<sub>2</sub>/graphene hybrids for high-performance lithium storage. *Carbon*, *81*, 203–209. <https://doi.org/10.1016/j.carbon.2014.09.050>
- Han, Y., Liu, X., & Lu, Z. (2018). Systematic Investigation of Prelithiated SiO<sub>2</sub> Particles for High-Performance Anodes in Lithium-Ion Battery. *Applied Sciences*, *8*(8), 1245. <https://doi.org/10.3390/app8081245>
- Hannan, M. A., Hoque, M. M., Hussain, A., Yusof, Y., & Ker, P. J. (2018). State-of-the-Art and Energy Management System of Lithium-Ion Batteries in Electric Vehicle Applications: Issues and Recommendations. *IEEE Access*, *6*(February 2021), 19362–19378. <https://doi.org/10.1109/ACCESS.2018.2817655>
- He, H., Sun, D., Tang, Y., Wang, H., & Shao, M. (2019). Understanding and improving the initial Coulombic efficiency of high-capacity anode materials for practical sodium ion batteries. *Energy Storage Materials*, *23*, 233–251. <https://doi.org/10.1016/j.ensm.2019.05.008>
- He, R., Wei, A., Bai, X., Zhang, L., Li, X., Jinping Mu, Zhang, X., Ge, J., & Liu, Z. (2021). Enhanced cycling performance of Li ion batteries based on Ni-rich cathode materials with LaPO<sub>4</sub>/Li<sub>3</sub>PO<sub>4</sub> co-modification. *Ceramics International*, *47*(24), 34585–34594. <https://doi.org/10.1016/j.ceramint.2021.08.373>
- Heidari, E. K.-G. (2018). Electrode Materials for Lithium Ion Battery : A Review. *Progress in Chemistry*, *51*, 1–12.

- Irwan, F., Afdal, A., & Arlindia, I. (2016). Kajian Hubungan Konduktivitas Listrik Dengan Konsentrasi Padatan Terlarut Pada Air Permukaan. *Prosiding Seminar Nasional Fisika (E-JOURNAL) SNF2016 UNJ*, SNF2016-CIP-7-SNF2016-CIP-10. <https://doi.org/10.21009/0305020102>
- Irzaman, A. M., H. S., & A. I. (2010). Uji konduktivitas listrik dan dielektrik film tipis lithium tantalate yang dididat niobium pentaoksida menggunakan metode chemical solution deposition. *Prosiding Seminar Nasional Fisika, August*, 978–979.
- Iskandar Fajri, R., & Sugiyanto, D. (2013). Studi sifat mekanik komposit serat *Sansevieria cylindrica* dengan variasi fraksi volume bermatrik polyester. *Prof.Sumantri Brojonegoro, 1(2)*, 704947.
- Jain, A., Ong, S. P., Hautier, G., Chen, W., Richards, W. D., Dacek, S., Cholia, S., Gunter, D., Skinner, D., Ceder, G., & Persson, K. A. (2013). Commentary: The Materials Project: A materials genome approach to accelerating materials innovation. *APL Materials, 1(1)*. <https://doi.org/10.1063/1.4812323>
- Jain, R., & Steel, T. (2015). *Waterborne inorganic-organic hybrid coatings on magnesium by sol-gel route Submitted for the partial fulfillment of the requirements for the degree of Master of Technology By Rachna Jain Corrosion Science and Engineering Indian Institute of Technology Bom. July*. <https://doi.org/10.13140/RG.2.1.3457.1368>
- Jalil, Z., Nurmalita, N., Madjid, S. N., Setiawan, A., & Idroes, R. (2023). Characteristics of Silica Powder Extracted from Fly Ash of Coal Fired Power Plant: Effect of Heat Treatment Process. *Journal of Ecological Engineering, 24(9)*, 282–292. <https://doi.org/10.12911/22998993/169289>
- Javed, M., Saqib, A. N. S., Ata-ur-Rehman, Ali, B., Faizan, M., Anang, D. A., Iqbal, Z., & Abbas, S. M. (2019). Carbon quantum dots from glucose oxidation as a highly competent anode material for lithium and sodium-ion batteries. *Electrochimica Acta, 297*, 250–257. <https://doi.org/10.1016/j.electacta.2018.11.167>
- Ji, X., Wang, C., Luo, W., Chen, G., Zhang, S., Tu, R., Shen, Q., Shi, J., & Zhang, L. (2020). Effect of solution concentration on low-temperature synthesis of BCZT powders by sol-gel-hydrothermal method. *Journal of Sol-Gel Science and Technology, 94(1)*, 205–212. <https://doi.org/10.1007/s10971-019-05177-y>
- Jiao, M., Liu, K., Shi, Z., & Wang, C. (2017). SiO<sub>2</sub>/Carbon Composite Microspheres with Hollow Core-Shell Structure as a High-Stability Electrode for Lithium-Ion Batteries. *ChemElectroChem, 4(3)*, 542–549. <https://doi.org/10.1002/celec.201600658>
- Júnior, R. R. da R., Simonassi, N. T., Duarte, F. P. L., Viera, C. M. F., & Monteiro, S. N. (2024). Use Of Corn Stalk Waste In The Manufacturing Of Composites: A Review. *Journal of Engineering Research, 4(11)*, 2–8.

<https://doi.org/10.22533/at.ed.3174112412041>

- Kainat, S., Anwer, J., Hamid, A., Gull, N., & Khan, S. M. (2024). Electrolytes in Lithium-Ion Batteries: Advancements in the Era of Twenties (2020's). *Materials Chemistry and Physics*, 313(August 2023), 128796. <https://doi.org/10.1016/j.matchemphys.2023.128796>
- Kang, Y., Liang, Z., Zhao, Y., Xu, H., Qian, K., He, X., Li, T., & Li, J. (2020). Large-scale synthesis of lithium- and manganese-rich materials with uniform thin-film Al<sub>2</sub>O<sub>3</sub> coating for stable cathode cycling. *Science China Materials*, 63(9), 1683–1692. <https://doi.org/10.1007/s40843-020-1327-8>
- Katouezadeh, E., Rasouli, M., & Zebarjad, S. M. (2020). A comprehensive study on the gelation process of silica gels from sodium silicate. *Journal of Materials Research and Technology*, 9(5), 10157–10165. <https://doi.org/10.1016/j.jmrt.2020.07.020>
- Khairiyati, L., Azzumar, M., Munir, M., & Syahadi, M. (2021). Inductance Validation Of Lcr Meter After Recalibration. *Instrumentasi*, 45(2), 163. <https://doi.org/10.31153/instrumentasi.v45i2.258>
- Kim, T., Choi, W., Shin, H.-C., Choi, J.-Y., Kim, J. M., Park, M.-S., & Yoon, W.-S. (2020). Applications of Voltammetry in Lithium Ion Battery Research. *Journal of Electrochemical Science and Technology*, 11(1), 14–25. <https://doi.org/10.33961/jecst.2019.00619>
- Kudryavtsev, P. G., & Figovsky, O. L. (2016). Nanocomposite organomineral hybrid materials. Part 2. *Nanotechnologies in Construction: A Scientific Internet-Journal*, 8(2), 20–44. <https://doi.org/10.15828/2075-8545-2016-8-2-20-44>
- Kumar, K. V., Gadipelli, S., Wood, B., Ramisetty, K. A., Stewart, A. A., Howard, C. A., Brett, D. J. L., & Rodriguez-Reinoso, F. (2019). Characterization of the adsorption site energies and heterogeneous surfaces of porous materials. *Journal of Materials Chemistry A*, 7(17), 10104–10137. <https://doi.org/10.1039/c9ta00287a>
- Larsson, M. A., Ramachandran, P., Jarujamrus, P., & Lee, H. L. (2022). Microwave Synthesis of Blue Emissive N-Doped Carbon Quantum Dots as a Fluorescent Probe for Free Chlorine Detection. *Sains Malaysiana*, 51(4), 1197–1212. <https://doi.org/10.17576/jsm-2022-5104-20>
- Li, H. H., Wu, X. L., Sun, H. Z., Wang, K., Fan, C. Y., Zhang, L. L., Yang, F. M., & Zhang, J. P. (2015). Dual-Porosity SiO<sub>2</sub>/C nanocomposite with enhanced lithium storage performance. *Journal of Physical Chemistry C*, 119(7), 3495–3501. <https://doi.org/10.1021/jp511435w>
- Li, Y., Yu, L., Hu, W., & Hu, X. (2020). Thermotolerant separators for safe lithium-ion batteries under extreme conditions. *Journal of Materials Chemistry A*, 8(39), 20294–20317. <https://doi.org/10.1039/D0TA07511F>

- Liang, C., Zhou, L., Zhou, C., Huang, H., Liang, S., Xia, Y., Gan, Y., Tao, X., Zhang, J., & Zhang, W. (2017). Submicron silica as high-capacity lithium storage material with superior cycling performance. *Materials Research Bulletin*, *96*, 347–353. <https://doi.org/10.1016/j.materresbull.2017.03.072>
- Lim, H.-S., Nguyen, D. T., Lochala, J. A., Cao, X., & Zhang, J.-G. (2024). Improving Cycling Performance of Anode-Free Lithium Batteries by Pressure and Voltage Control. *ACS Energy Letters*, *9*(1), 126–135. <https://doi.org/10.1021/acsenergylett.3c01808>
- Lin, L.-Y., Kuo, J.-T., & Bai, H. (2011). Silica materials recovered from photonic industrial waste powder: Its extraction, modification, characterization and application. *Journal of Hazardous Materials*. <https://doi.org/10.1016/j.jhazmat.2011.05.011>
- Liu, M. L., Chen, B. Bin, Li, C. M., & Huang, C. Z. (2019). Carbon dots: Synthesis, formation mechanism, fluorescence origin and sensing applications. *Green Chemistry*, *21*(3), 449–471. <https://doi.org/10.1039/c8gc02736f>
- Liu, W., Jia, H., Zhang, J., Tang, J., Wang, J., & Fang, D. (2020). Preparation of nitrogen-doped carbon quantum dots (NCQDs) and application for non-enzymatic detection of glucose. *Microchemical Journal*, *158*, 105187. <https://doi.org/10.1016/j.microc.2020.105187>
- Lu, K., Erb, D., & Liu, M. (2016). Thermal stability and electrical conductivity of carbon-enriched silicon oxycarbide. *Journal of Materials Chemistry C*, *4*(9), 1829–1837. <https://doi.org/10.1039/C6TC00069J>
- Lunt, A. J. G., Chater, P., & Korsunsky, A. M. (2018). On the origins of strain inhomogeneity in amorphous materials. *Scientific Reports*, *8*(1), 1–9. <https://doi.org/10.1038/s41598-018-19900-2>
- Lv, P., Zhao, H., Wang, J., Liu, X., Zhang, T., & Xia, Q. (2013). Facile preparation and electrochemical properties of amorphous SiO<sub>2</sub>/C composite as anode material for lithium ion batteries. *Journal of Power Sources*, *237*, 291–294. <https://doi.org/10.1016/j.jpowsour.2013.03.054>
- Ma, X., Wei, Z., Han, H., Wang, X., Cui, K., & Yang, L. (2017). Tunable construction of multi-shell hollow SiO<sub>2</sub> microspheres with hierarchically porous structure as high-performance anodes for lithium-ion batteries. *Chemical Engineering Journal*, *323*, 252–259. <https://doi.org/10.1016/j.cej.2017.04.108>
- Maghfiroh, R. F., Azmiyawati, C., & Darmawan, A. (2022). Effect of cetyltrimethylammonium bromide on hydrophobicity of silica thin layer and xerogel derived from sodium silicate and methyltrimethoxysilane. *AIP Conference Proceedings*, *2835*(1), 020045. <https://doi.org/10.1063/5.0104042>

- Mahto, B., Mahanty, B., Hait, S., & Hussain, S. (2024). A review of coal-based carbon and graphene quantum dots: synthesis, properties, and applications. *Materials Science and Engineering: B*, 304(April 2023), 117386. <https://doi.org/10.1016/j.mseb.2024.117386>
- Manzella, A., Bonciani, R., Allansdottir, A., Botteghi, S., Donato, A., Giamberini, S., Lenzi, A., Paci, M., Pellizzone, A., & Scrocca, D. (2018). Environmental and social aspects of geothermal energy in Italy. *Geothermics*, 72, 232–248. <https://doi.org/10.1016/j.geothermics.2017.11.015>
- Maria, C. (2012). Application of FTIR Spectroscopy in Environmental Studies. In *Advanced Aspects of Spectroscopy*. InTech. <https://doi.org/10.5772/48331>
- Middlemiss, L. A., Rennie, A. J. R., Sayers, R., & West, A. R. (2020). Characterisation of batteries by electrochemical impedance spectroscopy. *Energy Reports*, 6, 232–241. <https://doi.org/10.1016/j.egy.2020.03.029>
- Mujiyanti, D. R., Ariyani, D., & Paujiah, N. (2021). Kajian Variasi Konsentrasi Naoh Dalam Ekstraksi Silika Dari Limbah Sekam Padi Banjar Jenis “Pandak.” *Jurnal Sains dan Terapan Kimia*, 15(2), 143. <https://doi.org/10.20527/jstk.v15i2.10373>
- Muljani, S., Setyawan, H., Wibawa, G., & Altway, A. (2014). A facile method for the production of high-surface-area mesoporous silica gels from geothermal sludge. *Advanced Powder Technology*, 25(5), 1593–1599. <https://doi.org/10.1016/j.ap.2014.05.012>
- Nitta, N., Wu, F., Lee, J. T., & Yushin, G. (2015). Li-ion battery materials: present and future. *Materials Today*, 18(5), 252–264. <https://doi.org/10.1016/j.mattod.2014.10.040>
- Onodera, Y., Kohara, S., Salmon, P. S., Hirata, A., Nishiyama, N., Kitani, S., Zeidler, A., Shiga, M., Masuno, A., Inoue, H., Tahara, S., Polidori, A., Fischer, H. E., Mori, T., Kojima, S., Kawaji, H., Kolesnikov, A. I., Stone, M. B., Tucker, M. G., ... Sakata, O. (2020). Structure and properties of densified silica glass: characterizing the order within disorder. *NPG Asia Materials*, 12(1). <https://doi.org/10.1038/s41427-020-00262-z>
- Pambudi, A., Farid, M., & Nurdiansah, H. (2017). Analisa Morfologi dan Spektroskopi Infra Merah Serat Bambu Betung (*Dendrocalamus Asper*) Hasil Proses Alkalisasi Sebagai Penguat Komposit Absorpsi Suara. *Jurnal Teknik ITS*, 6(2). <https://doi.org/10.12962/j23373539.v6i2.24808>
- Perdana, F. A. (2021). Baterai Lithium. *INKUIRI: Jurnal Pendidikan IPA*, 9(2), 113. <https://doi.org/10.20961/inkuiri.v9i2.50082>
- Polyakova, I. G. (2014). The Main Silica Phases and Some of Their Properties. In *Glass* (hal. 197–268). DE GRUYTER. <https://doi.org/10.1515/9783110298581.197>

- Pourmadadi, M., Rahmani, E., Rajabzadeh-Khosroshahi, M., Samadi, A., Behzadmehr, R., Rahdar, A., & Ferreira, L. F. R. (2023). Properties and application of carbon quantum dots (CQDs) in biosensors for disease detection: A comprehensive review. *Journal of Drug Delivery Science and Technology*, 80(January), 104156. <https://doi.org/10.1016/j.jddst.2023.104156>
- Prioglio, G., Agnelli, S., Pandini, S., & Galimberti, M. (2021). Silica-based composites with enhanced rheological properties thanks to a nanosized graphite functionalized with serinol pyrrole. *Applied Sciences (Switzerland)*, 11(23). <https://doi.org/10.3390/app112311410>
- Qomariyah, L., Sasmita, F. N., Novaldi, H. R., Widiyastuti, W., & Winardi, S. (2018). Preparation of Stable Colloidal Silica with Controlled Size Nano Spheres from Sodium Silicate Solution. *IOP Conference Series: Materials Science and Engineering*, 395, 012017. <https://doi.org/10.1088/1757-899X/395/1/012017>
- Rahma Yani, S., Djamas dan Ramli Jurusan Fisika, D., Matematika dan Ilmu Pengetahuan Alam, F., & Negeri Padang Jl Hamka Air Tawar, U. (2019). Analisis Sifat Listrik Nanokomposit Nife<sub>2</sub>O<sub>4</sub>/Pani Yang Disintesis Dengan Metode Sol Gel. *Pillar of Physics*, 12(1), 8–15.
- Ramadhani, I., Oktavia, B., Putra, A., & Sanjaya, H. (2021). Penentuan Kondisi Optimum Pembentukan Natrium Silikat (Na<sub>2</sub>SiO<sub>3</sub>) Menggunakan Material Dasar Silika Alam dan Natrium Hidroksida (NaOH). *Jurnal Periodic Jurusan Kimia UNP*, 10(2), 22. <https://doi.org/10.24036/p.v10i2.112351>
- Rao, D. S., VijayaKumar, T. V., Rao, S. S., Prabhakar, S., & Raju, G. B. (2011). Effectiveness of sodium silicate as gangue depressants in iron ore slimes flotation. *International Journal of Minerals, Metallurgy and Materials*, 18(5), 515–522. <https://doi.org/10.1007/s12613-011-0471-4>
- Rochliadi, A., Ramdhan, M. A., & Patah, A. (2023). Pengaruh Perbandingan Massa Silikon/Silika terhadap Karbon pada Kinerja Anode Baterai Litium Ion dari Sekam Padi. *Jurnal Riset Kimia*, 14(2), 226–238. <https://doi.org/10.25077/jrk.v14i2.624>
- Roy, P., & Srivastava, S. K. (2015). Nanostructured anode materials for lithium ion batteries. *Journal of Materials Chemistry A*, 3(6), 2454–2484. <https://doi.org/10.1039/C4TA04980B>
- Saheb, N., Qadir, N. U., Siddiqui, M. U., Arif, A. F. M., Akhtar, S. S., & Al-Aqeeli, N. (2014). Characterization of nanoreinforcement dispersion in inorganic nanocomposites: A review. *Materials*, 7(6), 4148–4181. <https://doi.org/10.3390/ma7064148>
- Santoso, B. (2018). Investigasi Gerakan Tanah dan Akuifer Menggunakan Metode Electrical Resistivity Tomography di Sekitar Lereng BGG Jatinangor. *Jurnal Ilmu dan Inovasi Fisika*, 2(1), 45–52.

<https://doi.org/10.24198/jiif.v2i1.15392>

- Saputra, R. E., Astuti, Y., & Darmawan, A. (2018). Hydrophobicity of silica thin films: The deconvolution and interpretation by Fourier-transform infrared spectroscopy. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, *199*, 12–20. <https://doi.org/10.1016/j.saa.2018.03.037>
- Saputry, A. P., Lestariningsih, T., & Astuti, Y. (2019). The Effect of Ratio LiBOB:TiO<sub>2</sub> of Electrolyte Polymer Sheets as separators on the Electrochemical Performance of LTO-Based Lithium-Ion Batteries. *Jurnal Kimia Sains dan Aplikasi*, *22*(4), 136–142. <https://doi.org/10.14710/jksa.22.4.136-142>
- Serafin, J., & Dziejarski, B. (2023). Activated carbons—preparation, characterization and their application in CO<sub>2</sub> capture: A review. *Environmental Science and Pollution Research*, *31*(28), 40008–40062. <https://doi.org/10.1007/s11356-023-28023-9>
- Shabir, Q., Pokale, A., Loni, A., Johnson, D. R., Canham, L. T., Fenollosa, R., Tymczenko, M., Rodríguez, I., Meseguer, F., Cros, A., & Cantarero, A. (2011). Medically Biodegradable Hydrogenated Amorphous Silicon Microspheres. *Silicon*, *3*(4), 173–176. <https://doi.org/10.1007/s12633-011-9097-4>
- Shah, A., Ates, M. N., Kotz, S., Seo, J., Abraham, K. M., Somu, S., & Busnaina, A. (2014). A Layered Carbon Nanotube Architecture for High Power Lithium Ion Batteries. *Journal of The Electrochemical Society*, *161*(6), A989–A995. <https://doi.org/10.1149/2.052406jes>
- Shaikh, A. F., Tamboli, M. S., Patil, R. H., Bhan, A., Ambekar, J. D., & Kale, B. B. (2019). Bioinspired Carbon Quantum Dots: An Antibiofilm Agents. *Journal of Nanoscience and Nanotechnology*, *19*(4), 2339–2345. <https://doi.org/10.1166/jnn.2019.16537>
- Shaker, M., Riahifar, R., & Li, Y. (2020). A review on the superb contribution of carbon and graphene quantum dots to electrochemical capacitors' performance: Synthesis and application. *FlatChem*, *22*, 100171. <https://doi.org/10.1016/j.flatc.2020.100171>
- Shaker, M., Shahalizade, T., Mumtaz, A., Hemmati Saznaghi, M., Javanmardi, S., Gaho, M. A., Cao, W., Hu, W., Jin, Z., Ge, Q., & Ghazvini, A. A. S. (2023). A review on the role of graphene quantum dots and carbon quantum dots in secondary-ion battery electrodes. *FlatChem*, *40*(May). <https://doi.org/10.1016/j.flatc.2023.100516>
- Silitonga, S., Therisno, R., Napitupulu, R. A. M., Manurung, C. S. P., Siagian, P., & Chen, Y. S. (2021). Redox Flow Battery Sebagai Perangkat Penyimpanan Energi. *Sprocket Journal Of Mechanical Engineering*, *2*(2), 63–71. <https://doi.org/10.36655/sproket.v2i2.529>

- Silviana, S., Sanyoto, G. J., Darmawan, A., & Sutanto, H. (2020). Geothermal silica waste as sustainable amorphous silica source for the synthesis of silica xerogels. *Rasayan Journal of Chemistry*, 13(3), 1692–1700. <https://doi.org/10.31788/RJC.2020.1335701>
- Steinbach, J. C., Schneider, M., Hauler, O., Lorenz, G., Rebner, K., & Kandelbauer, A. (2020). A process analytical concept for in-line ftir monitoring of polysiloxane formation. *Polymers*, 12(11), 1–13. <https://doi.org/10.3390/polym12112473>
- Suryana, R., Iriani, Y., Nurosyid, F., & Fasquelle, D. (2018). Characteristics of silica rice husk ash from Mojogedang Karanganyar Indonesia. *IOP Conference Series: Materials Science and Engineering*, 367, 012008. <https://doi.org/10.1088/1757-899X/367/1/012008>
- Tang, C., Liu, Y., Xu, C., Zhu, J., Wei, X., Zhou, L., He, L., Yang, W., & Mai, L. (2018). Ultrafine Nickel-Nanoparticle-Enabled SiO<sub>2</sub> Hierarchical Hollow Spheres for High-Performance Lithium Storage. *Advanced Functional Materials*, 28(3). <https://doi.org/10.1002/adfm.201704561>
- Thangaraj, B., Solomon, P. R., Chuangchote, S., Wongyao, N., & Surareungchai, W. (2021). Biomass-derived Carbon Quantum Dots – A Review. Part 2: Application in Batteries. *ChemBioEng Reviews*, 8(4), 302–325. <https://doi.org/10.1002/cben.202000030>
- Tu, J., Yuan, Y., Zhan, P., Jiao, H., Wang, X., Zhu, H., & Jiao, S. (2014). Straightforward approach toward SiO<sub>2</sub> nanospheres and their superior lithium storage performance. *Journal of Physical Chemistry C*, 118(14), 7357–7362. <https://doi.org/10.1021/jp5011023>
- Wang, W., Cao, L., Liu, W., Su, G., & Zhang, W. (2013). Low-temperature synthesis of BaTiO<sub>3</sub> powders by the sol–gel-hydrothermal method. *Ceramics International*, 39(6), 7127–7134. <https://doi.org/10.1016/j.ceramint.2013.02.055>
- Wardana, A. R. K., Nandaliarasyad, N., & Maulana, D. T. (2020). Preliminary Study of Membrane Technology to Resolve Silica Scaling to Enhance Geothermal Binary Power Plant. *IOP Conference Series: Earth and Environmental Science*, 417(1), 012015. <https://doi.org/10.1088/1755-1315/417/1/012015>
- Widiyandari, H. (2021). Synthesis of Mesoporous Silica Xerogel from Geothermal Sludge using Sulfuric Acid as Gelation Agent. *International Journal of Engineering*, 34(7). <https://doi.org/10.5829/ije.2021.34.07a.02>
- Widiyandari, H., Wijareni, A. S., Ardiansyah, R., Purnama, B., & Purwanto, A. (2020). Preparation of Anode Active Material by Utilizing of Silica from Geothermal Sludge for Li-Ion Battery Application (hal. 787–799). [https://doi.org/10.1007/978-981-15-4481-1\\_75](https://doi.org/10.1007/978-981-15-4481-1_75)

- Wu, T., Ke, Q., Lu, M., Pan, P., Zhou, Y., Gu, Z., Cui, G., & Lu, H. (2022). *Recent Advances in Carbon-Silica Composites Prepar.pdf*. 1–28.
- Wu, X., Zhang, Y., Zhang, J., Liu, R., Yang, J., Yang, B., Xu, H., & Ma, Y. (2020). High pressure X-ray diffraction study of sodium oxide (Na<sub>2</sub>O): Observations of amorphization and equation of state measurements to 15.9 GPa. *Journal of Alloys and Compounds*, 823, 153793. <https://doi.org/10.1016/j.jallcom.2020.153793>
- Xiao, P., Yun, X., Chen, Y., Guo, X., Gao, P., Zhou, G., & Zheng, C. (2023). Insights into the solvation chemistry in liquid electrolytes for lithium-based rechargeable batteries. *Chemical Society Reviews*, 52(15), 5255–5316. <https://doi.org/10.1039/D3CS00151B>
- Xu, L., Zhang, J., Ding, J., Liu, T., Shi, G., Li, X., Dang, W., Cheng, Y., & Guo, R. (2020). Pore structure and fractal characteristics of different shale lithofacies in the dalong formation in the western area of the lower yangtze platform. *Minerals*, 10(1). <https://doi.org/10.3390/min10010072>
- Yadav, P. K., Singh, V. K., Chandra, S., Bano, D., Kumar, V., Talat, M., & Hasan, S. H. (2019). Green Synthesis of Fluorescent Carbon Quantum Dots from Azadirachta indica Leaves and Their Peroxidase-Mimetic Activity for the Detection of H<sub>2</sub>O<sub>2</sub> and Ascorbic Acid in Common Fresh Fruits. *ACS Biomaterials Science and Engineering*, 5(2), 623–632. <https://doi.org/10.1021/acsbiomaterials.8b01528>
- Yan, F., Sun, Z., Zhang, H., Sun, X., Jiang, Y., & Bai, Z. (2019). The fluorescence mechanism of carbon dots, and methods for tuning their emission color: a review. *Microchimica Acta*, 186(8). <https://doi.org/10.1007/s00604-019-3688-y>
- Yao, W., Weng, Y., & Catchmark, J. M. (2020). Improved cellulose X-ray diffraction analysis using Fourier series modeling. *Cellulose*, 27(10), 5563–5579. <https://doi.org/10.1007/s10570-020-03177-8>
- Zhai, P., Liu, K., Wang, Z., Shi, L., & Yuan, S. (2021). Multifunctional separators for high-performance lithium ion batteries. *Journal of Power Sources*, 499(February), 229973. <https://doi.org/10.1016/j.jpowsour.2021.229973>
- Zhang, E., Jia, X., Wang, B., Wang, J., Yu, X., & Lu, B. (2020). Carbon Dots@rGO Paper as Freestanding and Flexible Potassium-Ion Batteries Anode. *Advanced Science*, 7(15). <https://doi.org/10.1002/advs.202000470>
- Zhang, L., Guo, H., Rajagopalan, R., Hu, X., Huang, Y., Dou, S. X., & Liu, H. K. (2016). One-step synthesis of a silicon/hematite@carbon hybrid nanosheet/silicon sandwich-like composite as an anode material for Li-ion batteries. *Journal of Materials Chemistry A*, 4(11), 4056–4061. <https://doi.org/10.1039/c5ta09123c>

- Zhang, S. S. (2007). A review on the separators of liquid electrolyte Li-ion batteries. *Journal of Power Sources*, 164(1), 351–364. <https://doi.org/10.1016/j.jpowsour.2006.10.065>
- Zhang, Z., Duan, Y., Yu, Y., Yan, Z., & Chen, J. (2015). Carbon quantum dots: synthesis, characterization, and assessment of cytocompatibility. *Journal of Materials Science: Materials in Medicine*, 26(7), 213. <https://doi.org/10.1007/s10856-015-5536-x>
- Zhong, Y., Yang, M., Zhou, X., & Zhou, Z. (2015). Structural design for anodes of lithium-ion batteries: emerging horizons from materials to electrodes. *Materials Horizons*, 2(6), 553–566. <https://doi.org/10.1039/C5MH00136F>
- Zhu, Y., Inada, H., Hartschuh, A., Shi, L., Della Pia, A., Costantini, G., Vázquez de Parga, A. L., Miranda, R., Barbier, A., Mocuta, C., Belkhou, R., Bhushan, B., Hoo, J. H., Park, K. S., Baskaran, R., Böhringer, K. F., Lu, W., Nosonovsky, M., Ham, M.-H., ... Tsuda, S. (2012). Sol-Gel Method. In *Encyclopedia of Nanotechnology* (hal. 2459–2470). Springer Netherlands. [https://doi.org/10.1007/978-90-481-9751-4\\_359](https://doi.org/10.1007/978-90-481-9751-4_359)