

DAFTAR PUSTAKA

- Abu-Ashour, W., Emil, S., & Poenaru, D. (2024). Using Artificial Intelligence to Label Free-Text Operative and Ultrasound Reports for Grading Pediatric Appendicitis. *Journal of Pediatric Surgery*, 59(5), 783–790. <https://doi.org/10.1016/j.jpedsurg.2024.01.033>
- Alaa, A. M., & van der Schaar, M. (2018). AutoPrognosis: Automated Clinical Prognostic Modeling via Bayesian Optimization with Structured Kernel Learning. In J. Dy & A. Krause (Eds.), *Proceedings of the 35th International Conference on Machine Learning* (pp. 139–148).
- Ali, S., Akhlaq, F., Imran, A. S., Kastrati, Z., Daudpota, S. M., & Moosa, M. (2023). The enlightening role of explainable artificial intelligence in medical & healthcare domains: A systematic literature review. In *Computers in Biology and Medicine* (Vol. 166). Elsevier Ltd. <https://doi.org/10.1016/j.combiomed.2023.107555>
- Alsinglawi, B., Alshari, O., Alorjani, M., Mubin, O., Alnajjar, F., Novoa, M., & Darwish, O. (2022). An explainable machine learning framework for lung cancer hospital length of stay prediction. *Scientific Reports*, 12(1). <https://doi.org/10.1038/s41598-021-04608-7>
- Amann, J., Blasimme, A., Vayena, E., Frey, D., Madai, V. I., & consortium, the P. (2020). Explainability for artificial intelligence in healthcare: a multidisciplinary perspective. *BMC Medical Informatics and Decision Making*, 20(1), 310. <https://doi.org/10.1186/s12911-020-01332-6>
- Anakwe, R. E., Jenkins, P. J., & Moran, M. (2011). Predicting Dissatisfaction After Total Hip Arthroplasty: A Study of 850 Patients. *The Journal of Arthroplasty*, 26(2), 209–213. <https://doi.org/https://doi.org/10.1016/j.arth.2010.03.013>
- Australian Orthopaedic Association. (2022). *Australian Orthopaedic Association National Joint Replacement Registry*. <https://aoanjrr.sahmri.com/annual-reports-2022>
- Barry, M. J., & Edgman-Levitan, S. (2012). Shared decision making - The pinnacle of patient-centered care. *New England Journal of Medicine*, 366(9), 780–781. <https://doi.org/10.1056/NEJMp1109283>
- Belle, V., & Papantonis, I. (2021). Principles and Practice of Explainable Machine Learning. *Frontiers in Big Data*, 4. <https://www.frontiersin.org/articles/10.3389/fdata.2021.688969>
- Bergstra, J., Bardenet, R., Bengio, Y., & Kégl, B. (2011). Algorithms for Hyper-Parameter Optimization. In J. Shawe-Taylor, R. Zemel, P. Bartlett, F. Pereira, & K. Q. Weinberger (Eds.), *Advances in Neural Information Processing Systems* (Vol. 24). Curran Associates, Inc. https://proceedings.neurips.cc/paper_files/paper/2011/file/86e8f7ab32cfd12577bc2619bc635690-Paper.pdf
- Berliner, J. L., Brodke, D. J., Chan, V., SooHoo, N. F., & Bozic, K. J. (2016). John Charnley Award: Preoperative Patient-reported Outcome Measures Predict Clinically Meaningful Improvement in Function After THA. *Clinical Orthopaedics and Related Research*®, 474(2).

- https://journals.lww.com/clinorthop/fulltext/2016/02000/john_chnarnley_awar_d__preoperative_patient_reported.10.aspx
- Bischl, B., Binder, M., Lang, M., Pielok, T., Richter, J., Coors, S., Thomas, J., Ullmann, T., Becker, M., Boulesteix, A. L., Deng, D., & Lindauer, M. (2023). Hyperparameter optimization: Foundations, algorithms, best practices, and open challenges. In *Wiley Interdisciplinary Reviews: Data Mining and Knowledge Discovery* (Vol. 13, Issue 2). John Wiley and Sons Inc. <https://doi.org/10.1002/widm.1484>
- Bleß Miriam Kip Eds, H.-H. (2018). *White Paper on Joint Replacement*. <https://doi.org/https://doi.org/10.1007/978-3-662-55918-5>
- Bosschietter, T. M., Xu, Z., Lan, H., Lengerich, B. J., Nori, H., Painter, I., Souter, V., & Caruana, R. (2023). Interpretable Predictive Models to Understand Risk Factors for Maternal and Fetal Outcomes. *Journal of Healthcare Informatics Research*. <https://doi.org/10.1007/s41666-023-00151-4>
- Brittain, R., Howard, P., Lawrence, S., Stonadge, J., Wilkinson, M., Wilton, T., Dawson-Bowling, S., Watts, A., Esler, C., Goldberg, A., Jameson, S., Jennison, T., Toms, A., Young, E., Boulton, C., Taylor, D., Espinoza, O., McCormack, V., Newell, C., ... Whitehouse, M. (2021). NJR statistical analysis, support and associated services. In *National Joint Registry | 18th Annual Report* (Vol. 3). www.njrcentre.org.uk
- Centers for Medicare & Medicaid Services. (2021). *Report to Congress: Medicare Advantage Risk Adjustment - December 2021*.
- Chaddad, A., Peng, J., Xu, J., & Bouridane, A. (2023). Survey of Explainable AI Techniques in Healthcare. In *Sensors* (Vol. 23, Issue 2). MDPI. <https://doi.org/10.3390/s23020634>
- Chawla, N. V., Bowyer, K. W., Hall, L. O., & Kegelmeyer, W. P. (2002). SMOTE: Synthetic Minority Over-sampling Technique. In *Journal of Artificial Intelligence Research* (Vol. 16).
- Coulter, C. L., Scarvell, J. M., Neeman, T. M., & Smith, P. N. (2013). Physiotherapist-directed rehabilitation exercises in the outpatient or home setting improve strength, gait speed and cadence after elective total hip replacement: a systematic review. *Journal of Physiotherapy*, 59(4), 219–226. [https://doi.org/https://doi.org/10.1016/S1836-9553\(13\)70198-X](https://doi.org/https://doi.org/10.1016/S1836-9553(13)70198-X)
- Davis, C. (2018). *Total Hip Replacement Post-Op Clinical Practice Guideline*. <https://tco.osu.edu>.
- Delaunay, J., Galárraga, L., & Largouët, C. (2020). Improving Anchor-Based Explanations. *Proceedings of the 29th ACM International Conference on Information & Knowledge Management*, 3269–3272. <https://doi.org/10.1145/3340531.3417461>
- Digumarthi, V., Amin, T., Kanu, S., Mathew, J., Edwards, B., Peterson, L. A., Lundy, M. E., & Hegarty, K. E. (2024). Preoperative prediction model for risk of readmission after total joint replacement surgery: a random forest approach leveraging NLP and unfairness mitigation for improved patient care and cost-effectiveness. *Journal of Orthopaedic Surgery and Research*, 19(1). <https://doi.org/10.1186/s13018-024-04774-0>
- Doshi-Velez, F., & Kim, B. (2017). Towards A Rigorous Science of Interpretable

- Machine Learning. In *arXiv*.
- Evans, J. T., Evans, J. P., Walker, R. W., Blom, A. W., Whitehouse, M. R., & Sayers, A. (2019). How long does a hip replacement last? A systematic review and meta-analysis of case series and national registry reports with more than 15 years of follow-up. In *www.thelancet.com* (Vol. 393). www.thelancet.com
- Fontana, M. A., Lyman, S., Sarker, G. K., Padgett, D. E., & MacLean, C. H. (2019). Can machine learning algorithms predict which patients will achieve minimally clinically important differences from total joint arthroplasty? *Clinical Orthopaedics and Related Research*, 477(6), 1267–1279. <https://doi.org/10.1097/CORR.0000000000000687>
- Frank, E., Hall, M. A., & Pal, C. J. (2016). *Online Appendix for “Data Mining: Practical Machine Learning Tools and Techniques”* (Fourth Edition). Morgan Kaufmann.
- Fujita, K., Makimoto, K., Tabuchi, Y., Matsunaga-Myoji, Y., & Mawatari, M. (2023). Oxford Hip Scores, Floor-Sitting Score Trajectories, and Postoperative Satisfaction Rates at 10 Years After Primary Total Hip Arthroplasty. *The Journal of Arthroplasty*. <https://doi.org/https://doi.org/10.1016/j.arth.2023.06.016>
- Garnett, R. (2023). *Bayesian Optimization*. Cambridge University Press.
- Halawi, M. J., Jongbloed, W., Baron, S., Savoy, L., Williams, V. J., & Cote, M. P. (2019). Patient Dissatisfaction After Primary Total Joint Arthroplasty: The Patient Perspective. *The Journal of Arthroplasty*, 34(6), 1093–1096. <https://doi.org/https://doi.org/10.1016/j.arth.2019.01.075>
- HealthCare.gov. (2023). *Payment Bundling*.
- Hernigou, P., Barbier, O., & Chenaie, P. (2023). Hip arthroplasty dislocation risk calculator: evaluation of one million primary implants and twenty-five thousand dislocations with deep learning artificial intelligence in a systematic review of reviews. *International Orthopaedics*, 47(2), 557–571. <https://doi.org/10.1007/s00264-022-05644-2>
- Hootman, J. M., Helmick, C. G., Barbour, K. E., Theis, K. A., & Boring, M. A. (2016). Updated Projected Prevalence of Self-Reported Doctor-Diagnosed Arthritis and Arthritis-Attributable Activity Limitation Among US Adults, 2015–2040. *Arthritis & Rheumatology*, 68(7), 1582–1587. <https://doi.org/https://doi.org/10.1002/art.39692>
- Huang, M., Zhang, X. S., Bhatti, U. A., Wu, Y. Y., Zhang, Y., & Yasin Ghadi, Y. (2024). An interpretable approach using hybrid graph networks and explainable AI for intelligent diagnosis recommendations in chronic disease care. *Biomedical Signal Processing and Control*, 91. <https://doi.org/10.1016/j.bspc.2023.105913>
- Huber, M., Kurz, C., & Leidl, R. (2019). Predicting patient-reported outcomes following hip and knee replacement surgery using supervised machine learning. *BMC Medical Informatics and Decision Making*, 19(1), 3. <https://doi.org/10.1186/s12911-018-0731-6>
- Hutter, F., Hoos, H. H., & Leyton-Brown, K. (2011). Sequential Model-Based Optimization for General Algorithm Configuration. In C. A. C. Coello (Ed.), *Learning and Intelligent Optimization* (pp. 507–523). Springer Berlin

Heidelberg.

- Hutter, F., Kotthoff, L., & Vanschoren, J. (2019). *The Springer Series on Challenges in Machine Learning Automated Machine Learning Methods, Systems, Challenges*. <https://doi.org/https://doi.org/10.1007/978-3-030-05318-5>
- Jones, D. R., Schonlau, M., & Welch, W. J. (1998). Efficient Global Optimization of Expensive Black-Box Functions. *Journal of Global Optimization*, 13(4), 455–492. <https://doi.org/10.1023/A:1008306431147>
- Joseph, A., Joseph, K., & Joseph, A. (2024). A pilot evaluation of the diagnostic accuracy of ChatGPT-3.5 for multiple sclerosis from case reports. *Translational Neuroscience*, 15(1). <https://doi.org/10.1515/tnsci-2022-0361>
- Kaufmann, E., & Kalyanakrishnan, S. (2013). Information Complexity in Bandit Subset Selection. In S. Shalev-Shwartz & I. Steinwart (Eds.), *Proceedings of the 26th Annual Conference on Learning Theory* (Vol. 30, pp. 228–251). PMLR. <https://proceedings.mlr.press/v30/Kaufmann13.html>
- Kementerian Kesehatan Republik Indonesia. (2016). *Peraturan Menteri Kesehatan Republik Indonesia Nomor 76 Tahun 2016 tentang Pedoman Indonesian Case Based Groups (INA-CBG) dalam Pelaksanaan Jaminan Kesehatan Nasional*. <https://peraturan.bpk.go.id/Download/105582/Permenkes%20Nomor%2076%20Tahun%202016.pdf>
- Kementerian Kesehatan Republik Indonesia. (2023). *Peraturan Menteri Kesehatan Nomor 3 Tahun 2023 tentang Standar Tarif Pelayanan Kesehatan Dalam Penyelenggaraan Program Jaminan Kesehatan*. <https://peraturan.bpk.go.id/Download/334015/Permenkes%20Nomor%203%20Tahun%202023.pdf>
- Kementerian Kesehatan Republik Indonesia. (2024, November 3). *ICD-9 CM. SATUSEHAT Platform*. <https://satusehat.kemkes.go.id/platform/docs/id/terminology/icd/icd-9-cm/>
- Klemt, C., Cohen-Levy, W. B., Robinson, M. G., Burns, J. C., Alpaugh, K., Yeo, I., & Kwon, Y. M. (2022). Can machine learning models predict failure of revision total hip arthroplasty? *Archives of Orthopaedic and Trauma Surgery*. <https://doi.org/10.1007/s00402-022-04453-x>
- Klemt, C., Uzosike, A. C., Esposito, J. G., Harvey, M. J., Yeo, I., Subih, M., & Kwon, Y.-M. (2023). The utility of machine learning algorithms for the prediction of patient-reported outcome measures following primary hip and knee total joint arthroplasty. *Archives of Orthopaedic and Trauma Surgery*, 143(4), 2235–2245. <https://doi.org/10.1007/s00402-022-04526-x>
- Koehrsen, W. (2018, June 24). A Conceptual Explanation of Bayesian Hyperparameter Optimization for Machine Learning. *Towards Data Science*. <https://towardsdatascience.com/a-conceptual-explanation-of-bayesian-model-based-hyperparameter-optimization-for-machine-learning-b8172278050f>
- Koh, M. C. Y., Ngiam, J. N., Oon, J. E. L., Lum, L. H. W., Smitasin, N., & Archuleta, S. (2025). Using ChatGPT for writing hospital inpatient discharge summaries – perspectives from an inpatient infectious diseases service. *BMC Health Services Research*, 25(1). <https://doi.org/10.1186/s12913-025-12373-w>

- Kumar, V., Patel, S., Baburaj, V., Vardhan, A., Singh, P. K., & Vaishya, R. (2022). Current understanding on artificial intelligence and machine learning in orthopaedics – A scoping review. *Journal of Orthopaedics*, *34*, 201–206. <https://doi.org/https://doi.org/10.1016/j.jor.2022.08.020>
- Kunneman, M., Montori, V. M., Castaneda-Guarderas, A., & Hess, E. P. (2016). What is shared decision making? (and what it is not). *Acad. Emerg. Med.*, *23*(12), 1320–1324. <https://doi.org/10.1111/acem.13065>
- Kunze, K. N., Karhade, A. V., Sadauskas, A. J., Schwab, J. H., & Levine, B. R. (2020). Development of Machine Learning Algorithms to Predict Clinically Meaningful Improvement for the Patient-Reported Health State After Total Hip Arthroplasty. *Journal of Arthroplasty*, *35*(8), 2119–2123. <https://doi.org/10.1016/j.arth.2020.03.019>
- Kuo, F. C., Hu, W. H., & Hu, Y. J. (2022). Periprosthetic Joint Infection Prediction via Machine Learning: Comprehensible Personalized Decision Support for Diagnosis. *Journal of Arthroplasty*, *37*(1), 132–141. <https://doi.org/10.1016/j.arth.2021.09.005>
- Kurtz, S. M., Ong, K. L., Lau, E., & Bozic, K. J. (2014). Impact of the Economic Downturn on Total Joint Replacement Demand in the United States: Updated Projections to 2021. *JBJS*, *96*(8). https://journals.lww.com/jbjsjournal/Fulltext/2014/04160/Impact_of_the_Economic_Downturn_on_Total_Joint.2.aspx
- Lam, V., Teutsch, S., & Fielding, J. (2018). Hip and Knee Replacements: A Neglected Potential Savings Opportunity. *JAMA*, *319*(10), 977–978. <https://doi.org/10.1001/jama.2018.2310>
- Lazic, I., Hinterwimmer, F., Langer, S., Pohlig, F., Suren, C., Seidl, F., Rückert, D., Burgkart, R., & von Eisenhart-Rothe, R. (2022). Prediction of Complications and Surgery Duration in Primary Total Hip Arthroplasty Using Machine Learning: The Necessity of Modified Algorithms and Specific Data. *Journal of Clinical Medicine*, *11*(8). <https://doi.org/10.3390/jcm11082147>
- Learmonth, I. D., Young, C., & Rorabeck, C. (2007). The operation of the century: total hip replacement. *Lancet*, *370*(9597), 1508–1519. [https://doi.org/10.1016/S0140-6736\(07\)60457-7](https://doi.org/10.1016/S0140-6736(07)60457-7)
- Lipton, Z. C. (2017). The Mythos of Model Interpretability. In *arXiv*.
- Lopez, C. D., Gazgalis, A., Boddapati, V., Shah, R. P., Cooper, H. J., & Geller, J. A. (2021). Artificial Learning and Machine Learning Decision Guidance Applications in Total Hip and Knee Arthroplasty: A Systematic Review. *Arthroplasty Today*, *11*, 103–112. <https://doi.org/10.1016/j.artd.2021.07.012>
- Lundberg, S. M., & Lee, S.-I. (2017). A Unified Approach to Interpreting Model Predictions. *Proceedings of the 31st International Conference on Neural Information Processing Systems*, 4768–4777.
- Mei, X. Y., Gong, Y. J., Safir, O., Gross, A., & Kuzyk, P. (2019). Long-term outcomes of total hip arthroplasty in patients younger than 55 years: A systematic review of the contemporary literature. In *Canadian Journal of Surgery* (Vol. 62, Issue 4, pp. 249–258). Canadian Medical Association. <https://doi.org/10.1503/cjs.013118>
- Miller, T. (2019). Explanation in artificial intelligence: Insights from the social

- sciences. *Artificial Intelligence*, 267, 1–38.
<https://doi.org/https://doi.org/10.1016/j.artint.2018.07.007>
- Mockus, J. (1989). *Bayesian Approach to Global Optimization: Theory and Applications* (Reprint of ori 1989). Springer.
- Mohanty, S. D., Lekan, D., McCoy, T. P., Jenkins, M., & Manda, P. (2022). Machine learning for predicting readmission risk among the frail: Explainable AI for healthcare. *Patterns*, 3(1). <https://doi.org/10.1016/j.patter.2021.100395>
- Molnar, C. (2025). *Interpretable Machine Learning: A Guide for Making Black Box Models Explainable* (3rd ed.). Leanpub.
<https://christophm.github.io/interpretable-ml-book>
- Moore, R. (2018). *How to Increase Patient Motivation and Outcomes Post-Total Hip Arthroplasty*. Performance Health Academy.
<https://www.performancehealthacademy.com/how-to-increase-patient-motivation-and-outcomes-post-total-hip-arthroplasty.html>
- Nagahisarchoghaei, M., Nur, N., Cummins, L., Nur, N., Karimi, M. M., Nandanwar, S., Bhattacharyya, S., & Rahimi, S. (2023). An Empirical Survey on Explainable AI Technologies: Recent Trends, Use-Cases, and Categories from Technical and Application Perspectives. *Electronics (Switzerland)*, 12(5). <https://doi.org/10.3390/electronics12051092>
- NEJM Catalyst. (2023). What Are Bundled Payments? *Catalyst Carryover*, 4(1). <https://doi.org/10.1056/CAT.18.0247>
- Nham, F. H., Court, T., Zalikha, A. K., El-Othmani, M. M., & Shah, R. P. (2023). Assessing the predictive capacity of machine learning models using patient-specific variables in determining in-hospital outcomes after THA. *Journal of Orthopaedics*, 41, 39–46. <https://doi.org/10.1016/j.jor.2023.05.012>
- Nogueira, F. (2014). *Bayesian Optimization: Open source constrained global optimization tool for Python*. <https://github.com/bayesian-optimization/BayesianOptimization>
- Noseworthy, P. A., Brito, J. P., Kunneman, M., Hargraves, I. G., Zeballos-Palacios, C., Montori, V. M., & Ting, H. H. (2019). Shared decision-making in atrial fibrillation: navigating complex issues in partnership with the patient. *J. Interv. Card. Electrophysiol.*, 56(2), 159–163. <https://doi.org/10.1007/s10840-018-0465-5>
- O'Neill, E. S., Grande, S. W., Sherman, A., Elwyn, G., & Coylewright, M. (2017). Availability of patient decision aids for stroke prevention in atrial fibrillation: A systematic review. *Am. Heart J.*, 191, 1–11. <https://doi.org/10.1016/j.ahj.2017.05.014>
- Pakarinen, O., Karsikas, M., Reito, A., Lainiala, O., Neuvonen, P., & Eskelinen, A. (2022). Prediction model for an early revision for dislocation after primary total hip arthroplasty. *PLoS ONE*, 17(9 September). <https://doi.org/10.1371/journal.pone.0274384>
- Palazzo, C., Jourdan, C., Descamps, S., Nizard, R., Hamadouche, M., Anract, P., Boisgard, S., Galvin, M., Ravaud, P., & Poiraudou, S. (2014). Determinants of satisfaction 1 year after total hip arthroplasty: The role of expectations fulfilment. *BMC Musculoskeletal Disorders*, 15(1). <https://doi.org/10.1186/1471-2474-15-53>

- Parker, M. J., & Pervez, H. (2002). Surgical approaches for inserting hemiarthroplasty of the hip. *Cochrane Database Syst. Rev.*, 2010(3), CD001707. <https://doi.org/10.1002/14651858.CD001707>
- Păunescu, F., Didilescu, A., & Antonescu, D. M. (2013). Factors that may influence the functional outcome after primary total hip arthroplasty. *Clujul Med.*, 86(2), 121–127. <https://www.ncbi.nlm.nih.gov/pubmed/26527932>
- Politi, M. C., Dizon, D. S., Frosch, D. L., Kuzemchak, M. D., & Stiggelbout, A. M. (2013). Importance of clarifying patients' desired role in shared decision making to match their level of engagement with their preferences. *BMJ*, 347(dec02 1), f7066. <https://doi.org/10.1136/bmj.f7066>
- Purbasari, I. Y., Bayuseno, A. P., Isnanto, R. R., Winarni, T. I., & Jamari, J. (2023). Artificial Intelligence and Machine Learning in Prediction of Total Hip Arthroplasty Outcome: A Bibliographic Review. In R. R. Isnanto, H. null, & B. Warsito (Eds.), *E3S Web of Conferences* (Vol. 448). EDP Sciences. <https://doi.org/10.1051/e3sconf/202344802054>
- Purbasari, I. Y., Priharyoto Bayuseno, A., Rizal Isnanto, R., & Winarni, T. I. (2025). Readmission Risk Prediction After Total Hip Arthroplasty Using Machine Learning and Hyperparameter Optimized with Bayesian Optimization. In *IJACSA International Journal of Advanced Computer Science and Applications* (Vol. 16, Issue 2). <https://doi.org/10.14569/IJACSA.2025.0160288>
- Raza, A., Tran, K. P., Koehl, L., & Li, S. (2022). Designing ECG monitoring healthcare system with federated transfer learning and explainable AI. *Knowledge-Based Systems*, 236. <https://doi.org/10.1016/j.knosys.2021.107763>
- Ribeiro, M. T., Singh, S., & Guestrin, C. (2016). Model-Agnostic Interpretability of Machine Learning. *ICML Workshop on Human Interpretability in Machine Learning*. <https://doi.org/10.48550/arXiv.1606.05386>
- Ribeiro, M. T., Singh, S., & Guestrin, C. (2018). Anchors: High-Precision Model-Agnostic Explanations. *Proceedings of the AAAI Conference on Artificial Intelligence*, 32(1). <https://doi.org/10.1609/aaai.v32i1.11491>
- Russo, D. J., Van Roy, B., Kazerouni, A., Osband, I., & Wen, Z. (2018). A Tutorial on Thompson Sampling. *Foundations and Trends in Machine Learning*, 11(1), 1–96.
- Shah, A. A., Devana, S. K., Lee, C., Kianian, R., van der Schaar, M., & SooHoo, N. F. (2021). Development of a Novel, Potentially Universal Machine Learning Algorithm for Prediction of Complications After Total Hip Arthroplasty. *Journal of Arthroplasty*, 36(5), 1655-1662.e1. <https://doi.org/10.1016/j.arth.2020.12.040>
- Shaikh, N., Chauhan, T., Patil, J., & Sonawane, S. (2024). Explicable knowledge graph (X-KG): generating knowledge graphs for explainable artificial intelligence and querying them by translating natural language queries to SPARQL. *International Journal of Information Technology (Singapore)*. <https://doi.org/10.1007/s41870-023-01692-y>
- Sitorus, I. P., & Dilogo, I. H. (2022). Functional and Radiological Outcome of Revision Total Hip Arthroplasty in the Indonesian National Referral Hospital.

- Hip Knee J*, 3(1), 2723–7826. <https://doi.org/10.46355/hipknee.v3i1.161>
- Sniderman, J., Stark, R. B., Schwartz, C. E., Imam, H., Finkelstein, J. A., & Nousiainen, M. T. (2021). Patient Factors That Matter in Predicting Hip Arthroplasty Outcomes: A Machine-Learning Approach. *Journal of Arthroplasty*, 36(6), 2024–2032. <https://doi.org/10.1016/j.arth.2020.12.038>
- Spalević, M., Milenković, S., Kocić, M., Stanković, I., Dimitrijević, L., Živković, V., Čolović, H., & Spalević, M. (2018). TOTAL HIP REPLACEMENT REHABILITATION: RESULTS AND DILEMMAS. *Acta Medica Medianae*, 57(1), 48–53. <https://doi.org/10.5633/amm.2018.0108>
- Theaker, J., Oldham, J., Callaghan, M., & Parkes, M. (2022). Assessment of patients' self-reported levels of adherence to postoperative restrictions following total hip replacement. *Physiotherapy*, 117, 1–7. <https://doi.org/10.1016/j.physio.2022.04.001>
- Thompson, W. R. (1933). On the Likelihood that One Unknown Probability Exceeds Another in View of the Evidence of Two Samples. *Biometrika*, 25(3/4), 285–294.
- Turcotte, J. J., Menon, N., Aja, J. M., Grover, J. J., King, P. J., & MacDonald, J. H. (2020). Preoperative Predictors of Patients Requiring Inpatient Admission for Total Hip Arthroplasty Following Removal From the Medicare Inpatient-Only List. *Journal of Arthroplasty*, 35(8), 2109–2113.e1. <https://doi.org/10.1016/j.arth.2020.03.038>
- US Food and Drug Administration. (2019, March 15). *General Information about Hip Implants*. <https://www.fda.gov/medical-devices/metal-metal-hip-implants/general-information-about-hip-implants>
- Wani, N. A., Kumar, R., & Bedi, J. (2024). DeepXplainer: An interpretable deep learning based approach for lung cancer detection using explainable artificial intelligence. *Computer Methods and Programs in Biomedicine*, 243. <https://doi.org/10.1016/j.cmpb.2023.107879>
- Weick, J. W., Bullard, J., Green, J. H., & Gagnier, J. J. (2020). Measures of Hip Function and Symptoms. *Arthritis Care and Research*, 72(S10), 200–218. <https://doi.org/10.1002/acr.24231>
- World Health Organization (WHO). (2025). *BMI Values*. <https://apps.who.int/nutrition/landscape/help.aspx?menu=0&helpid=420#:~:text=BMI%20values%20indicate%20the%20following%3A%201%20BMI%20%3C17.0%3A,4%20BMI%20%E2%89%A525.0%3A%20overweight%205%20BMI%20%E2%89%A530.0%3A%20obesity.>
- Wu, J. Q., Mao, L. B., & Wu, J. (2019). Efficacy of exercise for improving functional outcomes for patients undergoing total hip arthroplasty. In *Medicine (United States)* (Vol. 98, Issue 10). Lippincott Williams and Wilkins. <https://doi.org/10.1097/MD.00000000000014591>
- Yang, C. C. (2022). Explainable Artificial Intelligence for Predictive Modeling in Healthcare. *Journal of Healthcare Informatics Research*, 6(2), 228–239. <https://doi.org/10.1007/s41666-022-00114-1>
- Yang, L., & Shami, A. (2020). On hyperparameter optimization of machine learning algorithms: Theory and practice. *Neurocomputing*, 415, 295–316. <https://doi.org/10.1016/j.neucom.2020.07.061>