

DAFTAR PUSTAKA

- Aamry, A., Sulieman, A., Tamam, N., Abuhadi, N. H., Johary, Y., Aamri, H., Mattar, E., Salah, H., Osman, H., Khandaker, M. U., & Bradley, D. (2022). Evaluation of the annual occupational effective doses in a SPECT/CT department. *Applied Radiation and Isotopes*, 181, Article 110097. <https://doi.org/10.1016/j.apradiso.2022.110097>
- Abe, K., Hosono, M., Igarashi, T., Iimori, T., Ishiguro, M., Ito, T., Nagahata, T., Tsushima, H., & Watanabe, H. (2020). The 2020 national diagnostic reference levels for nuclear medicine in Japan. *Annals of Nuclear Medicine*, 34(11), 799–806. <https://doi.org/10.1007/s12149-020-01512-4>
- Alhorani, Q., Alkhybari, E., Rawashdeh, M., Latiff, R. A., Sabarudin, A., Al-Ibraheem, A., & Mohamad, M. (2023). *National and local diagnostic reference levels for 18F-FDG and CT in Jordanian PET/CT scanning: Findings and implications in practice*. Research Square. <https://doi.org/10.21203/rs.3.rs-3049856/v1>
- Alkhybari, E. M., Alhulail, A. A., Sulieman, A., Faqeeh, J. M., Albatly, A. A., & Alqarni, A. O. (2022). Deriving local diagnostic reference levels for four common adult PET/CT procedures in a Saudi Arabian hospital. *Journal of Radiation Research and Applied Sciences*, 15(3), 380–385.
- Alkhybari, E. M., McEntee, M. F., Brennan, P. C., Willowson, K. P., & Kench, P. L. (2019a). Diagnostic reference levels for 18F-FDG whole body PET/CT procedures: Results from a survey of 12 centres in Australia and New Zealand. *Journal of Medical Imaging and Radiation Oncology*, 63(3), 291–299. <https://doi.org/10.1111/1754-9485.12857>
- Alkhybari, E. M., McEntee, M. F., Willowson, K. P., Brennan, P. C., Kitsos, T., & Kench, P. L. (2019b). An Australian local diagnostic reference level for paediatric whole-body 18F-FDG PET/CT. *The British Journal of Radiology*, 92(1096), 20180879. <https://doi.org/10.1259/bjr.20180879>
- Alnaaimi, M., Sulieman, A., Tamam, N., Alkhorayef, M., Alduaij, M., Mohammedzein, T., Alomair, O. I., Alashban, Y., Salah, H., Abd-Elghany, A. A., & Omer, H. (2021). Estimation of patient effective doses in PET/CT-18F-Sodium Fluoride examinations. *Applied Radiation and Isotopes*, 178, Article 109965. <https://doi.org/10.1016/j.apradiso.2021.109965>
- Alnaaimi, M. A., Alduaij, M. A., Shenawy, F. A., Algaily, M. M., Mohammedzein, T. S., Alkandri, F. A., Shaban, M. O., & Alenezi, S. A. (2022). National diagnostic reference levels for nuclear medicine in Kuwait. *Journal of Nuclear Medicine Technology*, 50(1), 54–59. <https://doi.org/10.2967/jnmt.121.262175>
- Badan Pengawas Tenaga Nuklir. (2021). *Pedoman teknis penerapan tingkat panduan diagnostik Indonesia (Indonesian diagnostic reference level)* (No. PRK/PD/01/00/2021). Pusat Pengkajian Sistem dan Teknologi Pengawasan Fasilitas Radiasi dan Zat Radioaktif.

- Badan Pengawas Tenaga Nuklir. (2022). *Keputusan Kepala Badan Pengawas Tenaga Nuklir Nomor: 3426/K/XI/2022 tentang Penetapan Nilai Tingkat Panduan Diagnostik Indonesia (Indonesian Diagnostic Reference Level) untuk Pemeriksaan Pasien dengan Kedokteran Nuklir Diagnostik dan Pesawat Sinar-X Fluoroskopi Intervensional*.
- Becker, M. D., Butler, P. F., Siam, M., Gress, D. A., Ghesani, M., Harkness, B. A., Yoo, D. C., & Oates, M. E. (2019). US PET/CT and gamma camera diagnostic reference levels and achievable administered activities for noncardiac nuclear medicine studies. *Radiology*, 293(1), 203–211. <https://doi.org/10.1148/radiol.2019190623>
- Ben-Rejeb, N., & Ben-Sellem, D. (2023). Evaluation of radiation doses of the 18FDG PET/CT hybrid imaging in adult and paediatric oncologic patients. *Radiation Physics and Chemistry*, 203, Article 110637. <https://doi.org/10.1016/j.radphyschem.2022.110637>
- Boellaard, R., Delgado-Bolton, R., Oyen, W. J., Giammarile, F., Tatsch, K., Eschner, W., & Krause, B. J. (2015). FDG PET/CT: EANM procedure guidelines for tumour imaging: version 2.0. *European Journal of Nuclear Medicine and Molecular Imaging*, 42(2), 328–354. <https://doi.org/10.1007/s00259-014-2961-x>
- Bushberg, J. T., Seibert, J. A., Leidholdt, E. M., & Boone, J. M. (2012). *The essential physics of medical imaging* (3rd ed.). Lippincott Williams & Wilkins.
- Changmuang, W., Chuamsaamarkkee, K., Poonak, K., & Thongklam, K. (2016). Evaluation of effective dose and cancer risk associated with low dose protocols dual-modality 18F-FDG PET/CT examinations. *Journal of Siriraj Radiology*, 3(2), 71–77.
- Cherry, S. R., Sorenson, J. A., & Phelps, M. E. (2012). *Positron emission tomography: Physics in nuclear medicine* (4th ed., pp. 307-343). W.B. Saunders. <https://doi.org/10.1016/B978-1-4160-5198-5.00018-6>
- Etard, C., Celier, D., Roch, P., & Aubert, B. (2012). National survey of patient doses from whole-body FDG PET/CT examinations in France in 2011. *Radiation Protection Dosimetry*, 152(4), 334–338. <https://doi.org/10.1093/rpd/ncs066>
- Evans, J. D. (1996). *Straightforward Statistics for the Behavioral Sciences*. Pacific Grove, CA: Brooks/Cole Publishing.
- Ghasemi, A., & Zahediasl, S. (2012). Normality tests for statistical analysis: A guide for non-statisticians. *International Journal of Endocrinology and Metabolism*, 10(2), 486–489. <https://doi.org/10.5812/ijem.3505>
- Hacking C, Flourine-18 decay. Case study, Radiopaedia.org (Accessed on 23 Nov 2025) <https://doi.org/10.53347/rID-195853>
- Harun, H. H., Abdul Karim, M. K., Muhammad, N. A., Awang Kechik, M. M., Chew, M. T., & Talib, Z. A. (2021). Task-based assessment on various optimization protocols of computed tomography Pulmonary Angiography examination. *Radiation Physics and Chemistry*, 188, Article 10969. <https://doi.org/10.1016/j.radphyschem.2021.10969>

- ICRP. (1991). 1990 Recommendations of the International Commission on Radiological Protection. *ICRP Publication 60. Annals of the ICRP*, 21(1–3).
- ICRP. (2007). The 2007 Recommendations of the International Commission on Radiological Protection. *ICRP Publication 103. Annals of the ICRP*, 37(2–4).
- ICRP. (2012). ICRP statement on tissue reactions / early and late effects of radiation in normal tissues and organs – Threshold doses for tissue reactions in a radiation protection context. *ICRP Publication 118. Annals of the ICRP*, 41(1/2).
- Inoue, Y. (2022). Radiation dose modulation of computed tomography component in positron emission tomography/computed tomography. *Seminars in Nuclear Medicine*, 52(2), 157–166. <https://doi.org/10.1053/j.semnuclmed.2021.11.009>
- International Atomic Energy Agency. (2013). *Standard operating procedures for PET/CT: A practical approach for use in adult oncology* (Human Health Series 26). IAEA.
- Jallow, N., Christian, P., Sunderland, J., Graham, M., Hoffman, J. M., & Nye, J. A. (2016). Diagnostic reference levels of CT radiation dose in whole-body PET/CT. *Journal of Nuclear Medicine*, 57(2), 238–241. <https://doi.org/10.2967/jnumed.115.160465>
- Jannah, R., Munir, R., & Putri, E. (2025). Determination of the Diagnostic Reference Level (DRL) in Samarinda Hospitals. *Atom Indonesia*, 49, 145–150. <https://doi.org/10.55981/ajj.2023.1285>
- Kim, T. K. (2017). Understanding one-way ANOVA using conceptual figures. *Korean Journal of Anesthesiology*, 70(1), 22–26. <https://doi.org/10.4097/kjae.2017.70.1.22>
- Kwon, H. W., Kim, J. P., Lee, H. J., Paeng, J. C., Lee, J. S., Cheon, G. J., Lee, D. S., Chung, J. K., & Kang, K. W. (2016). Radiation dose from whole-body F-18 fluorodeoxyglucose positron emission tomography/computed tomography: Nationwide survey in Korea. *Journal of Korean Medical Science*, 31, S69–S74. <https://doi.org/10.3346/jkms.2016.31.S1.S69>
- Lakmal, T., Lamabadusuriya, M., Satharasinghe, D., Thilakshika, R., Pallewatte, R., & Jeyasugiththan, J. (2024). The radiation dose from whole body hybrid imaging (PET–CT) procedures in Sri Lanka: The initial approach towards establishing national diagnostic reference level. *Radiation Physics and Chemistry*, 215, Article 111354. <https://doi.org/10.1016/j.radphyschem.2023.111354>
- Lee, S., & Lee, D. K. (2018). What is the proper way to apply the multiple comparison test? *Korean Journal of Anesthesiology*, 71(5), 353–360. <https://doi.org/10.4097/kja.d.18.00242>
- Liang, C. R., Chen, P. X. H., Kapur, J., Ong, M. K. L., Quek, S. T., & Kapur, S. C. (2017). Establishment of institutional diagnostic reference level for computed tomography with automated dose-tracking software. *Journal of Medical Radiation Sciences*, 64(2), 82–89. <https://doi.org/10.1002/jmrs.210>

- Lima, T. V. M., Gnesin, S., Ryckx, N., Strobel, K., Stritt, N., & Linder, R. (2018). Swiss survey on hybrid imaging CTs doses in Nuclear Medicine and proposed national dose reference levels. *Zeitschrift für Medizinische Physik*, 28(4), 265–275. <https://doi.org/10.1016/j.zemedi.2018.01.005>
- Martí-Climent, J. M., Prieto, E., Moran, V., Sancho, L., Rodríguez-Fraile, M., Arbizu, J., García-Velloso, M. J., & Richter, J. A. (2017). Effective dose estimation for oncological and neurological PET/CT procedures. *EJNMMI Research*, 7(1). <https://doi.org/10.1186/s13550-017-0272-5>
- Mattsson, S., Johansson, L., Leide Svegborn, S., Liniecki, J., Noßke, D., Riklund, K., Stabin, M., Taylor, D., Bolch, W., Carlsson, S. (2015). ICRP Publication 128: Radiation dose to patients from radiopharmaceuticals: A compendium of current information related to frequently used substances. *Annals of the ICRP*, 44(2 Suppl), 7–321. <https://doi.org/10.1177/0146645314558019>
- McCullough, C., Edyvean, S., Cody, D., Geise, R., Gould, B., Keat, N., Huda, W., Judy, P., Kalender, W., McNitt-Gray, M., Morin, R., Payas, T., Rothenberg, L., Sternick, E., & Boone, J. (2008). *The measurement, reporting, and management of radiation dose in CT: Report of AAPM Task Group 23 of the Diagnostic Imaging Council CT Committee* (AAPM Report No. 96). American Association of Physicists in Medicine. <https://www.aapm.org/pubs/reports/RPT96.pdf>
- Mulyati, S., Rasyid, R., Daryati, S., & Latifah, L. (2025). Determination of diagnostic reference level (DRL) on computed tomography (CT) non contrast examination. *E3S Web of Conferences*, 605, 02009. <https://doi.org/10.1051/e3sconf/202560502009>
- Murat, H., Kechik, M. M. A., Said, M. A., Saufi, S. I., Zaid, M. H. M., & Karim, M. K. A. (2025). Assessment of typical values for establishing institutional DRL of adult whole-body FLUORINE-18 Fluorodeoxyglucose (FDG) PET/CT scans in Malaysia cancer centre. *Radiation Physics and Chemistry*, 237, Article 112986. <https://doi.org/10.1016/j.radphyschem.2025.112986>
- Özülker, T., & Özülker, F. (2015). Physiologic distribution of 18F-FDG. In *Atlas of PET/CT Imaging in Oncology*. Springer. https://doi.org/10.1007/978-3-319-18994-9_1
- Paiva, F. G., do Carmo Santana, P., & Mourão, A. P. (2019). Evaluation of patient effective dose in a PET/CT test. *Applied Radiation and Isotopes*, 145, 137–141. <https://doi.org/10.1016/j.apradiso.2018.12.024>
- Pratama, I., & Rusmanto. (2020). *Journal of Physics: Conference Series*, 1505, 012037. <https://doi.org/10.1088/1742-6596/1505/1/012037>
- Quinn, B., Dauer, Z., Pandit-Taskar, N., Schoder, H., & Dauer, L. T. (2016). Radiation dosimetry of 18F-FDG PET/CT: Incorporating exam-specific parameters in dose estimates. *BMC Medical Imaging*, 16(1), 1–11. <https://doi.org/10.1186/s12880-016-0143-y>
- Ridhwan, A. F. M., Chen, E., Selvam, H. S. S., & Chew, M. (2023). Analysis and establishment of adult diagnostic reference level for whole-body 18F-FDG PET/CT imaging: A single institutional study. *Radiation Physics and Chemistry*, 210, Article 111022. <https://doi.org/10.1016/j.radphyschem.2023.111022>

- Salah, H., Mayhoub, F. H., Sulieman, A., Abuzaid, M., Al-Mohammed, H. I., Alkhorayef, M., & Bradley, D. A. (2020). Fluoro-D-glucose (18F-FDG) PET/CT and patient effective dose. *Radiation Physics and Chemistry*, 173, 1–7. <https://doi.org/10.1016/j.radphyschem.2020.108926>
- Shahzad, A., & Bashir, S. (2019). Applications of diagnostic reference levels of standard doses in nuclear medicine. *Nuclear Medicine Physics*, 81–98. <https://doi.org/10.5772/intechopen.87966>
- Sulieman, A., Salah, H., Mahgoub, O., Alanazi, N., Algarni, A., Otayni, A., Tamam, N., Alkhorayef, M., & Bradley, D. A. (2025). Estimating the patient's effective doses and setting a diagnostic reference level for PET/CT procedures. *Radiation Physics and Chemistry*, 232, Article 112644. <https://doi.org/10.1016/j.radphyschem.2025.112644>
- Tzampazidou, E., Fotina, A. A., Chatonidis, V., Tsalafoutas, I. A., Datsieris, I. E., & Samartzis, A. (2021). Patient doses in whole-body PET/CT examinations in the largest tertiary hospital in Greece. *Radiation Protection Dosimetry*, 197, 111–118. <https://doi.org/10.1093/rpd/ncab169>
- Vañó, E., Miller, D. L., Martin, C. J., Rehani, M. M., Kang, K., Rosenstein, M., Ortiz-López, P., Mattsson, S., Padovani, R., & Rogers, A. (2017). ICRP Publication 135: Diagnostic reference levels in medical imaging. *Annals of the ICRP*, 46(1), 1–144. <https://doi.org/10.1177/0146645317717209>
- Wachabauer, D., Beyer, T., Ditto, M., Gallowitsch, H. J., Hinterreiter, M., Ibi, B., & Rausch, I. (2022). Diagnostic Reference Levels for nuclear medicine imaging in Austria: A nationwide survey of used dose levels for adult patients. *Zeitschrift für Medizinische Physik*, 32(3), 283–295. <https://doi.org/10.1016/j.zemedi.2021.11.007>
- Xiao, J., Yu, H., Sui, X., Hu, Y., Cao, Y., Liu, G., Zhang, Y., Hu, P., Wang, Y., Li, C., Xu, B., & Shi, H. (2021). Can the BMI-based dose regimen be used to reduce injection activity and to obtain a constant image quality in oncological patients by 18F-FDG total-body PET/CT imaging? *European Journal of Nuclear Medicine and Molecular Imaging*, 49, 269–278. <https://doi.org/10.1007/S00259-021-05462-5>
- Zamagni, E., Nanni, C., Patriarca, F., Englaro, E., Castellucci, P., Geatti, O., Tosi, P., Tacchetti, P., Cangini, D., & Perrone, G. (2007). A prospective comparison of 18F-fluorodeoxyglucose positron emission tomography-computed tomography, magnetic resonance imaging and whole-body planar radiographs in the assessment of bone disease in newly diagnosed multiple myeloma. *Haematologica*, 92(1), 50–55. <https://doi.org/10.3324/haematol>
- Zorz, A., Morzenti, S., Bianchi, C., Campanaro, F., De Monte, F., De Ponti, E., Berti, S., Erba, P. A., Guerra, L., & Poli, L. (2025). Diagnostic reference levels in nuclear medicine for positron emission tomography examinations: First Italian multicenter data collection. *Physica Medica*, 133, Article 104984. <https://doi.org/10.1016/j.ejmp.2025.104984>