

DAFTAR PUSTAKA

- [1] Kementerian Kesehatan Republik Indonesia, “Informasi Dasar Seputar TBC - TB Indonesia.” <https://www.tbindonesia.or.id/pustaka-tbc---tentan/informasi-dasar-seputar-tbc/> (accessed Jan. 16, 2026).
- [2] Kementerian Kesehatan Republik Indonesia, “Tuberkulosis.” <https://www.who.int/news-room/fact-sheets/detail/tuberculosis> (accessed Jan. 16, 2026).
- [3] World Health Organization, *Global Tuberculosis Report 2025*, no. September. 2025.
- [4] World Health Organization, “1.3 Drug-resistant TB.” <https://www.who.int/teams/global-programme-on-tuberculosis-and-lung-health/tb-reports/global-tuberculosis-report-2024/tb-disease-burden/1-3-drug-resistant-tb> (accessed Jan. 18, 2026).
- [5] Kementerian Kesehatan Republik Indonesia, “Gerakan Indonesia Akhiri TBC.” <https://kemkes.go.id/id/indonesias-movement-to-end-tb> (accessed Jan. 26, 2026).
- [6] O. J. Peter, D. Aldila, T. A. Ayoola, G. B. Balogun, and F. A. Oguntolu, “Modeling tuberculosis dynamics with vaccination and treatment strategies,” *Sci. African*, vol. 28, p. e02647, Jun. 2025, doi: 10.1016/J.SCIAF.2025.E02647.
- [7] L. Liu, J. Wang, and X. Liu, “Global stability of an SEIR epidemic model with age-dependent latency and relapse,” *Nonlinear Anal. Real World Appl.*, vol. 24, pp. 18–35, Aug. 2015, doi: 10.1016/j.nonrwa.2015.01.001.
- [8] F. Sulayman and F. A. Abdullah, “Analysis of a Tuberculosis Infection Model considering the Influence of Saturated Recovery (Treatment),” *Complexity*, vol. 2021, no. 1, p. 1805651, Jan. 2021, doi: 10.1155/2021/1805651.
- [9] Y. A. Adi and Suparman, “An investigation of Susceptible–Exposed–Infectious–Recovered (SEIR) tuberculosis model dynamics with pseudo-recovery and psychological effect,” *Healthc. Anal.*, vol. 6, p. 100361, Dec. 2024, doi: 10.1016/j.health.2024.100361.
- [10] S. Sibomana, K. J. G. Sinigirira, P. Gahungu, and D. Niyukuri, “Mathematical Model for Transmission Dynamics of Tuberculosis in Burundi,” Apr. 2023, Accessed: Mar. 16, 2026. [Online]. Available: <http://arxiv.org/abs/2304.01975>.
- [11] K. Das, B. S. N. Murthy, S. A. Samad, and M. H. A. Biswas, “Mathematical transmission analysis of SEIR tuberculosis disease model,” *Sensors Int.*, vol. 2, p. 100120, Jan. 2021, doi: 10.1016/j.sintl.2021.100120.

- [12] M. Martcheva, *An Introduction to Mathematical Epidemiology*, vol. 61. Boston, MA: Springer US, 2015.
- [13] F. Sulayman, F. A. Abdullah, and M. H. Mohd, "An SVEIRE Model of Tuberculosis to Assess the Effect of an Imperfect Vaccine and Other Exogenous Factors," *Math. 2021*, Vol. 9, Page 327, vol. 9, no. 4, p. 327, Feb. 2021, doi: 10.3390/MATH9040327.
- [14] B. I. Omede, O. J. Peter, W. Atokolo, B. Bolaji, and T. A. Ayoola, "A mathematical analysis of the two-strain tuberculosis model dynamics with exogenous re-infection," *Healthc. Anal.*, vol. 4, p. 100266, Dec. 2023, doi: 10.1016/J.HEALTH.2023.100266.
- [15] M. Y. Apriliani, "Model Matematika Penyebaran Tuberkulosis Resisten Obat (Mdr-Tb) Dengan Menerapkan Chemoprophylaxis Treatment Dan Vaksinasi Skripsi," pp. 648–655, 2024.
- [16] F. A. Rahma, "Analisis Model SEIR pada Penyebaran Penyakit Tuberkulosis dan Efek Pengobatannya," Universitas Diponegoro, 2021.
- [17] A. Malek and A. Hoque, "Mathematical model of tuberculosis with seasonality, detection, and treatment," *Informatics Med. Unlocked*, vol. 49, p. 101536, Jan. 2024, doi: 10.1016/J.IMU.2024.101536.
- [18] D. B. Kitaro, B. K. Bole, and K. P. Rao, "Modeling and bifurcation analysis of tuberculosis with the multidrug-resistant compartment incorporating chemoprophylaxis treatment," *Front. Appl. Math. Stat.*, vol. 9, p. 1264201, Oct. 2023, doi: 10.3389/fams.2023.1264201.
- [19] T. R. Putri, I. L. Hilmi, and S. Salman, "Review Artikel : Hubungan Pemberian Imunisasi Bcg Terhadap Penyakit Tuberkulosis Pada Anak," *J. Pharm. Sci.*, vol. 6, no. 1, pp. 237–242, Jan. 2023, doi: 10.36490/JOURNAL-JPS.COM.V6I1.16).
- [20] W. E. Boyce and R. C. DiPrima, *Elementary Differential Equations and Boundary Value Problems*, Ninth Edition. New Jersey: Wiley, 2009.
- [21] Kartono, *Persamaan Diferensial Biasa*. Yogyakarta: Graha Ilmu, 2012.
- [22] P. S. Utami, "Pemodelan Matematika Penyakit Tuberkulosis dengan Vaksinasi, Penggunaan Masker Medis, Kasus Terdeteksi, dan Re-Infeksi," Universitas Islam Negeri Syarif Hidayatullah, Jakarta, 2024.
- [23] G. J. Olsder, J. W. Van Der Woude, J. G. Maks, and D. Jeltsema, *Mathematical Systems Theory*, Fourth Edition. Delft: VSSD, 2011.
- [24] L. Perko, *Differential Equations and Dynamical Systems*, vol. 7. New York, NY: Springer New York, 2001.
- [25] J. M. Heffernan, R. J. Smith, and L. M. Wahl, "Perspectives on the basic reproductive ratio," *J. R. Soc. Interface*, vol. 2, no. 4, p. 281, 2005, doi: 10.1098/RSIF.2005.0042.

- [26] P. Van Den Driessche and J. Watmough, “Reproduction numbers and sub-threshold endemic equilibria for compartmental models of disease transmission,” *Math. Biosci.*, vol. 180, no. 1–2, pp. 29–48, Nov. 2002, doi: 10.1016/S0025-5564(02)00108-6.
- [27] C. Castillo-Chavez, “Dynamical Models of Tuberculosis and Their Applications,” *Math. Biosci. Eng.*, vol. 1, no. 2, pp. 361–404, 2004, doi: 10.3934/MBE.2004.1.361.
- [28] Badan Pusat Statistik Indonesia, “Proyeksi Penduduk Indonesia 2020-2050 Hasil Sensus Penduduk 2020,” 2023. <https://www.bps.go.id/id/publication/2023/05/16/fad83131cd3bb9be3bb2a657/proyeksi-penduduk-indonesia-2020-2050-hasil-sensus-penduduk-2020.html> (accessed Mar. 04, 2026).
- [29] Badan Pusat Statistik Indonesia, “Jumlah Penduduk Pertengahan Tahun.” <https://www.bps.go.id/id/statistics-table/2/MTk3NSMy/jumlah-penduduk-pertengahan-tahun--ribu-jiwa-.html> (accessed Mar. 04, 2026).
- [30] A. B. Shrestha *et al.*, “Prevalence of latent tuberculosis infection in Asian nations: A systematic review and meta-analysis,” *Immunity, Inflamm. Dis.*, vol. 12, no. 2, p. e1200, Feb. 2024, doi: 10.1002/iid3.1200.
- [31] Kementerian Kesehatan Republik Indonesia, “Laporan Program Penanggulangan Tuberkulosis Tahun 2021,” *Kemenkes RI*. 2022, [Online]. Available: https://tbindonesia.or.id/pustaka_tbc/laporan-tahunan-program-tbc-2021/.
- [32] Badan Pusat Statistik Indonesia, “Laju Pertumbuhan Penduduk.” <https://www.bps.go.id/id/statistics-table/2/MTk3NiMy/laju-pertumbuhan-penduduk.html> (accessed Mar. 04, 2026).
- [33] Kementerian Kesehatan Republik Indonesia, “Laporan Program Penanggulangan Tuberkulosis Tahun 2022,” *Kemenkes RI*. 2023, [Online]. Available: https://tbindonesia.or.id/pustaka_tbc/laporan-tahunan-program-tbc-2021/.
- [34] Kementerian Kesehatan Republik Indonesia, “Laporan Program Penanggulangan Tuberkulosis 2023.” 2024.
- [35] Badan Pusat Statistik Indonesia, “Indikator Kesehatan.” <https://www.bps.go.id/id/statistics-table/2/NzA4IzI=/indikator-kesehatan.html> (accessed Mar. 04, 2026).
- [36] Badan Pusat Statistik Indonesia, “Umur Harapan Hidup Saat Lahir (UHH) Hasil Long Form SP2020.” <https://www.bps.go.id/id/statistics-table/2/MjIwNiMy/-metode-baru-umur-harapan-hidup-saat-lahir-uhh-hasil-long-form-sp2020.html> (accessed Mar. 04, 2026).
- [37] A. F. Wulanda and S. Delilah, “Efektivitas Imunisasi BCG terhadap Kejadian Tuberkulosis Anak di Kabupaten Bangka,” *J. Kesehat. Poltekkes*

Kemenkes RI Pangkalpinang, vol. 9, no. 1, pp. 37–41, 2021, doi: 10.32922/jkp.v9i1.333.

- [38] N. Chitnis, J. M. Hyman, and J. M. Cushing, “Determining Important Parameters in the Spread of Malaria Through the Sensitivity Analysis of a Mathematical Model,” *Bull. Math. Biol.*, 2008, doi: 10.1007/s11538-008-9299-0.