

DAFTAR PUSTAKA

- Abdullah, N., Adipu, Y., Astuti, I., & Kolanus, F. (2025). Struktur Komunitas Fitoplankton di Perairan Desa Bangga Kabupaten Boalemo. *Gorontalo Fisheries Journal*, 8(1), 30-41.
- Adhityatama, S., Wurjani, R. T., Suryatman, P. H. S., & Utomo, B. B. (2017). Underwater Archaeological Study on Prehistoric Material Culture in Matano Lake, South Sulawesi, Indonesia. *Journal of Southeast Asian archaeology*, (37), 37-49.
- Aillal, M., Khazri, A., Al-Hoshani, N., Boufahja, F., Beyrem, H., & Lafdal, M. Y. (2023). Are iron ore microparticles toxic for the European clam *Ruditapes decussatus*? Response elements from biomarker activities and in silico modeling. *Saudi Journal of Biological Sciences*, 30(8), 103718.
- Aini, Z., Mulyadi, A., & Amin, B. (2015). Analisis Komposisi Diatom Epipelik sebagai Bioindikator Pencemaran Perairan Pantai Kota Dumai Provinsi Riau". *Kutubkhanah*, 18(1), 7-18.
- Ananda, R., & Harnani, H. (2024). Analisis Mikropaleontologi Fosil Foraminifera Planktonik Formasi Lemau dan Formasi Simpangaur Dalam Penentuan Iklim Purba Pada Lintasan Sungai Pagar Kecamatan Ulu Talo, Kabupaten Seluma, Bengkulu. *Jurnal Penelitian Sains*, 26(2), 206-214.
- Ananingtyas, Y. R., Hendrawan, I. G., & Suteja, Y. (2018). Diatom Epipelik sebagai Bioindikator Pencemaran di Estuari Suwung. *Journal of Marine and Aquatic Sciences*, 4(1), 120-128.
- Andini, N. S., Anshary, H., Putra, A., & Sari, D. K. (2019). Histopathological Study of Hepatopancreas and Kidney of Butini Fish (*Glossogobius matanensis*) in Matano Lake, South Sulawesi, Indonesia, caused by metal contamination. In *IOP Conference Series: Earth and Environmental Science*, (1), 343.
- Asmauna, A. (2023). Perancangan Mesin Pengupas, Pencuci dan Pemisah Limbah Merica. *Jurnal Vokasi Teknik Mesin dan Fabrikasi Logam*, 2(1), 15-23.
- Asri, A. (2016). Gambaran Histopatologi Usus Ikan Dui Dui (*Dermogenys megarrhamphus*) di Danau Matano Luwu Timur Sulawesi Selatan yang Tercemar Logam Berat Nikel (Ni) dan Besi (Fe). *Doctoral dissertation. Universitas Hasanuddin: Makassar*.
- Battarbee, R. W. (1986). Diatom analysis. In: Berglund B.E. (ed.) *Handbook of*

- Holocene palaeoecology and palaeohydrology, J. Wiley & Sons. Chichester: 527-568.
- Battarbee, R. W., Bennion, H., Gell, P., & Rose, N. (2011). Humans Impact on Lacustrine Ecosystem. *The Sage Handbook of Environmental Change*, 583-606.
- Benoiston, A. S., Ibarbalz, F. M., Bittner, L., Guidi, L., Jahn, O., Dutkiewicz, S., & Bowler, C. (2017). The Evolution of Diatoms and Their Biogeochemical Functions. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 372(1728).
- Bishop, I. W., Esposito, R. M., Tyree, M., & Spaulding, S. A. (2017). A diatom voucher flora from selected southeast rivers (USA). *Phytotaxa*, 332(2), 101-140.
- Bradbury, J. P. (1988). Fossil Diatoms and Neogene Paleolimnology. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 62(1-4), 299-316.
- Bramburger, A. J., Hamilton, P. B., & Haffner, G. D. (2017). Effects of Long Term Anthropogenic Disturbance on the Benthic Episammic Diatom Community of an Ancient, Tropical Lake. *Bulletin of Environmental Contamination and Toxicology*, 99(5), 542-547.
- Cahyani, L. E., Irma, K., & Haumahu, S. (2023). Pengaruh Perubahan Gradien Suhu dan Salinitas terhadap Struktur Komunitas Fitoplankton di Perairan Teluk Ambon. *Jurnal Kelautan Tropis*, 26(3), 543-553.
- Cantonati, M., Angeli, N., & Lange-Bertalot, H. (2019). Three new *Fragilaria* species (Bacillariophyta) from low-conductivity mountain freshwaters (Alps and Apennines). *Phytotaxa*, 404(6), 261.
- Celekli, A., & Kapı, E. (2019). Ecoregion approach in the assessment of aquatic ecosystems in the west of Gaziantep (Turkey): Application of diatom metrics. *Ecological Indicators*, 103, 373-382.
- Chadjah, A., Sulistiono, S., Haryani, G. S., Affandi, R., & Mashar, A. (2019). Distribusi Ukuran, Pola Pertumbuhan, dan Faktor Kondisi Ikan Endemik Opudi (*Telmatherina prognatha*) di Danau Matano, Sulawesi Selatan. *Jurnal Ilmu Pertanian Indonesia*, 24(4), 295-303.
- Cox, E.J. (2023). Girdle Band Structure in the Diatom Genus *Proschkinia* (Bacillariophyta) Another Potential Adaptation to Stabilise a Deep Cingulum, *Diversity*, 15, 734.
- Dionfriski, A., Siregar, S.H., Nurrachmi, I. (2021). Epipelagic Diatom Community Structure in The Intertidal Zone Mengkapan Waters, Sungai Apit District,

- Siak Regency. *Journal Coastal Ocean Science*. 2: 207–216.
- El-Gayar, E. E., El-Naggar, H. A., & Elfiky, W. M. (2023). Environmental Impact Assessment of Aquaculture Practices Using Zooplankton in Lake Mariout, Alexandria, Egypt. *Egyptian Journal of Aquatic Biology & Fisheries*, 27(4).
- El-Serehy, H. A., Abdallah, H. S., Al-Misned, F. A., Irshad, R., Al-Farraj, S. A., & Almalki, E. S. (2018). Aquatic ecosystem health and trophic status classification of the Bitter Lakes along the main connecting link between the Red Sea and the Mediterranean. *Saudi journal of biological sciences*, 25(2), 204-212.
- Escalas, A., Catherine, A., Maloufi, S., Cellamare, M., Hamlaoui, S., Yepremian, C., ... & Bernard, C. (2019). Drivers and ecological consequences of dominance in periurban phytoplankton communities using networks approaches. *Water Research*, 163, 114893.
- Fahmi, U., Andriani, I., Salmah, S., Hatta, T. H., Omar, S. B. A., & Sari, D. K. (2019). Histopathology of liver and intestine of pangkulan bare fish (*Oryzias matanensis*) Polluted by nickel and iron in Lake Matano, South Sulawesi. *In IOP Conference Series: Earth and Environmental Science* 370 (1), p. 012078.
- Fai, P. B. A., Kenko, D. B. N., Tchamadeu, N. N., Mbida, M., Korejs, K., & Riegert, J. (2023). Use of multivariate analysis to identify phytoplankton bioindicators of stream water quality in the monomodal equatorial agroecological zone of Cameroon. *Environmental Monitoring and Assessment*, 195(6), 788.
- Falah, M. H. A., Soeprobowati, T. R., Hadiyanto, H., Rahim, A., Noor, B. M., & Permatasari, N. (2023). Diatom Stratigraphy as a Flood Record in the Lower Tuntang River, Demak, Central Java. *Evergreen*, 10(1), 272–282.
- Fidlerová, D., & Hlúbiková, D. (2016). Relationships Between Benthic Diatom Assemblages Structure and Selected Environmental Parameters in Slovak Water Reservoirs (Slovakia, Europe). *Knowledge and Management of Aquatic Ecosystems*, (417).
- Fidlerová, D., & Hlúbiková, D. (2016). Relationships Between Benthic Diatom Assemblages Structure and Selected Environmental Parameters in Slovak Water Reservoirs (Slovakia, Europe). *Knowledge and Management of Aquatic Ecosystems*, (417).
- Fu, W., Shu, Y., Yi, Z., Su, Y., Pan, Y., Zhang, F., & Brynjolfsson, S. (2022). Diatom Morphology and Adaptation: Current Progress and Potentials for

- Sustainable Development. *Sustainable Horizons*, 2, 100015.
- Gibran, A. K., Setijadi, R., Purwasatriya, E. B., Ananda, D. R., & Nabil, M. I. (2022). Biostratigrafi Dan Sedimentologi Plio-Pleistosen Daerah Bumiayu-Tonjong, Jawa Tengah. *Jurnal Geologi Kelautan*, 20(1).
- Gilbert, B., Turkington, R., & Srivastava, D. S. (2009). Dominant species and diversity: linking relative abundance to controls of species establishment. *The American Naturalist*, 174(6), 850-862.
- Guo-chen, L. I., Lu-san, L. I. U., Xing, W. A. N. G., & Li, L. I. (2012). Applications of diatom in river health assessment: A review. *Chinese Journal of Applied Ecology/Yingyong Shengtai Xuebao*, 23(9).
- Haryani, G. S., P.E. Hehanusa. (1996). Preliminary Ecotone Studies of Two tectonic Lake in Sulawesi Island, its Relevance to management Planning at Warshop on Ecosystem Approach to Lake and Reservoir Management. *LIPI*. Jakarta.
- Hidayat, R., Nedi, S., & Nurrachmi, I. (2019). Analysis Concentration of Nitrate, Phosphate, Silicate and Relationship with Diatom Abundance in Water Tanjung Tiram District Batubara Regency of North Sumatra Province. *Asian Journal of Aquatic Sciences*, 2(1), 1-11.
- Hildebrand, M., Lerch, S. J. L., & Shrestha, R. P. (2018). Understanding Diatom Cell Wall Silicification-moving Forward. *Frontiers in Marine Science*, 5, 1-19.
- Hobbs, J. M. R., Heathcote, A. J., VanderMeulen, D. D., & Edlund, M. B. (2022). Integrating Water Quality Monitoring and Diatom Community Trends to Determine Landscape-level Change in Protected Lakes. *Ecosphere*, 13(8), 1-20.
- Hogancamp, N. J., & Pocknall, D. T. (2018). The Biostratigraphy of the Bakken Formation: A review and new data. *Stratigraphy*, 15(3).
- Holmes, M., Campbell, E. E., & Taylor, J. C. (2025). The spatial distribution patterns of freshwater diatom species in the southern Karoo related to their associated environmental conditions. *South African Journal of Botany*, 184, 154-166.
- Hu, X., Scott, R. W., Cai, Y., Wang, C., & Melinte-Dobrinescu, M. C. (2012). Cretaceous oceanic red beds (CORBs): Different time scales and models of origin. *Earth-Science Reviews*, 115(4), 217-248.
- Iswandi, A., Irfan, U. R., & Alimuddin, I. (2021). Geochemical Behavior Analysis of Heavy Metal Iron (Fe) Using Remote Sensing Data in Rivers

Around Lake Matano.

- Juggins, S. (2007). C2 Software for Ecological and Palaeoecological Data Analysis and Visualisation. In Newcastle University, *ResearchGate*, (1-73).
- Juettner, I., Wetzel, C. E., Van de Vijver, B., Levkov, Z., Chudaev, D., Williams, D. M., & Ector, L. (2023). Investigation of the type material of *Microneis gracillima*, *Naviculapyrenaica*, *Achnanthes amphicephala*, *Achnanthes thienemannii* and *Achnantheidium ros-tropyrenaicum* (Achnanthesiaceae, Bacillariophyta) and additional populations of the species. *Fottea/Czech Phycological Society.-Praha, Czech Republic, currens*, 23(1), 122-140.
- Kappus, S. (2023). Introduction to Ecology. In Evergreen Valley College. *Evergreen Valley College*.
- Kapustin, D. A., Glushchenko, A. M., Kociolek, J. P., & Kulikovskiy, M. S. (2021). *Encyonopsis indonesica* sp. nov. (Bacillariophyceae, Cymbellales), a new diatom from the ancient lake Matano (Sulawesi, Indonesia). *PhytoKeys*, 175, 1.
- Kapustin, D. A., Kulikovskiy, M., & Kociolek, J. P. (2018). *Celebesia* gen. nov., a new cymbelloid diatom genus from the ancient Lake Matano (Sulawesi Island, Indonesia). *Nova Hedwigia, Beihefte*, 147-155.
- Kato, Y., Hernández-Almeida, I., & Pérez, L. F. (2024). Diatom and Radiolarian Biostratigraphy in the Pliocene Sequence of ODP Site 697 (Jane Basin, Atlantic Sector of the Southern Ocean). *Journal of Micropalaeontology*, 43(1), 93-119.
- Kementerian Lingkungan Hidup Republik Indonesia. 2014. Gerakan Penyelamatan Danau Matano (Germadan Matano). *Kementerian Lingkungan Hidup: Jakarta*.
- Kobayashi, H., Idei, M., Mayama, S., Nagumo, T., dan Nagata, K. (2006) Kobayashi, H., Diatom Encyclopedia. *Uchida, Rokuho*. 1(531). ISBN 4-7536-4046-9.
- Kociolek, J. P., Kapustin, D., & Kulikovskiy, M. (2018). A new, Large Species of *Gomphonema Ehrenberg* from Ancient Lake Matano, Indonesia. *Diatom Research*, 33(2), 241-250.
- Kuntz, L. B., Laakso, T. A., Schrag, D. P., & Crowe, S. A. (2015). Modeling the Carbon Cycle in Lake Matano. *Geobiology*, 13(5), 454-461.
- Kurniawan, R., Ibrahim, A., Prihatinningtyas, E., Susanti, E., & Pratama, T. A. (2023). Introduce invasive alien macrophytes species in Indonesia

- national priority lakes (study case: lake Rawa Pening, Sentarum, Tempe, Tondano, Sentani). *In IOP Conference Series: Earth and Environmental Science*. 1260(1), 012031. IOP Publishing
- Ladera, R., Sinco, A. L., Sendaydiego, J. P., Saab, L. L., Hallazgo, C. I. J. S., & Raagas, E. L. (2025). Diatom-based Index: A tool for Assessing Water Quality in A Southeast Asian Tropical River Basin. *Pollution*, 11(2), 298-311.
- Lai, G. G., Burato, S., Padedda, B. M., Zorza, R., Pizzul, E., Delgado, C., ... & Cantonati, M. (2019). Diatom biodiversity in karst springs of Mediterranean geographic areas with contrasting characteristics: Islands vs mainland. *Water*, 11(12), 2602.
- Lange-Bertalot H., Bąk M., Witkowski A. (2011). Eunotia and some related genera. Diatoms of European Inland Waters and Comparable Habitats. A.R.G. *Gantner Verlag K.G.*, Ruggell. 747 pp
- Leynaert, A., Fardel, C., Beker, B., Soler, C., Delebecq, G., Lemercier, A., ... & Heggarty, K. (2018). Diatom frustules nanostructure in pelagic and benthic environments. *Silicon*, 10(6), 2701-2709.
- Li, L. P., Jiao, X. Y., Peng, S., Wei, D. B., Jin, Y. C., Wang, C. S., ... & Liu, X. H. (2024). Exploring the variations in molecular characteristics of dissolved organic matter driven by aquaculture types. *Water research*, 266, 122355.
- Li, X., Wang, J., He, Y., Yang, X., & Wang, M. (2024). Eukaryotic plankton species diversity and community structure in the Xiao Jiang River (the primary tributary of Upper Yangtze River), Yunnan. *PeerJ*, 12, e17972.
- Maharani, S., & Bernard, M. (2018). Analisis Hubungan Resiliensi Matematik Terhadap Kemampuan Pemecahan Masalah Siswa pada Materi Lingkaran. *JPMI (Jurnal Pembelajaran Matematika Inovatif)*, 1(5), 819
- Mann, D. G., & Vanormelingen, P. (2013). An Inordinate Fondness the Number, Distributions, and Origins of Diatom Species. *Journal of Eukaryotic Microbiology*, 60(4), 414–420.
- Menye, D. É., Zébazé Togouet, S. H., Menbohan, S. F., Kemka, N., Nola, M., Boutin, C., ... & Njiné, T. (2012). Bio-écologie des diatomées épilithiques de la rivière Mfoundi (Yaoundé, Cameroun): diversité, distribution spatiale et influence des pollutions organiques. *Revue des sciences de l'eau*, 25(3), 203-218.
- Mercado-Garcia, D., Wyseure, G., & Goethals, P. (2018). Freshwater Ecosystem Services in Mining Regions: Modelling Options for Policy Development

- Support. *Water (Switzerland)*, 10(4), 9–11.
- Morales, E. A., Wetzel, C. E., & Ector, L. (2010). Two short-striated species of *Staurosirella* (Bacillariophyceae) from Indonesia and the United States. *Polish Botanical Journal*, 55(1), 107-117.
- Morales, E. A., Wetzel, C. E., Haworth, E. Y., & Ector, L. (2019). Ending a 175-year taxonomic uncertainty: Description of *Staurosirella neopinnata* sp. nov. (Bacillariophyta) to accommodate *Fragilaria pinnata*, a highly misconstrued taxon with a purported worldwide distribution. *Phytotaxa*, 402(2), 75-87.
- Muñoz-Colmenares, M. E., Soria, J. M., & Vicente, E. (2021). Can Zooplankton Species be Used as Indicators of Trophic Status and Ecological Potential of Reservoirs. *Aquatic Ecology*, 55(4), 1143-1156.
- Nadjib, M. (2016). Problematika Prinsip Manajemen Kolaboratif dalam Kerangka Penyelamatan Danau Rawapening. *Jurnal Masyarakat & Budaya*, 18(3).
- Nawrot, R., Scarponi, D., Azzarone, M., Dexter, T. A., Kusnerik, K. M., Wittmer, Royal J. M., Amorosi, A., & Kowalewski, M. (2018). Stratigraphic Signatures of Mass Extinctions: Ecological and Sedimentary Determinants. *Proceedings of the Society B: Biological*.
- Novitri, A., Siregar, S. I., & Thamrin, T. (2016). The Variant of Type and Abundance of Epiphelic Diatoms on Sand Substrate in Bungus Coastal Teluk Kabung West Sumatera. *Doctoral dissertation, Riau University*.
- Nugraha, G. S., Sunardi, E., Haryanto, I., Adhiperdana, B. G., Fakhrudin, R., Fitriany, R., & Gunarsih, D. (2023). Facies Analysis, Biostratigraphy, and Provenance of the Late Neogene Seulimeum Formation, Northwest Aceh basin, Sumatra (Indonesia).
- Nugroho, S. H. (2019). Karakteristik Umum Diatom dan Aplikasinya pada Bidang Geosains. *Oseana*, 44(1), 70-87.
- Nurbaya, T. S. (2023). Struktur Komunitas Diatom di Perairan Pantai Cemara Kabupaten Lombok Barat sebagai Dasar Penyusunan Modul Sistematika Cryptogamae. *Panthera: Jurnal Ilmiah Pendidikan Sains dan Terapan*, 3(2), 98-125.
- Octhav, A., Sahara, D. P., & Kusumawati, D. (2025). The principal stress analysis of Matano Fault segment from focal mechanism inversion. *In IOP Conference Series: Earth and Environmental Science*, 1472(1) p. 012013.

- Ogato, T., & Kifle, D. (2017). Phytoplankton composition and biomass in tropical soda Lake Shala: seasonal changes in response to environmental drivers. *Lakes & Reservoirs: Research & Management*, 22(2), 168-178.
- Osorio, N. C., Ector, L., Rodrigues, L., & Wetzel, C. E. (2021). *Staurosirella paranaensis* sp. nov., a new epiphytic freshwater diatom (Bacillariophyceae) from the Paraná River floodplain, Brazil, South America. *Phytotaxa*, 480(2), 163-173.
- Parmar, T. K., Rawtani, D., & Agrawal, Y. K. (2016). Bioindicators the Natural Indicator of Environmental Pollution. *Frontiers in Life Science*, 9(2), 110–118.
- Patra, I. K., & Hayat, T. N. P. S. (2019). Prospek Pengembangan Pariwisata Danau Matano Dalam Meningkatkan Pendapatan Asli Daerah (PAD) Kabupaten Luwu Timur. *Equilibrium: Jurnal Ilmiah Ekonomi, Manajemen dan Akuntansi*, 7(2).
- Pelupessy, I. A. H., Likumahua, S., & Naroly, I. P. T. (2023). Struktur Komunitas Diatom di Perairan Pulau Pombo, Maluku Tengah. *Al-Alam: Islamic Natural Science Education Journal*, 2(1), 14-27.
- Permatasari, R. D., Djuwito, D., & Irwani, I. (2016). Pengaruh Kandungan Nitrat dan Fosfat terhadap Kelimpahan Diatom di Muara Sungai Wulan, Demak. *Management of Aquatic Resources Journal (MAQUARES)*, 5(4), 224-232.
- Pinseel, E., Hejduková, E., Vanormelingen, P., Kopalová, K., Vyverman, W., & de Vijver, B. V. (2017). *Pinnularia catenaborealis* sp. nov. (Bacillariophyceae), a unique chain-forming diatom species from James Ross Island and Vega Island (Maritime Antarctica). *Phycologia*, 56(1), 94-107.
- Podengge, E., & Puspitasari, D. J. (2023). Aktivitas Penduduk Terhadap Pencemaran Air Danau Matano Di Desa Sorowako Kecamatan Nuha Kabupaten Luwu Timur. *Jurnal Gawalise*, 2(1), 11-20.
- Pouličková, A., Špačková, J., Kelly, M. G., Duchoslav, M., & Mann, D. G. (2008). Ecological variation within Sellaphora species complexes (Bacillariophyceae): specialists or generalists?. *Hydrobiologia*, 614(1), 373-386.
- Prahardika, B. A., & Styawan, W. M. L. D. (2020). Studi Keanekaragaman Diatom Epilitik serta Potensinya sebagai Bioindikator Kualitas Perairan Sungai di Coban Tarzan Kabupaten Malang. *Biotropika: Journal of Tropical Biology*, 8(2), 116-124.

- Prasetyo, S., Subehi, L., Anggoro, S., & Soeprbowati, T. R. (2024). Vertical Distribution of Diatoms Analysis to Determine the Condition of Rawapening Lake in the Past through Cluster Analysis with the Bray-Curtis Model. *Polish Journal of Environmental Studies*, 33(1), 803–813.
- Pratiwi, A., & Lanskap, F. A. (2019). Bioindikator Kualitas Perairan Sungai. Fakultas Arsitektur Lanskap dan Teknologi Lingkungan. Universitas Trisakti. Jakarta.
- Prianto, E., Kartamihardja, E. S., Umar, C., & Kasim, K. (2016). Pengelolaan Sumberdaya Ikan di komplek Danau Malili Provinsi Sulawesi Selatan. *Jurnal Kebijakan Perikanan Indonesia*, 8(1), 41-52.
- Putra, R. A., Melani, W. R., & Suryanti, A. (2020). Makrozoobentos sebagai Bioindikator Kualitas Perairan di Senggarang Besar Kota Tanjungpinang. *Jurnal Akuatiklestari*, 4(1), 20-27.
- Rahmawati, R., Jompa, J., Budimawan, B., & Arief, A. A. (2023). Analisis Faktor Sosial-Ekonomi dari Pemanfaatan Kompleks Danau Malili Sulawesi Selatan. *JIP-Jurnal Ilmiah Ilmu Pendidikan*, 6(7), 5184-5191.
- Rajeshkanna, A., & Venkatachalapathy, R. (2023). Diatoms and water quality indices in Thamirabarani river help environmental impact assessment of stretch between Naranammalpuram and Punnakayal, Tamil Nadu, India. *Journal of the Palaeontological Society of India*, 68(2), 273-285.
- Reddy, M.T. et al. (2018). Classification, Characterization and Comparison of Aquatic Ecosystems in the Landscape of Adilabad District, Telangana, Deccan Region, India. *Open Access Library Journal*, 5(1).
- Rizadha, M. H., Putri, F. E. S., Fakhraeni, M. S., Fauzan, M., & Widiarti, R. (2018). Analisa Kelimpahan Mikroalga Epifitik (Diatom dan Dinoflagellata) pada Makroalga Berdasarkan Perbedaan Faktor Lingkungan di Pulau Bintan, Kepulauan Riau. *Pertemuan Ilmiah Nasional Tahunan XV ISOI*, 267-274.
- Rozi, O. R., & Soeprbowati, T. R. (2020). Perbandingan Metode Digesti Menggunakan HCl, H₂O₂ dan HCl, H₂SO₄, C₂H₂O₄, dan KMnO₄ di Telaga Pengilon dan Telaga Warna, Dieng. *In Prosiding Seminar Nasional Hasil Hasil Penelitian Pasca Sarjana*.
- Saputra, R. A. V. W., Pramono, S. A., & Almunawwaroh, M. (2023). Melestarikan Lingkungan kita: Mempromosikan Keberlanjutan, Melestarikan Sumber Daya, Melindungi Satwa Liar, dan Mendukung Inisiatif Hijau di Kawasan Kaki Gunung. *Jurnal Pengabdian West Science*, 2(5), 316-324.

- Sas, A. A., Suriyanti, S. N. P., Das, S. K., & Cob, Z. C. (2022). Effect of Seawater and Surface Sediment Variables on Epipelagic Diatom Diversity and Abundance in the Coastal Area of Negeri Sembilan, Malaysia. *Water*, 14(19), 3187.
- Saxena, A., Tiwari, A., Kaushik, R., Iqbal, H. M. N., & Parra-Saldívar, R. (2021). Diatoms Recovery from Wastewater: Overview From an Ecological and Economic Perspective. *Journal of Water Process Engineering*, 392, 101705.
- Scherer, R. P. (1994). A New Method for Determination of Absolute Abundance of Diatom and Other-Sized Sedimentary Particles. *Journal of Paleolimnology*, 12, 171–179.
- Sentosa, A. A., & Hediando, D. A. (2019). Sebaran Louhan yang Menjadi Invasif di Danau Matano, Sulawesi Selatan. *Limnotek: perairan darat tropis di Indonesia*, 26(1).
- Sentosa, A. A., Hediando, D. A., & Satria, H. (2017). Dugaan Eutrofikasi di Danau Matano Ditinjau dari Komunitas Fitoplankton dan Kualitas Perairan. *Limnotek*, 24(2), 61-73.
- Serôdio, J., Lavaud, J., Serôdio, J., Diatoms, J. L., Ecological, T., Life, I., & Water, B. (2021). Diatoms and Their Ecological Importance. *HAL Open Science*, 19.
- Siregar, D. G. A., Kurniasih, A., & Setyawan, R. (2018). Aplikasi Biostratigrafi untuk Analisis Umur dan Lingkungan Pengendapan Sebagai Dasar Penentuan Sikuen Stratigrafi Sumur Mahoni, Lapangan DGAS, Cekungan Sumatra Tengah. *Doctoral dissertation, Faculty of Engineering*.
- Sitindaon, B. M. K., Siregar, S. H., & Nurrachmi, I. (2020). Effect of Particle Sizes and Content of Organic Matter Sediment on Epipelagic Diatom Abundance in Bayur Bay Water of West Sumatera. *Asian Journal of Aquatic Science*, 3(1), 49-59.
- Soeprbowati, T. R., & Suedy, S. W. A. (2017). Diatoms and Water Quality of Telaga Warna Dieng, Java Indonesia. In *IOP Conference series: Earth and Environmental Science* 55(1), p. 012051, IOP Publishing.
- Soeprbowati, T. R., Addadiyah, N. L., Hariyati, R., & Jumari, J. (2021). Physicochemical and Biological Water Quality of Warna and Pengilon Lakes, Dieng, Central Java. *Journal of Water and Land Development*, 51, 38–49.
- Soeprbowati, T. R., Hidayat, J. Y., & Baskoro, K. (2011). Epipelagic Diatoms as

- a Bioindicator of Lake Rawa Pening Water Quality. *In Jurnal Sains dan Matematika*, 19(4), 107–118.
- Soeprobawati, T. R., Rahmanto, W. H., & Hidayat, J. W. (2005). Kajian Perubahan Lingkungan Ekosistem Lentik Danau Rawa Pening Menggunakan Diatom Sebagai Bioindikator.
- Soeprobawati, T. R., Suedy, S. W. A., & Gell, P. (2012). Diatom Stratigraphy of 74 Mangrove Ecosystems on the Northern Coast of Central Java. *Journal of Coastal Development*, 15(2), 197–208.
- Soeprobawati, T.R. and Rahardian, R. (2003). Diatom and Urbanization: A Case Study at Banger River Pekalongan. *Paper presented in the International Conference on Environmental and Urban Management*.
- Soeprobawati, T.R. *et al.* (2018). Diatom Assemblage in the 24 cm Upper Sediment Associated With Human Activities in Lake Warna Dieng Plateau Indonesia. *Environmental Technology & Innovation*, 10: 314-323.
- Sukamto, S., Muryanto, T., & Kuslani, H. (2019). Teknik Penangkapan Ikan Menggunakan Jaring Insang Percobaan (experimental gillnets), di Danau Matano Sulawesi Selatan. *Buletin Teknik Litkayasa Sumber Daya dan Penangkapan*, 16(1), 45-48.
- Sulawesty, F. (2019). Phytoplankton Characteristics in Lake Matano, Indonesia. *In IOP Conference Series: Earth and Environmental Science* 308 (1). IOP Publishing.
- Tampubolon, M., Siregar, Y. I., & Siregar, S. H. (2017). Analisis Pencemaran Antropogenik dan Struktur Komunitas Diatom Planktonik Sebagai Indikator Pencemaran Perairan di Selat Air Hitam. *Jurnal Zona*, 1(2), 45.
- Taylor, J. C., & Cocquyt, C. (2025). Two new Eunotia species (Eunotiaceae, Bacillariophyta) from the Yangambi Biosphere Reserve, Democratic Republic of the Congo. *Phytotaxa*, 704(1), 49-59.
- Taylor, J.C., W.R. Harding and C.G.M.Archibald. (2007). An Illustrated Guide to Some Common Diatom Species from South Africa. *Water Research Commission, Pretoria*, 225.
- Temizel, B., Soylu, E. N., & Maraşlıoğlu, F. (2017). Water quality assessment of the Pazarsuyu Stream based on epilithic diatom communities. *Fundamental and Applied Limnology*, 190(3), 189-197.
- Van de Vijver, B., & Reichardt, E. (2024). *Gomphonema supersaprophilum* sp. nov., a new diatom species (Gomphonemataceae, Bacillariophyceae)

- from Flemish rivers (Belgium). *Phytotaxa.-Auckland*, NZ, 2009, currens, 640(1), 50-56.
- Viani, D. Z., & Retnaningdyah, C. (2018). Evaluasi Status Trofik dan Pencemaran Bahan Organik di Waduk Lahor Malang Menggunakan Bioindikator Diatom. *Biotropika: Journal of Tropical Biology*, 6(1), 10-15.
- Wang, L.C., Li, H.C., Shiau, L.J. (2022). Impacts of Anthropogenic Disturbances on Diatom Diversity in a Shallow Spring-Fed Pool. *Diversity*. 14: 1–14.
- Wang, R., Zhang, Y., Xia, W., Qu, X., Xin, W., Guo, C., ... & Chen, Y. (2018). Effects of aquaculture on lakes in the Central Yangtze River Basin, China, I. water quality. *North American Journal of Aquaculture*, 80(3), 322-333.
- Wati, M., Anggraini, P. L., & Duya, N. (2025). Respon Komunitas Bacillariophyceae terhadap Kualitas Air Sub-Das Kedurang: Bukti Dominansi *Synedra ulna* dalam Kawasan RHL. *Jurnal Biosilampari: Jurnal Biologi*, 7(2), 210-221.
- Wetzel C.E., Ector L., Van de Vijver B., Compère P., Mann D.G. 2015. Morphology, typification and critical analysis of some ecologically important small naviculoid species (Bacillariophyta). *Fottea*. 15(2): 203-234.
- Widiatama, J, A., Fahrudin, A., & Dwita Santy, L. (2021). Characteristics of polymetallic enrichment on oceanic red bed in Matano Formation, Baturubei, Central Sulawesi, Indonesia. *In IOP Conference Series: Earth and Environmental Science*, 882 (1), p. 012045.
- Yana, E. (2013). Diversity of benthic diatoms and correlation with water quality of Yom River, Thailand. *Int. J. Appl. Environ.*, 8, 1935.
- Yantony, D., Harman, & Taslim, K. (2019). Rancang Bangun Mesin Pencacah Plastik Tipe Sumbu Menyudut untuk Usaha Mikro. *Jurnal Teknologi Rekayasa*, 4(1), 47-52.
- Yao, S., Gomez-Rivas, E., Martín-Martín, J. D., Gómez-Gras, D., Travé, A., Griera, A., & Howell, J. A. (2020). Fault-controlled Dolostone Geometries in a Transgressive Regressive Sequence Stratigraphic Framework. *Sedimentology*, 67(6), 3290-3316.
- Zgłobicka, I., Gluch, J., Liao, Z., Werner, S., Guttman, P., Li, Q., ... & Kurzydłowski, K. J. (2021). Insight Into Diatom Frustule Structures Using Various Imaging Techniques. *Scientific Reports*, 11(1), 14555.