

DAFTAR PUSTAKA

- Abhimantara, S., Widada, S., & Said, S. (2015). Geologi dan Studi Sikuen Stratigrafi Formasi Balikpapan, Lapangan “Minggiran“ Cekungan Kutai, Kalimantan Timur. *Jurnal Ilmiah Geologi Pangea*, 2. <https://doi.org/https://doi.org/10.31315/jigp.v2i2.5153>
- Alhassan, A., & Aliyu, A. (2022). The Principle of Interpretation of Gravity Data Using Second Vertical Derivative Method. Dalam *Gravitational Field - Concepts and Applications*. IntechOpen. <https://doi.org/10.5772/intechopen.100443>
- Asih, K. Y., Alam, B. Y., Firmansyah, Y., & Reksalegora, S. W. (2024). Analisis Tekanan Pori dan Penyebab Terjadinya Overpressure pada Sumur-X dan Sumur-Y Cekungan Kutai, Kalimantan Timur. *Padjajaran Geoscience Journal*, 8.
- Bachtiar, A., Purnama, Y. S., Suandhi, P. A., Krisyuniyanto, A., Rozalli, M., Hendro, D., Nugroho, H., & Suleiman, A. (2013). *The Tertiary Paleogeography Of The Kutai Basin And Its Unexplored Hydrocarbon Plays*.
- Bahri, S., Suryanto, W., & Ngadmanto, D. (2021). *Sediment Thickness and Moho Depth Beneath Western Indonesian Region From Teleseismic Receiver Function*. <https://doi.org/10.21203/rs.3.rs-356661/v1>
- Balmino, G., Vales, N., Bonvalot, S., & Briais, A. (2012). Spherical harmonic modelling to ultra-high degree of Bouguer and isostatic anomalies. *Journal of Geodesy*, 86(7), 499–520. <https://doi.org/10.1007/s00190-011-0533-4>
- Beiki, M. (2010). Analytic signals of gravity gradient tensor and their application to estimate source location. *Geophysics*, 75(6), I59–I74. <https://doi.org/10.1190/1.3493639>
- Blakely, J., Richard. (1995). *Potential Theory in Gravity and Magnetic Applications*. The Press Syndicate of The University of Cambridge.
- Bonvalot, Balmino, G., Briais, A., Kuhn, M., Peyrefitte, A., Vales, N., Biancale, R., Gabalda, G., & Reinquin, F. (2012). World Gravity Map: a set of global complete spherical Bouguer and isostatic anomaly maps and grids. Dalam *Geophysical Research Abstracts* (Vol. 14). <http://bgi.omp.obs->
- Bonvalot, S. R., Gabalda, A. B., RAVIMETR Suppo, G., Briais, A., G Moreau, M. K., & Che Pour Le D Rmation Geogr, E. S. (2012). *World Gravity Map*.

- Casenave, F., Métivier, L., Pajot-Métivier, G., & Panet, I. (2016). Fast computation of general forward gravitation problems. *Journal of Geodesy*, *90*(7), 655–675. <https://doi.org/10.1007/s00190-016-0900-2>
- Christensen, N. I., & Mooney, W. D. (1995). Seismic velocity structure and composition of the continental crust: A global view. *Journal of Geophysical Research: Solid Earth*, *100*(B6), 9761–9788. <https://doi.org/10.1029/95JB00259>
- Cooper, G. R. J., & Cowan, D. R. (2008). Edge enhancement of potential-field data using normalized statistics. *Geophysics*, *73*(3). <https://doi.org/10.1190/1.2837309>
- Cooper, G. R. J., & Cowan, D. R. (2011). A generalized derivative operator for potential field data‡. *Geophysical Prospecting*, *59*(1), 188–194. <https://doi.org/10.1111/j.1365-2478.2010.00901.x>
- Hall, R., & Spakman, W. (2015). Mantle structure and tectonic history of SE Asia. Dalam *Tectonophysics* (Vol. 658, hlm. 14–45). Elsevier B.V. <https://doi.org/10.1016/j.tecto.2015.07.003>
- Halliday, D., Resnick, R., & Walker, J. (2014). *Fundamentals of Physics* (10 ed.).
- Hinze, W. J., Aiken, C., Brozena, J., Coakley, B., Dater, D., Flanagan, G., Forsberg, R., Hildenbrand, T., Keller, G. R., Kellogg, J., Kucks, R., Lee, X., Mainville, A., Morin, R., Pilkington, M., Plouff, D., Ravat, D., Roman, D., Urrutia-Fucugauchi, J., ... Winester, D. (2005). New standards for reducing gravity data: The North American gravity database. *Geophysics*, *70*(4), J25–J32. <https://doi.org/10.1190/1.1988183>
- Hirt, C., Claessens, S., Fecher, T., Kuhn, M., Pail, R., & Rexer, M. (2013). New ultrahigh-resolution picture of Earth's gravity field. *Geophysical Research Letters*, *40*(16), 4279–4283. <https://doi.org/10.1002/grl.50838>
- Hofi, L. N., Maryanto, S., Susilo, A., & Wuryani, S. D. (2024). Derivative Analysis of Gravity Data in Revealing the Subsurface Fault Structure Model in Semeru Volcano, East Java and Its Surrounding. *Trends in Sciences*, *21*(9). <https://doi.org/10.48048/tis.2024.8050>
- Jamaluddin, Wagreich, M., Gier, S., Schöpfer, K., & Battu, D. P. (2023). Sedimentary Environments and Paleoclimate Control of the Middle Miocene Balikpapan Group, Lower Kutai Basin (Indonesia): Implications for Evaluation of the Hydrocarbon Potential. *Minerals*, *13*(10). <https://doi.org/10.3390/min13101259>

- Miller, H. G., & Singh, V. (1994). Potential field tilt a new concept for location of potential field sources. *Journal of Applied Geophysics*, 32(2–3), 213–217. [https://doi.org/10.1016/0926-9851\(94\)90022-1](https://doi.org/10.1016/0926-9851(94)90022-1)
- Moss, S. J., Chambers, J., Cloke, I., Satria, D., Ali, J. R., Baker, S., Milsom, J., & Carter, A. (1997). *New observations on the sedimentary and tectonic evolution of the Tertiary Kutai Basin, East Kalimantan*. 395–416.
- Muckharom, A. A., Setyawan, A., Rahmani, I. Q., Indriana, R. D., & Martha, A. A. (2026). Geothermal Resource Assessment On Sumatra Island: Estimating Thermal Gradient And Heat Flow Based On Aeromagnetic Data Via Curie Point Analysis. *Journal of Applied Science and Engineering*, 31. https://doi.org/10.6180/jase.202608_31.017
- Nabighian, M. N. (1972). The Analytic Signal Of Two-Dimensional Magnetic Bodies With Polygonal Cross-Section: Its Properties And Use For Automated Anomaly Interpretation. Dalam *GEOPHYSICS* (Vol. 37, Nomor 3). <http://library.seg.org/>
- Omietimi, E. J., Chouhan, A. K., Lenhardt, N., Yang, R., & Bumby, A. J. (2021). Structural interpretation of the south-western flank of the Anambra Basin (Nigeria) using satellite-derived WGM 2012 gravity data. *Journal of African Earth Sciences*, 182, 104290. <https://doi.org/10.1016/j.jafrearsci.2021.104290>
- Permana, N. R., Fadrian, D. F., Gunawan, B., & Wulandari, A. (2024). Distribution of Geological Structures on Java Island Based on Derivative Analysis of Satellite Gravity Data. *Jurnal Penelitian Fisika dan Aplikasinya (JPFA)*, 14(2), 154–168. <https://doi.org/10.26740/jpfa.v14n2.p154-168>
- Ramadhani, D. (2025). Integrasi Anomali Gravitasi Dan Magnetik Untuk Karakterisasi Struktur Pengontrol Kestabilan Lahan Pada Rencana Kota Baru Sempaja Utara, Kota Samarinda, Kalimantan Timur. *Bulletin of Scientific Contribution*, 223. <https://doi.org/10.24198/bsc.v23i3.68840>
- Roest, W. R., Verhoef, J., & Pilkington, M. (1992). Magnetic interpretation using the 3-D analytic signal. *Geophysics*, 57(1), 116–125. <https://doi.org/10.1190/1.1443174>
- Sahoo, S. D., & Pal, S. K. (2021). Crustal structure and Moho topography of the southern part (18° S–25° S) of Central Indian Ridge using high-resolution EIGEN6C4 global gravity model data. *Geo-Marine Letters*, 41(1), 3. <https://doi.org/10.1007/s00367-020-00679-z>

- Satyana, A. H., Nugroho, D., & Surantoko, I. (1999). Tectonic controls on the hydrocarbon habitats of the Barito, Kutei, and Tarakan Basins, Eastern Kalimantan, Indonesia: major dissimilarities in adjoining basins. *Journal of Asian Earth Sciences*, 17(1–2), 99–122. [https://doi.org/10.1016/S0743-9547\(98\)00059-2](https://doi.org/10.1016/S0743-9547(98)00059-2)
- Setyobudi, P. T., Purnama, Suandhi, A., Andang Bachtiar, & Miri, A. (2013). *Sedimentology of Fluvial-Deltaic Coal Formation in Kutai Basin Based on Various Outcrops, Previous Geological Study and Modern Mahakam Delta Analogue*.
- Sheriff, R. E., & Geldart, L. P. (1995). *Exploration Seismology*. Cambridge University Press. <https://doi.org/10.1017/CBO9781139168359>
- Shin, Y. H., Shum, C. -K., Braitenberg, C., Lee, S. M., Xu, H., Choi, K. S., Baek, J. H., & Park, J. U. (2009). Three-dimensional fold structure of the Tibetan Moho from GRACE gravity data. *Geophysical Research Letters*, 36(1). <https://doi.org/10.1029/2008GL036068>
- Solano-Acosta, J. D., Soesoo, A., & Hints, R. (2023). New insights of the crustal structure across Estonia using satellite potential fields derived from WGM-2012 gravity data and EMAG2v3 magnetic data. *Tectonophysics*, 846, 229656. <https://doi.org/10.1016/j.tecto.2022.229656>
- Spector, A., & Grant, F. S. (1970). Statistical models for interpreting aeromagnetic data. *Geophysics*, 35(2), 293–302. <https://doi.org/10.1190/1.1440092>
- Syarifuddin, N., & Busono, I. (1999). Regional stress alignments in the Kutai Basin, East Kalimantan, Indonesia: a contribution from a borehole breakout study. *Journal of Asian Earth Sciences*, 17(1–2), 123–135. [https://doi.org/10.1016/S0743-9547\(98\)00049-X](https://doi.org/10.1016/S0743-9547(98)00049-X)
- Telford, W. M., Geldart, & Sheriff. (1990). *Applied Geophysics Second Edition*. Press Syndicate of The University of Cambridge.
- Trimulyati, W., & Putra, A. (2022). Identifikasi Struktur Bawah Permukaan Gunung Tandikat Menggunakan Metode Gravitasi Berdasarkan Data Satelit. *Jurnal Fisika Unand*, 11(3), 366–372. <https://doi.org/10.25077/jfu.11.3.366-372.2022>
- Verduzco, B., Fairhead, J. D., Green, C. M., & MacKenzie, C. (2004). New insights into magnetic derivatives for structural mapping. *The Leading Edge*, 23(2), 116–119. <https://doi.org/10.1190/1.1651454>

- Wijns, C., Perez, C., & Kowalczyk, P. (2005). Theta map: Edge detection in magnetic data. *Geophysics*, *70*(4), L39–L43.
<https://doi.org/10.1190/1.1988184>
- Yuan, H., Wu, Y., Zhang, Y., Shi, X., & Bian, S. (2023). Isostatic Anomaly and Isostatic Additional Force Analysis by Multiple Geodetic Observations in Qinling Area. *Remote Sensing*, *15*(3). <https://doi.org/10.3390/rs15030740>
- Zhang, J., Yang, G., Tan, H., Wu, G., & Wang, J. (2021). Mapping the Moho depth and ocean-continent transition in the South China Sea using gravity inversion. *Journal of Asian Earth Sciences*, *218*.
<https://doi.org/10.1016/j.jseaes.2021.104864>