

## DAFTAR PUSTAKA

- Adisti, H. Y., & Vauzia, V. (2025). Respon Morfologi Daun Tumbuhan Terhadap Faktor Lingkungan. *Symbiotic: Journal of Biological Education and Science*, 6(1), 52-60.
- Ajuru, M. G., & Okoli, B. E. (2013). The morphological characterization of the melon species in the family *Cucurbitaceae* Juss., and their utilization in Nigeria. *International Journal of Modern Botany*, 3(2), 15-19.
- Al-Ajmi, A. H., AL-Wahibi, M. S., Mustafa, A. E. Z., Soliman, D. A., & Dewir, Y. H. (2021). Morphological and molecular assessment of genetic diversity of seven species of the genus *Artemisia* L.(*Asteraceae*). *Arabian Journal for Science and Engineering*, 46(6), 5361-5371
- Amzeri, A., Badami, K., Khoiri, S., Umam, A. S., Wahid, N., & Nurlaella, S. (2020). Karakter Morfologi, Heritabilitas, dan Indeks Seleksi Terboboti Beberapa Generasi F1 Melon (*Cucumis Melo* L.). *Jurnal Agro*, 7(1), 42-51.
- Aprilianingsih, R., Wahidah, B. F., & Hariri, M. R. (2021). Optimasi Suhu Annealing Marka ISSR Sebagai Langkah Awal Dalam Pengejawantahan Keragaman Genetik *Ficus fistulosa* dan *Ficus variegata*. In *Gunung Djati Conference Series* (Vol. 6, pp. 141-147).
- Arifiani, D., Sulistyaningsih, L. D., & Sahroni, D. (2024). A New Record Of The Creeping Cucumber, *Melothria Pendula* L.(*Cucurbitaceae*) From Halmahera, North Maluku, Indonesia. *Biotropia*, 31(3), 432-437.
- Assefa, A. D., Hur, O. S., Ro, N. Y., Lee, J. E., Hwang, A. J., Kim, B. S., Noh, J. J. (2020). Fruit morphology, citrulline, and arginine levels in diverse watermelon (*Citrullus lanatus*) germplasm collections. *Plants*, 9(9), 1054.
- Aubert-Carreño, R. F., Quispe-Flórez, M. M., Muñoz-Durán, G., & Blas-Sevillano, R. H. (2021). Comparación de tres coeficientes de similitud para análisis con marcadores moleculares AFLP en *Lupinus mutabilis* Sweet. *Manglar*, 18(3), 301–307.
- Backer, C. A., & Van Den Brink, R. B. (1963). *Flora of Java*, vol. 2. Springer Netherlands, 1-648.
- Baharuddin, M. F., Hariri, M. R., & Turhadi, T. (2026). Suhu Annealing Primer *Inter Simple Sequence Repeat* (ISSR) pada DNA *Aglaonema pictum* (Roxb.) Kunth. *Bioma: Jurnal Biologi Makassar*, 11(1), 1-9.
- Bijarpasi, M., Assadi, A., Fallah, A., & Gholami, M. (2019). Genetic variability and heritability of some morphological and physiological traits in *Fagus orientalis* Lipsky along an elevation gradient in Hyrcanian forests. *Folia Oecologica*, 46(1), 45–53.

- Bogiel, T., Mikucka, A., & Kanarek, P. (2022). Agarose gel electrophoresis-based RAPD-PCR—an optimization of the conditions to rapidly detect similarity of the alert pathogens for the purpose of epidemiological studies. *Gels*, 8(12), 760.
- Booy, G., Hendriks, R. J. J., Smulders, M. J. M., Van Groenendael, J. M., & Vosman, B. (2000). Genetic diversity and the survival of populations. *Plant biology*, 2(04), 379-395.
- Chiu, M. C., Nukazawa, K., Resh, V. H., & Watanabe, K. (2023). Environmental effects, gene flow and genetic drift: Unequal influences on genetic structure across landscapes. *Journal of Biogeography*, 50(2), 352-364.
- Danong, M. T., Ruma, M. T., Nono, K. M., Mauboy, R. S., Boro, T. L., & Etu, E. (2023). Hubungan Kekerabatan Fenetik Jenis-Jenis Tumbuhan Genus *Euphorbia* (*Euphorbiaceae*) Berdasarkan Ciri Morfologi. *Floribunda*, 7(2), 37-50.
- De Craene, L. R. (2016). Meristic changes in flowering plants: how flowers play with numbers. *Flora*, 221, 22-37.
- De Wilde, W. J. J. O., & Duyfjes, B. (2010). Cucurbitaceae. *Flora Malesiana-Series I, Spermatophyta*, 19(1), 1-333.
- Dje, Y., Tahi, G. C., Bi, I. Z., Malice, M., Baudoin, J. P., & Bertin, P. (2006). Optimization of ISSR marker for African edible-seeded *Cucurbitaceae* species' genetic diversity analysis. *African Journal of Biotechnology*, 5(2), 83-87.
- Doyle, J.J. and J.L. Doyle. 1987. A rapid DNA isolation procedure for small quantities of fresh leaf tissue. *Phytochemical Bulletin*. 19(1):11-15.
- Dunn, N. R., O'Brien, L. K., & Closs, G. P. (2020). Phenotypically induced intraspecific variation in the morphological development of wetland and stream *Galaxias gollumoides* McDowall and Chadderton. *Diversity*, 12(6), 220.
- Engloner, A. I., Németh, K., & Bereczki, J. (2024). The genetic diversity of the macrophyte *Ceratophyllum demersum* in backwaters reflects differences in the hydrological connectivity and water flow rate of habitats. *Plants*, 13(16), 2220.
- Esmailnia, E., Arefrad, M., Shabani, S., Karimi, M., Vafadar, F., & Dehestani, A. (2015). Genetic diversity and phylogenetic relationship of Iranian indigenous cucurbits investigated by Inter Simple Sequence Repeat (ISSR) markers. *Biharean Biol*, 9(1), 47-54.
- GBIF. (2025). Global Biodiversity Information Facility. <https://www.gbif.org/> (Diakses pada 30 Juli 2025).

- Géron, C., Lembrechts, J. J., Fameree, M., Taddei, V., Nijs, I., & Monty, A. (2024). Phenotypic plasticity as the main driver of alien plant trait variation in urban versus rural microclimate for the model species *Veronica persica*. *Oecologia*, 205(3-4), 643–654.
- González-Santos, R., Hernández-Sandoval, L., & Parra-Quijano, M. (2024). Spatial Analysis of the Ecogeographic Diversity of Wild Creeping Cucumber (*Melothria pendula* L.) for In Situ and Ex Situ Conservation in Mexico. *Plants*, 13(18), 2572.
- Goo, K. S., Ashari, S., Basuki, N., & Sugiharto, A. N. (2016). The bitter gourd *Momordica charantia* L.: Morphological aspects, charantin and vitamin C contents. *Journal of Agriculture and Veterinary Science*, 9(10), 76-81.
- Green, S. J., Venkatramanan, R., & Naqib, A. (2015). Deconstructing the polymerase chain reaction: understanding and correcting bias associated with primer degeneracies and primer-template mismatches. *PloS one*, 10(5), 1-21.
- Guerrero-Torres, P., Hernández-Sandoval, L., & Casas, A. (2023). *Melothria pendula* L. *Melothria pringlei* (S. Watson) Mart. Crov. *Melothria trilobata* Cogn. *Cucurbitaceae*. In *Ethnobotany of the Mountain Regions of Mexico* (pp. 1335-1347). Cham: Springer International Publishing.
- Hafizah, R. A., Adawiyah, R., Harahap, R. M., Hannum, S., & Santoso, P. J. (2018). Aplikasi marka SSR pada keanekaragaman genetik durian (*Durio zibethinus* Murr.) di Kabupaten Deli Serdang, Sumatra Utara. *Al-Kauniyah*, 11(1), 49-56.
- Hasibuan, H. (2025). Analisis Dampak Perubahan Cuaca Terhadap Keanekaragaman Hayati dalam Evolusi Biologi. *Indo-MathEdu Intellectuals Journal*, 6(1), 880-886.
- Hidzroh, F., & Daryono, B. S. (2021). Keceragaman dan Kestabilan Karakter Tanaman Melon (*Cucumis Melo* L. *Tacapa Goldâ*) Berdasarkan Karakter Fenotip dan Inter-Simple Sequence Repeat. *Biospecies*, 14(2), 11-19.
- Hughes, A. R., Inouye, B. D., Johnson, M. T., Underwood, N., & Vellend, M. (2008). Ecological consequences of genetic diversity. *Ecology letters*, 11(6), 609-623.
- Husaini, I. P. A., Widjaya, A. H., Saripudin, S., Yuliyanto, P., Latifah, D., Irsyam, A. S. D., Rosleine, D., & Hariri, M. R. (2024). *Melothria pendula* L.(Cucurbitaceae): first report from Java and range extension in Sumatra, Indonesia. *Check List*, 20(2), 553-558.
- Ibrahim, E. A. (2021). Genetic diversity in Egyptian bottle gourd genotypes based on ISSR markers. *Ecological Genetics and Genomics*, 18, 100079.
- IPNI. (2025). International Plant Names Index. <https://www.ipni.org/> (Diakses pada 30 Juli 2025).

- Karuwal, R. L. (2021). Analisis kualitas dan kuantitas RNA total varietas kacang tunggak (*Vigna unguiculata* L. Walp) asal Kabupaten Maluku Barat Daya. *BIOPENDIX: Jurnal Biologi, Pendidikan dan Terapan*, 7(2), 102-108.
- Kekung, C. M. M., Husaini, I. P. A., & Turhadi, T. (2024). Distribusi Jenis Asing Invasif *Melothria pendula* L.(*Cucurbitaceae*) di Kawasan Konservasi Ilmiah Kebun Raya Bogor. *Bioscientist: Jurnal Ilmiah Biologi*, 12(2), 1611-1621.
- Kusumastuti, U. D., Sukarsa, S., & Widodo, P. (2017). Keanekaragaman kultivar semangka [*Citrullus lanatus* (Thunb.) Matsum. & Nakai] di sentra semangka Nusawungu Cilacap. *Scripta Biologica*, 4(1), 15-19.
- Lakitan, B., Rizar, F. F., & Muda, S. A. (2022). Morphological characteristic, growth behavior, and cultivation of *Luffa acutangula* in tropical urban ecosystem: *Luffa acutangula* in tropical urban ecosystem. *Journal of Tropical Life Science*, 12(3), 367-376.
- Lenaini, I. (2021). Teknik pengambilan sampel purposive dan snowball sampling. *Historis: Jurnal Kajian, Penelitian dan Pengembangan Pendidikan Sejarah*, 6(1), 33-39.
- Liu, Y., & El-Kassaby, Y. A. (2019). Phenotypic plasticity of natural *Populus trichocarpa* populations in response to temporally environmental change in a common garden. *BMC Evolutionary Biology*, 19(1), 231.
- Lohani, M., Singh, D. K., & Sarkar, M. (2023). Assessment of molecular diversity through ISSR markers in muskmelon (*Cucumis melo* L.). *Emergent Life Sciences Research*, 9, 362-368.
- Mangold, J., & Parkinson, H. (2013). Plant identification basics. *Montana State University Extension Mount Guide*, 9(13), 1-8.
- McCairns, R. J. S., & Bernatchez, L. (2012). Plasticity and heritability of morphological variation within and between parapatric stickleback demes. *Journal of Evolutionary Biology*, 25(6), 1097–1112.
- Montano, H. G., & Rosete, Y. A. (2019). Unveiling subgroups of 16SrIII phytoplasmas affecting *Trillium* sp. and *Melothria pendula* in Brazil and Canada. *Phytopathogenic Mollicutes*, 9(1), 19-20.
- Mustaqim, W. A., & Putra, H. F. (2020). *Melothria* (*Cucurbitaceae*): A new genus record of naturalized cucumber in Sumatra. *Floribunda*, 6(5), 183-187.
- Ng, W. L., & Tan, S. G. (2015). Inter-simple sequence repeat (ISSR) markers: are we doing it right. *ASM Science Journal*, 9(1), 30-39.
- Nurbaiti, N., Roslim, D., & Herman, H. (2025). A DNA Barcoding Multilocus Analysis in the *Cucurbitaceae* Family. *Jurnal Biologi Tropis*, 25(2), 1221-1230.

- Pandey, S., Ansari, W. A., Pandey, M., & Singh, B. (2018). Genetic diversity of cucumber estimated by morpho-physiological and EST-SSR markers. *Physiology and molecular biology of plants*, 24(1), 135-146.
- POWO. (2025). Plants of the World Online. Royal Botanic Gardens, Kew. <http://www.plantsoftheworldonline.org/> (Diakses pada 24 Juli 2025).
- Raju, R., Prakash, T., Rahul, R., Poonangadu, S. S., Kumar, S. S., Sonaimuthu, P., & Capili, J. T. (2021). Phytochemical analysis of three common medicinal plants (*Gliricidia sepium*, *Melothria pendula*, and *Pithecellobium dulce*) in the Philippines. *Sch Acad J Biosci*, 3, 84-8.
- Renner, S. S., & Schaefer, H. (2017). Phylogeny and evolution of the Cucurbitaceae. *Genetics and genomics of Cucurbitaceae*, 13-23.
- Renner, S., Schaefer, H., Kocyan, A. (2007). Phylogenetics of *Cucumis* (Cucurbitaceae): Cucumber (*C. sativus*) belongs in an Asian/Australian clade far from melon (*C. melo*). *BMC Evolutionary Biology*, 7(58).
- Ren, J. R., Yang, R., He, Y. Y., & Sun, Q. H. (2015). Genetic variation of *Sargassum horneri* populations detected by inter-simple sequence repeats. *Genetics and Molecular Research*, 14(1), 619-625.
- Rizko, N., Kusumaningrum, H. P., Ferniah, R. S., Pujiyanto, S., Erfianti, T., Mawarni, S. N., ... & Khairunnisa, D. (2020). Isolasi DNA daun jeruk bali merah (*Citrus maxima* Merr.) dengan modifikasi metode Doyle and Doyle. *Berkala Bioteknologi*, 3(2), 1-7.
- Rolnik, A., & Olas, B. (2020). Vegetables from the *Cucurbitaceae* family and their products: Positive effect on human health. *Nutrition*, 78, 110788.
- Rosdayanti, H., Siregar, U. J., & Siregar, I. (2019). Karakter penciri morfologi daun meranti (*Shorea* spp) pada area budidaya ex-situ KHDTK Haurbentes. *Media Konservasi*, 24(2), 207-215.
- Rudiyanto, Efendi, D., Al-Hafiih, E., & Ermayanti, T. M. (2021). Deteksi Variasi Somaklonal Planlet *Jatropha curcas* linn. Hasil Regenerasi Embrio Somatik dengan Marka Molekular ISSR. *Jurnal Bioteknologi & Biosains Indonesia (JBBI)*, 8(1), 14-24.
- Sari, V. (2017). Keragaman genetik bawang merah (*Allium cepa* L.) berdasarkan marka morfologi dan ISSR. *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, 45(2), 175-181.
- Sattler, R., & Rutishauser, R. (1997). The Fundamental Relevance of Morphology and Morphogenesis to Plant Research. *Annals of the Missouri Botanical Garden*, 84(2), 201-222.
- Schaefer, H., & Renner, S. S. (2011). Phylogenetic relationships in the order *Cucurbitales* and a new classification of the gourd family (*Cucurbitaceae*). *Taxon*, 60(1), 122-138.

- Schenk, J. J., Becklund, L. E., Carey, S. J., & Fabre, P. P. (2023). What is the “modified” CTAB protocol? Characterizing modifications to the CTAB DNA extraction protocol. *Applications in Plant Sciences*, 11(3), e11517.
- Sefer, Ö., Özsoy, E., Yörük, E., & Özkale, E. (2023). Determining the biocontrol capacities of *Trichoderma* spp. originating from Turkey on *Fusarium culmorum* by transcriptional and antagonistic analyses. *Frontiers in Fungal Biology*, 4, 1278525.
- Sharma, P., Tiwari, S., Tripathi, N., & Mehta, A. K. (2016). Polymorphism analysis in advanced mutant population of oat (*Avena sativa* L.) using ISSR markers. *Physiology and molecular biology of plants*, 22(1), 115-120.
- Singh, A. K., & Simpson, C. E. (1994). Biosystematics and genetic resources. In *The groundnut crop: a scientific basis for improvement* (pp. 96-137). Dordrecht: Springer Netherlands.
- Sloan, S., Jenvey, C. J., Piedrafita, D., Preston, S., & Stear, M. J. (2021). Comparative evaluation of different molecular methods for DNA extraction from individual *Teladorsagia circumcincta* nematodes. *BMC biotechnology*, 21(1), 35.
- Solikin, A., Retnoningsih, A., & Rahayu, E. S. (2017). Karakterisasi Aksesori Durian Lokal Koleksi Hortimart Agro Centre Jawa Tengah Menggunakan Penanda Molekuler *Inter Simple Sequence Repeats* (ISSR). *Floribunda*, 5(7).
- Sommer, R. J. (2020). Phenotypic plasticity: from theory and genetics to current and future challenges. *Genetics*, 215(1), 1-13.
- Subositi, D., & Mujahid, R. (2019). Keanekaragaman genetik tempuyung (*Sonchus arvensis* L.) berdasarkan marka inter-simple sequence repeats (ISSR). *Majalah Ilmiah Biologi Biosfera: A Scientific Journal*, 36(2), 57-62.
- Sulistiyorini, I., Rubiyo, R., & Sudarsono, S. (2018). Evaluation of clonal uniformity in six superior cacao clones based on SSR marker. *Journal of Industrial and Beverage Crops*, 5(3), 135-144.
- Viña, J. M. P., Tuayon, N. M. O., & Herrera, A. S. (2024). Molluscicidal activity of *Melothria pendula* leaf extract against *Pomacea canaliculata*. *The Research Probe*, 4(1), 75-83.
- Viña, J. M. P., Tuayon, N. M. O., & Herrera, A. S. (2024). The efficacy of *Melothria pendula* leaf extract as Novel Molluscicide against *Pomacea canaliculata*. *International Journal of Science, Technology, Engineering and Mathematics*, 4(3), 58-84.
- Wang, H., Wang, R., Harrison, S. P., & Prentice, I. C. (2022). Leaf morphological traits as adaptations to multiple climate gradients. *Journal of Ecology*, 110(6), 1344-1355.

- Wang, J., Ma, K., Zhou, J., Zhu, J., Gao, P., & Huang, F. (2024). Study on Genetic Diversity and DNA Fingerprint Map of Pumpkin Based on ISSR Markers. *Journal of Henan Agricultural Sciences*, 53(12), 119.
- Wangiyana, I. G. A. S. (2019). Comparison of Dendrogram and Cladogram Topology of *Gyrinops versteegii* and Others *Gyrinops* Member for Polyphasic Taxonomy. *Jurnal Silva Samalas*, 2(1), 13-18.
- Whitman, D. W., & Agrawal, A. A. (2009). What is phenotypic plasticity and why is it important. *Phenotypic plasticity of insects: Mechanisms and consequences*, 1-63.
- Wimalasiri, D., Piva, T., Urban, S., & Huynh, T. (2016). Morphological and genetic diversity of *Momordica cochinchinensis* (Cucurbitaceae) in Vietnam and Thailand. *Genetic Resources and Crop Evolution*, 63(1), 19-33.
- Yan, W., Li, J., Zheng, D., Friedman, C., & Wang, H. (2019). Analysis of genetic population structure and diversity in *Mallotus oblongifolius* using ISSR and SRAP markers. *PeerJ*, 7, e7173.
- Yao, Y., Yang, Q., Shao, C., Liu, B., Zhou, Y., Xu, H., & Xie, J. (2018). Null alleles and sequence variations at primer binding sites of STR loci within multiplex typing systems. *Legal Medicine*, 30, 10-13.