

DAFTAR PUSTAKA

- Adigun, N. S., Oladiji, A. T., & Ajiboye, T. O. (2020). Hydro-Ethanollic Fruit Extract of *Capsicum frutescens* Reversed Triton-X-100–Induced Hyperlipidaemia in Rats. *Journal of dietary supplements*, 17(1), 53-66.
- Ahamad, S., Asrey, R., Vinod, B. R., Meena, N. K., Menaka, M., Prajapati, U., & Saurabh, V. (2024). Maintaining postharvest quality and enhancing shelf-life of bell pepper (*Capsicum annuum* L.) using brassinosteroids: A novel approach. *South African Journal of Botany*, 169, 402-412.
- Ajis, N. B. P., & Legowo, D. B. (2020). Penetapan Kadar Vitamin C Pada Beberapa Jenis Cabai (*Capsicum* sp.) Dengan Metode Spektrofotometri Uv-Vis. *AFAMEDIS*, 1(1), 64-71.
- Akter, S., Mahib, M. M. R., Hoque, M. R., Islam, M. R., & Kabir, M. G. (2026). Comparative Profiling of *Capsicum frutescens* and *C. annuum* Reveals Superior Bioactivities and Nutritional Advantages for Functional Food Applications. *Food Science & Nutrition*, 14(1), e71426.
- Anam, M. S., Nurchayati, Y., Setiari, N., & Nuryandani, E. (2026). Callus Growth and Development of Cayenne Pepper (*Capsicum frutescens* L.) in Response to Glucose Concentration and Explant Source: Implications for Capsaicin Production via Tissue Culture. *Biosfer: Jurnal Tadris Biologi*, 17(1), 93-107.
- Ariani, F., & Muhsin, L. B. (2023). Analisis Kadar Vitamin C Pada Buah Jeruk Nipis (*Citrus aurantifolia* Swing.) dan Jeruk Manis (*Citrus sinensis*) menggunakan Titrasi Iodometri. *Biocity Journal of Pharmacy Bioscience and Clinical Community*, 1(2), 77-84.
- Arrufitasari, P. N., El Fikri, G., Handini, A. S., Sutanto, O. P., & Hidayatullah, C. S. R. (2025). Studi Kandungan Capsaisin Cabai Rawit (*Capsicum frutescens* L.) Akibat Pemberian Mutagen Kimia Ems (Ethyl Methane Sulfonate). *Agrica*, 18(1), 139-149.
- Arsyadita, T., Susiyanti, S., Yenny, R. F., & Rohmawati, I. R. I. (2025). Pengaruh Edible Coating Berbasis Pati Singkong Dan Suhu Penyimpanan Terhadap Masa Simpan Tomat (*Lycopersicum esculentum* Mill.). *Jurnal Ilmiah Membangun Desa dan Pertanian*, 10(2), 177-193.
- Arya, M., Kumari, P., Kumar, G., Chauhan, A. S., & Giridhar, P. (2024). Insights into the chili phytochemicals, bioactive components, and antioxidant activity of instant premixes (green and red chilies) and their reconstitution products. *Food Production, Processing and Nutrition*, 6(1), 72.

- Badan Pusat Statistik. (2025). *Produksi tanaman sayuran dan buah-buahan semusim menurut provinsi dan jenis tanaman, 2024*. Badan Pusat Statistik. <https://www.bps.go.id/assets/statistics-table/3/ZUhFd1JtZzJWVVpqWTJsV05XTllhVmhRSzFoNFFUMDkjMw==/produksi-tanaman-sayuran-dan-buah-buahan-semusim-menurut-provinsi-dan-jenis-tanaman--2024.html>
- Bharti, H., Hemalatha, N., Malita, R., Sharma, V. K., Bharadwaj, R., & Babu, P. (2025). Phytochemical characterization and correlation analysis of nutritional value in sweet pepper (*Capsicum annuum* L.) genotypes at various growth stages. *Frontiers in Plant Science*, 16, 1719537.
- Bernal, M. A., Calderon, A. A., Pedreno, M. A., Munoz, R., Ros Barceló, A., & Merino de Caceres, F. (1993). Capsaicin oxidation by peroxidase from *Capsicum annuum* (variety Annuum) fruits. *Journal of Agricultural and Food Chemistry*, 41(7), 1041-1044.
- Bennett, D. J., & Kirby, G. W. (1968). Constitution and biosynthesis of capsaicin. *Journal of the Chemical Society C: Organic*, 442-446.
- Castro-Concha, L. A., Baas-Espinola, F. M., Ancona-Escalante, W. R., Vázquez-Flota, F. A., & Miranda-Ham, M. L. (2016). Phenylalanine biosynthesis and its relationship to accumulation of capsaicinoids during *Capsicum chinense* fruit development. *Biologia plantarum*, 60(3), 579-584.
- Chen, Y., Shu, P., Wang, R., Du, X., Xie, Y., Du, K., & Liu, M. (2021). Ethylene response factor AcERF91 affects ascorbate metabolism via regulation of GDP-galactose phosphorylase encoding gene (AcGPP3) in kiwifruit. *Plant Science*, 313, 111063.
- Cheng, G. X., Sun, J. T., Shang, J. P., & Gong, Z. H. (2019). Virus-induced gene silencing for phenylalanine ammonia-lyase affects pepper adaption to low temperature. *Biologia plantarum*, 63(1), 601-609.
- Cheng, Y., Gao, C., Luo, S., Yao, Z., Ye, Q., Wan, H., & Liu, C. (2023). Effects of storage temperature at the early postharvest stage on the firmness, bioactive substances, and amino acid compositions of chili pepper (*Capsicum annuum* L.). *Metabolites*, 13(7), 820.
- Chiaiese, P., Corrado, G., Minutolo, M., Barone, A., & Errico, A. (2019). Transcriptional regulation of ascorbic acid during fruit ripening in pepper (*Capsicum annuum*) varieties with low and high antioxidants content. *Plants*, 8(7), 206

- Corpas, F. J., González-Gordo, S., & Palma, J. M. (2024). Ascorbate peroxidase in fruits and modulation of its activity by reactive species. *Journal of Experimental Botany*, 75(9), 2716-2732.
- CV. Citra Tani. (2025). *Benih Cabai Rawit Varietas Mahkota*. Kupang: CV. Citra Tani.
- Da Silva, M. G., de Oliveira Gondim, A. R., Ledo, E. R. F., Francilino, A. H., da Silva, Y., & Gheyi, H. R. (2021). Response of two pepper species (*Capsicum chinense* Jacq. and *Capsicum frutescens* L.) to salt stress at germination stage in Northeast Brazil. *Revista de Ciencias Agrícolas*, 38(2), 75-88.
- Dobón-Suárez, A., Gutiérrez-Pozo, M., Serna-Escolano, V., Giménez, M. J., Valero, D., Serrano, M., & Zapata, P. J. (2025). Antioxidant metabolism insights into ripening and senescence delay of green pepper fruit through the salicylic acid preharvest treatment. *Frontiers in Plant Science*, 16, 1475068.
- Du, Y., Jin, T., Zhao, H., Han, C., Sun, F., Chen, Q., & Fu, M. (2021). Synergistic inhibitory effect of 1-methylcyclopropene (1-MCP) and chlorine dioxide (ClO₂) treatment on chlorophyll degradation of green pepper fruit during storage. *Postharvest Biology and Technology*, 171, 111363.
- Edowai, D. N., Kairupan, S., & Rawung, H. (2016). Mutu cabai rawit (*Capsicum frutescens* L) pada tingkat kematangan dan suhu yang berbeda selama penyimpanan. *Agrointek: Jurnal Teknologi Industri Pertanian*, 10(1), 12-20.
- El-Beltagi, H. S., Ahmad, I., Basit, A., Shehata, W. F., Hassan, U., Shah, S. T., & Mohamed, H. I. (2022). Ascorbic acid enhances growth and yield of sweet peppers (*Capsicum annum*) by mitigating salinity stress. *Gesunde Pflanzen*, 74(2), 423-433.
- Fauzana, A. (2022). Penetapan Kadar Vitamin C Buah Nanas Segar (*Ananas comocus* L.) Hasil Budidaya di Kecamatan Teluk Meranti, Kabupaten Pelalawan dengan Metode Spektrofotometri UV-Vis. *JOPS (Journal Of Pharmacy and Science)*, 5(2), 54-61.
- Fenech, M., Amaya, I., Valpuesta, V., & Botella, M. A. (2019). Vitamin C content in fruits: Biosynthesis and regulation. *Frontiers in plant science*, 9, 2006.
- Fertiasari, R., Arditan, S., Yuliani, S., Nurhafiza, N., & Aryasari, P. (2023). Perubahan Fisiologi Buah Tomat (*Solanum Lycopersicum*) Terhadap Suhu Kamar Dan Umur Simpan Yang Memengaruhi Mutu. *Journal of Food Security and Agroindustry*, 1(3), 97-104.

- Fujiwake, H., Suzuki, T., Oka, S., & Iwai, K. (1980). Enzymatic formation of capsaicinoid from vanillylamine and iso-type fatty acids by cell-free extracts of *Capsicum annuum* var. *annuum* cv. Karayatsubusa. *Agricultural and biological chemistry*, 44(12), 2907-2912.
- García-Moreira, D. P., Moreno, I., Pacheco, N., Herrera-Pool, E., & López-Vidaña, E. C. (2026). Modulated Solar Irradiation: Impact on Drying Behavior and Quality Attributes of Chile de Agua (*Capsicum annuum* L.) Peppers Harvested at Different Maturity Stages. *Processes*, 14(4), 582.
- GBIF Secretariat. (2023). *Capsicum frutescens* L. in GBIF Backbone Taxonomy. Checklist dataset. <https://doi.org/10.15468/39omei>
- Gurnani, N., Gupta, M., Mehta, D., & Mehta, B. K. (2016). Chemical composition, total phenolic and flavonoid contents, and in vitro antimicrobial and antioxidant activities of crude extracts from red chilli seeds (*Capsicum frutescens* L.). *Journal of Taibah University for Science*, 10(4), 462-470.
- Gyalai, I. M., Helyes, L., Daood, H. G., Kovács, F., Szarvas, A., & Lantos, F. (2025). Genetic and seasonal factors influence pungent pepper capsaicinoid and vitamin C content. *Horticulturae*, 11(3), 286.
- Haeriah, Y., Hidayat, E., Najmudin, A., Juliawan, W., & Mulyana, V. C. (2022). Perbandingan preferensi konsumen dengan pedagang terhadap cabai rawit domba (*Capsicum frutescens* L.) di pasar manis ciamis. *COMPOSITE: Jurnal Ilmu Pertanian*, 4(2), 54-62.
- Hafizah, N., & Mukarramah, R. (2017). Aplikasi pupuk kandang kotoran sapi pada pertumbuhan dan hasil tanaman cabai rawit (*Capsicum frutescens* L.) di lahan rawa lebak. *Ziraa'ah Majalah Ilmiah Pertanian*, 42(1), 1-7.
- Handayani, R., Qamariah, N., & Rizky, T. A. (2020). Analisis Pengaruh Penyimpanan terhadap Kadar Vitamin C pada Cabai Rawit (*Capsicum frutescens* L.) dan Cabai Merah Besar (*Capsicum annuum* L.) dengan Metode Spektrofotometri. *Jurnal Surya Medika (JSM)*, 5(2), 108-119.
- Herlina, & Dian Muzdalifa. (2020). Pengaruh Suhu Penyimpanan Terhadap Kadar Vitamin C Buah Apel Merah (*Pyrus malus* L.). *Jurnal Penelitian Dan Kajian Ilmiah Kesehatan Politeknik Medica Farma Husada Mataram*, 6(1), 119-127.
- Hou, B. Z., Li, C. L., Han, Y. Y., & Shen, Y. Y. (2018). Characterization of the hot pepper (*Capsicum frutescens*) fruit ripening regulated by ethylene and ABA. *BMC plant biology*, 18(1), 162.

- Ibeh, A. G., & Egbucha, K. C. (2023). Appraisal of some medicinal and other uses of chilli pepper (*Capsicum frutescens* Linn.). *World Journal of Pharmaceutical Research*, 12(4), 119-133.
- Jang, L., Choi, J., Lee, S., & Lee, S. (2023). Protective effects of Capsicum fruits and their constituents on damage in TNF- α -stimulated human dermal fibroblasts. *Journal of the Science of Food and Agriculture*, 103(7), 3701-3713.
- Jang, S., Kim, G. W., Han, K., Kim, Y. M., Jo, J., Lee, S. Y., & Kang, B. C. (2022). Investigation of genetic factors regulating chlorophyll and carotenoid biosynthesis in red pepper fruit. *Frontiers in Plant Science*, 13, 922963.
- Jayan, L. S., Rajan, S. S., Mujahid, S. M., Sharma, S., & Wani, K. M. (2025). Capsaicin: an in-depth review of its chemical properties, health benefits, and challenges in food applications. *Food Production, Processing and Nutrition*, 7(1), 47.
- Johnson, R., Joel, J. M., Anjitha, K. S., Tóth, S. Z., & Puthur, J. T. (2024). Ascorbate, as a versatile regulator of plant development: practical implications for enhancing crop productivity, quality, and postharvest storage. *Horticultural Plant Journal*.
- Kaur, A., Verma, M., Bhandari, R., & Kuhad, A. (2024). Therapeutic Implications of Capsaicin in Diabetes. In *Capsaicinoids: From Natural Sources to Biosynthesis and their Clinical Applications* (pp. 395-407). Singapore: Springer Nature Singapore.
- Khafid, A., Nurchayati, Y., Hastuti, E. D., & Setiari, N. (2023). Vitamin C and total soluble solid content of crystal guava at different storage duration and ripeness. *Jurnal Kultivasi*, 22(2), 6.
- Khazaei, Z., Esmailpour, B., & Estaji, A. (2020). Ameliorative effects of ascorbic acid on tolerance to drought stress on pepper (*Capsicum annuum* L.) plants. *Physiology and Molecular Biology of Plants*, 26(8), 1649-1662.
- Kusumiyati, K., Lestari, R. W., & Mubarak, S. (2025). Quality changes of 'Unpad CB2' red chili pepper at different ozone concentrations and storage periods. *Journal of Horticultural Research*, 33(1), 77-86.
- Lelang, M. A., Ceunfin, S., & Lelang, A. (2019). Karakterisasi morfologi dan komponen hasil cabai rawit (*Capsicum frutescens* L.) asal pulau Timor. *Savana cendana*, 4(01), 17-20.
- Li, L. X., Yang, S. K., Fang, Y., Wu, Z. M., Ma, H. Y., Wang, S., & Feng, S. Q. (2025). Transcription factors MdEIL1 and MdHY5 integrate ethylene and

light signaling to promote chlorophyll degradation in mature apple peels. *Horticulture Research*, 12(3), 324.

- Lianti, P. M., Supeno, B., & Sudantha, I. M. (2022). Populasi Dan Intensitas Serangan Hama Lalat Buah (*Bactrocera* spp.) Dengan Perlakuan Beberapa Dosis Pupuk Petroganik Pada Tanaman Cabai Rawit (*Capsicum frutescens* L.) Yang Ditanam Di Luar Musim. *Jurnal Ilmiah Mahasiswa Agrokomplek*, 1(3), 209-221.
- Lidikova, J., Čeryová, N., Šnirc, M., Vollmannova, A., Musilova, J., Tothova, M., & Hegedúsová, A. (2021). Determination of bioactive components in selected varieties of pepper (*Capsicum* L.). *International Journal of Food Properties*, 24(1), 1148-1163.
- Lin, M., Gao, Z., Wang, X., Mao, J., Pan, L., Gong, X., & Huo, H. (2024). Identification of two postharvest ripening regulatory models in kiwifruit: based on plant hormones, physiology, and transcriptome analysis. *BMC Plant Biology*, 24(1), 1121.
- Liu, X., Yu, X., Wu, Y., Wei, B., Zhou, Q., Cheng, S., & Sun, Y. (2025). Light water loss delays simulation of mechanical injuries from transportation vibration of *Actinidia arguta* by inhibiting cell wall metabolism. *Technology in Horticulture*, 5(1).
- Lu, M., Chen, C., Lan, Y., Xiao, J., Li, R., Huang, J., & Ho, C. T. (2020). Capsaicin: The major bioactive ingredient of chili peppers: Bio-efficacy and delivery systems. *Food & function*, 11(4), 2848-2860.
- Maajid, L. A., Sunarmi, S., & Kirwanto, A. (2018). Pengaruh lama penyimpanan terhadap kadar vitamin C buah apel (*Malus sylvestris* Mill). *Jurnal Kebidanan dan Kesehatan Tradisional*, 3(2), 90-94.
- Macel, M., Visschers, I. G., Peters, J. L., Kappers, I. F., de Vos, R. C., & van Dam, N. M. (2019). Metabolomics of thrips resistance in pepper (*Capsicum* spp.) reveals monomer and dimer acyclic diterpene glycosides as potential chemical defenses. *Journal of Chemical Ecology*, 45(5), 490-501.
- Maryam, S., Razak, R., Baits, M., & Salim, A. F. (2023). Analysis of Vitamin C and Antioxidant Activity of *Capsicum frutescens* L. and *Capsicum annuum* L. *Indonesian Journal of Pharmaceutical Science and Technology*, 57-64.
- Meitha, K., Pramesti, Y., & Suhandono, S. (2020). Reactive oxygen species and antioxidants in postharvest vegetables and fruits. *International journal of food science*, 2020(1), 8817778.

- Mellidou, I., Koukounaras, A., Kostas, S., Patelou, E., & Kanellis, A. K. (2021). Regulation of vitamin C accumulation for improved tomato fruit quality and alleviation of abiotic stress. *Genes*, 12(5), 694.
- Mokodongan, E., Karundeng, F. F., Rempas, R., & Alhabsyi, M. F. (2025). Pengaruh Waktu Aplikasi Pupuk Kandang Ayam terhadap Pertumbuhan Dan Produksi Tanaman Cabai Rawit (*Capsicum frutescens* L.). *Jurnal Literasi Ekologi dan Sains Alam*, 1(02), 1-12.
- Mufza, H. F., Pribadi, E. M., Miska, M. E. E., & Arti, I. M. (2025). Pengaruh umur panen terhadap susut bobot dan organoleptik buah jambu biji (*Psidium guajava* L) kristal selama penyimpanan. *Agrointek: Jurnal Teknologi Industri Pertanian*, 19(1), 39-48.
- Muttar, M. S., Ahmed, T. S., & Ahmed, M. A. (2026). The effect of physiological maturity on the content and stability of active compounds in chili pepper fruits (*Capsicum frutescens* L.) during storage. *Journal of Medicinal and Industrial Plant Sciences*, 4(1), 50-63.
- Nidhom, K. (2025). Quality evaluation of cayenne pepper (*Capsicum frutescens* L.) stored in a Zero Energy Cool Chamber (ZECC), refrigerator, and at room temperature. *Respobio Journal*, 1-11.
- Naully, D., Gustia, H., Yuningsih, S., & Dwiputro, H. (2022). Peningkatan Pengetahuan Petani melalui Penyuluhan Pascapanen Cabai pada Kelompok Tani Kebun Berseri, Bintaro, Jakarta Selatan. *Agrokreatif: Jurnal Ilmiah Pengabdian kepada Masyarakat*, 8(2).
- Naves, E. R., de Ávila Silva, L., Sulpice, R., Araújo, W. L., Nunes-Nesi, A., Peres, L. E., & Zsögön, A. (2019). Capsaicinoids: pungency beyond Capsicum. *Trends in plant science*, 24(2), 109-120.
- Nuridayat, N., Sabahannur, S., & Alimuddin, S. (2022). Pengaruh suhu dan jenis kemasan terhadap umur simpan dan mutu cabai rawit (*Capsicum frutescens* L.). *AGrotekMAS Jurnal Indonesia: Jurnal Ilmu Peranian*, 3(2), 37-46.
- Oktaviani, W., Khairani, L., & Indriani, N. P. (2020). Pengaruh berbagai varietas jagung manis (*Zea mays saccharata* Sturt) terhadap tinggi tanaman, jumlah daun dan kandungan lignin tanaman jagung. *Jurnal Nutrisi Ternak Tropis dan Ilmu Pakan*, 2(2).
- Olguín-Rojas, J. A., Fayos, O., Vázquez-León, L. A., Ferreira-González, M., Rodríguez-Jimenes, G. D. C., Palma, M., & Barbero, G. F. (2019). Progression of the total and individual capsaicinoids content in the fruits of three different cultivars of *Capsicum chinense* Jacq. *Agronomy*, 9(3): 141.

- Paciolla, C., Fortunato, S., Dipierro, N., Paradiso, A., De Leonardis, S., Mastropasqua, L., & De Pinto, M. C. (2019). Vitamin C in plants: from functions to biofortification. *Antioxidants*, 8(11), 519.
- Papathanasiou, T., Gougoulas, N., Karayannis, V. G., & Kamvoukou, C. A. (2021). Investigation of the total phenolic content and antioxidant capacity of three sweet pepper cultivars (*Capsicum annuum* L.) at different development and maturation stages. *Periodica Polytechnica Chemical Engineering*, 65(2), 219-228.
- Pashkovskiy, P., Sleptsov, N., Vereschagin, M., Kreslavski, V., Rudometova, N., Sorokoumov, P., & Kuznetsov, V. (2023). Post-harvest red-and far-red-light irradiation and low temperature induce the accumulation of carotenoids, capsaicinoids, and ascorbic acid in *Capsicum annuum* L. green pepper fruit. *Foods*, 12(8), 1715.
- Pola, W., Sugaya, S., & Photchanachai, S. (2020). Influence of postharvest temperatures on carotenoid biosynthesis and phytochemicals in mature green chili (*Capsicum annuum* L.). *Antioxidants*, 9(3), 203.
- Puteri, I. T., Hayati, R., & Marliah, A. (2023). Jenis Pengemasan dan Penyimpanan Terhadap Kualitas Cabai Rawit (*Capsicum frutescens* L.). *Jurnal Ilmiah Teknologi Pertanian Agrotechno*, 8(1), 46-54.
- Putra, A. C., Nurchayati, Y., Hastuti, E. D., & Setiari, N. (2023). Kandungan Vitamin C dan Morfometri Buah Jambu Kristal (*Psidium guajava* L. cv. 'Kristal') pada Pengemasan yang Berbeda. *Buletin Anatomi dan Fisiologi*, 8(2), 146-153.
- Romansyah, E., Bintoro, N., Karyadi, J. N. W., & Saputro, A. D. (2024). Penentuan Mutu Cabai Rawit Segar (*Capsicum frutescens* L.) Berdasarkan Perubahan Warna Selama Penyimpanan MAP. *Jurnal Ilmiah Rekayasa Pertanian dan Biosistem*, 12(1), 1-13.
- Royal Horticultural Society. (2015). *RHS Colour Chart* (6th ed.). Royal Horticultural Society.
- Saputra, E. (2021). Penggunaan Kinetin pada Cabai Merah Segar terhadap Mutu Organoleptik Selama Penyimpanan dengan Kemasan Berbeda. *Jurnal Teknologi Pertanian Andalas*, 25(1), 65-72.
- Saputri, L., Lewuras, A. M. P., Minah, F. N., & Astuti, S. (2022). Pengaruh suhu dan waktu pengeringan terhadap kadar air dan kadar vitamin C pada bubuk cabai rawit (*Capsicum frutescens* L.). *Prosiding Seniati*, 6(3), 636-643.

- Sari, L. D. A., Kurniawati, E., Ningrum, R. S., & Ramadani, A. H. (2021). Kadar vitamin C buah tomat (*Lycopersicum esculentum* Mill) tiap fase kematangan berdasar hari setelah tanam. *Jurnal Farmasi Dan Ilmu Kefarmasian Indonesia*, 8(1), 74.
- Sari, U. N., Mutmainnah, M., & Masluki, M. (2024). Pengaruh Aplikasi larutan Pestisida Ekstrak Serai Wangi dan Bawang Putih terhadap Serangan Hama Kutu Daun (*Aphis gossypii*) pada Tanaman Cabai Rawit (*Capsicum frutescens* L). *Wanatani*, 4(1), 13-26.
- Sayekti, T. W. D. A., Syukur, M., Hidayat, S. H., Maharijaya, A., Agustina, K., Mareza, E., & Supriyanta, B. (2024). Performance And Yield Stability Of Cayenne Peppers (*Capsicum frutescens*) In Multilocation Trials In The Indonesian Lowlands. *Biodiversitas: Journal Of Biological Diversity*, 25(7).
- Sembara, E. L., & Salihat, R. A. (2021). Aplikasi Edible Coating Pati Talas Dengan Gliserol Sebagai Plasticizer Pada Penyimpanan Cabai Merah (*Capsicum annum* L.). *Journal of Scientech Research and Development*, 3(2), 134-145.
- Setiawati, N., Sutrisno, S., & Purwanto, Y. A. (2020). Analisis Rantai Nilai Cabai Di Sentra Produksi Kabupaten Majalengka Jawa Barat. *Gorontalo Agriculture Technology Journal*, 55-62.
- Song, S., Song, S. Y., Nian, P., Lv, D., Jing, Y., Lu, S., & Zhou, F. (2022). Transcriptomic analysis suggests a coordinated regulation of carotenoid metabolism in ripening chili pepper (*Capsicum annum* var. *conoides*) fruits. *Antioxidants*, 11(11), 2245.
- Suhita, C. P., Nurafian, D. A., & Setyaningrum, D. (2024). Budidaya Tanaman Cabai Rawit (*Capsicum frutescens* L.) melalui Pemanfaatan Hormon GSA (Giberelin Sitokinin Auksin) Organik. *Jurnal Kridatama Sains dan Teknologi*, 6(02), 852-868.
- Sulistyaningrum, A., & Darudryo, D. (2018). Decreasing of Cayenne Pepper Quality During Storage in Room Temperature. *Jurnal Agronida*, 4(2).
- Syukur, M., Suwarno, W. B., & Maharijaya, A. (2020). Analisis stabilitas parametrik hasil cabai rawit (*Capsicum frutescens* L.) pada empat lokasi dataran rendah. *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, 48(3), 258-267.
- Tian, K., Zhu, J., Li, M., & Qiu, X. (2019). Capsaicin is efficiently transformed by multiple cytochrome P450s from *Capsicum* fruit-feeding *Helicoverpa armigera*. *Pesticide biochemistry and physiology*, 156, 145-151.

- Usman, H. L., Kasim, R., & Liputo, S. A. (2024). Pengaruh jenis kemasan terhadap karakteristik fisik dan kimia cabe rawit (*Capsicum frutescens*) varietas Samia Gorontalo selama penyimpanan di suhu dingin. *Jambura Journal of Food Technology*, 6(1), 69-81.
- Utari, N. W. A. (2021). Kinetika pengaruh kalsium klorida dan kelembaban relatif terhadap kualitas cabai merah (*Capsicum annum* L.). *Journal of Science and Applicative Technology*, 5(1), 30-37.
- Vázquez-Espinosa, M., Álvarez-Romero, M., González-de-Peredo, A. V., Ruíz-Rodríguez, A., Ferreiro-González, M., Barbero, G. F., & Palma, M. (2023). Capsaicinoid content in the pericarp and placenta of bolilla peppers (*Capsicum annum* L.) throughout the ripening of the fruit at two different stages of plant maturation. *Agronomy*, 13(2), 435.
- Villa-Rivera, M. G., & Ochoa-Alejo, N. (2023). Ascorbic acid in chili pepper fruits: Biosynthesis, accumulation, and factors affecting its content. *Journal of the Mexican Chemical Society*, 67(3), 187-199.
- Wang, J., Duan, X., An, Y., He, J., Li, J., Xian, J., & Zhou, D. (2024). An Analysis of capsaicin, dihydrocapsaicin, Vitamin C and flavones in different tissues during the development of ornamental pepper. *Plants*, 13(15), 2038.
- Wang, L., Shen, X., Chen, X., Ouyang, Q., Tan, X., & Tao, N. (2022). Exogenous application of melatonin to green horn pepper fruit reduces chilling injury during postharvest cold storage by regulating enzymatic activities in the antioxidant system. *Plants*, 11(18), 2367.
- Wang, R., McGill, C., Sandoval, E., & Li, M. (2026). Assessing Moisture Content of Coolstored Blueberries During Water Loss Scenarios Using Hyperspectral Imaging. *New Zealand Journal of Crop and Horticultural Science*, 54(2), e70173.
- Waqas, M., Ahmed, D., & Qamar, M. T. (2022). Surfactant-mediated extraction of capsaicin from *Capsicum annum* L. fruit in various solvents. *Heliyon*, 8(8), e10273.
- Wijayanti, W., Santa, K., & Kumajas, S. C. (2025). Sistem Kontrol dan Monitoring Kelembaban Dan pH Tanah Tanaman Cabai Rawit Berbasis Internet of Things (IoT) Menggunakan Metode Fuzzy Mamdani. *Jurnal Minfo Polgan*, 14(2), 2209-2222.
- Yang, Y., Gao, C., Ye, Q., Liu, C., Wan, H., Ruan, M., & Cheng, Y. (2024). The influence of different factors on the metabolism of capsaicinoids in pepper (*Capsicum annum* L.). *Plants*, 13(20), 2887.

- Yeboah, S., Hong, S. J., Park, Y., Choi, J. H., & Eum, H. L. (2023). Postharvest quality improvement of bell pepper (*Capsicum annuum* L. cv *Nagano*) with forced-air precooling and modified atmosphere packaging. *Foods*, *12*(21), 3961.
- Zhang, M., Han, S., Wang, Z., Luo, Z., Chen, X., Fang, G., & Lv, J. (2026). An MYB transcription factor regulates capsaicinoid biosynthesis during pepper fruit ripening. *BMC Plant Biology*, *26*(1), 31.
- Zhou, X., Shi, Q., Li, X., Yuan, Z., Yan, M., Lu, D., & Wu, C. (2024). Study on the Metabolic Basis of the Color Formation of Two Color-Presenting Types of Jujube Fruits. *Foods*, *13*(17), 2657.
- Ziraluo, Y. P. B., & Duha, M. (2020). Diversity study of fruit producer plant in Nias Islands. *Jurnal Inovasi Penelitian*, *1*(4), 683-694.
- Zuhdi, A. M. H., Suryawati, S., & Djunaidi, A. (2018). Pengaruh Umur Panen Terhadap Aktivitas Antioksidan dan Kualitas Buah Okra Merah (*Abelmoschus esculentus* (L.) Moench). *Agrovigor: Jurnal Agroekoteknologi*, *11*(2), 113-119.