

DAFTAR PUSTAKA

- Adju, FYH, Ahmad, J., Pagalla, DB, Kandowangko, NY, Husain, I., & Isima, L. (2025). Induksi Kalus *In Vitro* dari Daun (*Antidesma bunius* L.).
- Agung, N. R., Huddi, D., Putri, A. N., & Resmisari, R. S. (2023). The Effect of 2, 4-D (2, 4-Dichlorophenoxyacetic Acid) and Kinetin (6-Furfuryl Amino Purine) Concentrations on the Induction of Embryogenic Callus in Porang (*Amorphophallus muelleri* Blume) In Vitro. *El-Hayah: Jurnal Biologi*, 9(2), 55-63.
- Akula, R., & Ravishankar, G. A. (2011). Influence of Abiotic Stress Signals on Secondary Metabolites in Plants. *Plant signaling & behavior*, 6(11), 1720-1731.
- Aldhebiani, A. Y., Metwali, E. M., Soliman, H. I., & Howladar, S. M. (2018). Response of different date palm cultivars to salinity and osmotic stresses using tissue culture technique.
- Aley, J. P., Adams, N. J., Ladyman, R. J., & Fraser, D. L. (2015). The Efficacy of Capsaicin as an Equine Repellent for Chewing Wood. *Journal of Veterinary Behavior*, 10(3), 243-247.
- Al-Hattab, Z. N., Al-Ajeel, S. A., & El-Kaaby, E. A. (2015). Effect of Salinity Stress on *Capsicum annuum* Callus Growth, Regeneration and Callus Content of Capsaicin, Phenylalanine, Proline and Ascorbic Acid. *J. Life Sci*, 9, 304-310.
- Anam, M. S., Nurchayati, Y., Setiari, N., & Nuryandani, E. (2026). Callus Growth and Development of Cayenne Pepper (*Capsicum frutescens* L.) in Response to Glucose Concentration and Explant Source: Implications for Capsaicin Production via Tissue Culture. *Biosfer: Jurnal Tadris Biologi*, 17(1), 93-107.
- Anjarsari, I. R. D., Suminar, E., & Murgayanti, M. (2022). Studi Pendahuluan Regenerasi Eksplan Teh sebagai Upaya Percepatan Penyediaan Bibit Unggul secara *In Vitro*. *Kultivasi*, 21(3), 360-368.
- Arya, M., Kumar, G., & Giridhar, P. (2024). Serotonin-Salt-Stress Model-Induced Cell Growth via Promoting an Antioxidant System and Secondary Metabolites in *Capsicum annuum* Cell Suspension Culture. *ACS omega*, 9(35), 37330-37342.
- Badwi, I. T. P., Haring, F., & Sjahril, R. (2024). Embryogenic callus induction of Katokkon chili (*Capsicum chinense*) hypocotyl at various concentrations of 2,

4-D. *Sabrao Journal of Breeding and Genetics*, 56(6), 2377-2386.

- Barus, E. M., & Restuati, M. (2018). Pengaruh Media Kultur pada Planlet Kentang *Solanum tuberosum* L terhadap Totipotensi Pertumbuhan Tunas. *JIFI (Jurnal Ilmiah Farmasi Imelda)*, 1(2), 51-56.
- Basri, A. H. H. (2016). Kajian Pemanfaatan Kultur Jaringan dalam Perbanyakan Tanaman Bebas Virus. *Agrica Ekstensi*, 10(1), 64-73.
- Batiha, G. E. S., Alqahtani, A., Ojo, O. A., Shaheen, H. M., Wasef, L., Elzeiny, M., Ismail, M., Shalaby, M., Murata, T. Zaragona-Bastida, A., Rivero-Perez, N., Beshbishy, A. M., Kasozi, K. I., Jeandet, P., Hetta, H. F., & Hetta, H. F. (2020). Biological Properties, Bioactive Constituents, and Pharmacokinetics of Some *Capsicum* spp. and Capsaicinoids. *International journal of molecular sciences*, 21(15), 5179.
- Chandimali, N., Park, E. H., Bak, S. G., Lim, H. J., Won, Y. S., & Lee, S. J. (2024). Seaweed Callus Culture: A Comprehensive Review of Current Circumstances and Future Perspectives. *Algal Research*, 77, 103376.
- Chandran, H., Meena, M., Barupal, T., & Sharma, K. (2020). Plant Tissue Culture as a Perpetual Source for Production of Industrially Important Bioactive Compounds. *Biotechnology reports*, 26, e00450.
- Chantre Nongpiur, R., Lata Singla-Pareek, S., & Pareek, A. (2016). Genomics approaches for improving salinity stress tolerance in crop plants. *Current genomics*, 17(4), 343-357.
- Cortleven, A., & Schmölling, T. (2015). Regulation of chloroplast development and function by cytokinin. *Journal of experimental botany*, 66(16), 4999-5013.
- Dogan, M. (2020). Effect of salt stress on in vitro organogenesis from nodal explant of *Limnophila aromatica* (Lamk.) Merr. and *Bacopa monnieri* (L.) Wettst. and their physio-morphological and biochemical responses. *Physiology and molecular biology of plants*, 26(4), 803-816.
- Efferth, T. (2019). Biotechnology Applications of Plant Callus Cultures. *Engineering*, 5(1), 50-59.
- El-Kaaby, E., Al-Anny, J., & Almaliky, E. S. (2017). In Vitro Effect of Exogenous NaCl on Enzyme Activity, Chlorophyll and Carotene Accumulation In Callus of Chilli Pepper. *Capsicum annum*, 253-255.
- Faramayuda, F., Irwan, M., & Syam, A. K. (2022). The growth of *Pimpinella alpina*

- host callus at various treatments of plant growth regulator concentrations of NAA, 2, 4 D and its combination with BAP. *Agric*, 34(2), 171-182.
- Fauzi, D. R. (2018). Karakter Morfologi, Kandungan Capsaicin Dan Profil Gen Kasi Cabai Rawit (*Capsicum frutescens* L.) G1 Kontrol Dan Mutan G1m1. *Universitas Brawijaya Repository*, 1-65.
- Gammoudi, N., Zerria, K., Nagaz, K., & Ferchichi, A. (2019). Enhancement of capsaicinoids in vitro production by abiotic elicitors in placenta-derived callus of *Capsicum annuum* L. Tunisian var. 'Baklouti Medenine'. *Biologia*, 74(6), 725-732.
- Gupta, R., Sardana, S., Sethiya, N. K., Bisht, D., & Patil, U. K. (2025). A Literature-Based Overview on Chemistry, Pharmacology, Molecular Docking and Nanotechnological Advancements of Capsaicin Including Potential Impact on Pharmacological Action of Other Drugs With Mechanistic Insight. *Food Chemistry Advances*, 7, 100988.
- Guru, A., Dwivedi, P., Kaur, P., & Pandey, D. K. (2022). Exploring the Role of Elicitors in Enhancing Medicinal Values of Plants Under In Vitro Condition. *South African Journal of Botany*, 149, 1029-1043.
- Hawrylak-Nowak, B., Dresler, S., Stasińska-Jakubas, M., Wójciak, M., Sowa, I., & Matraszek-Gawron, R. (2021). NaCl-induced elicitation alters physiology and increases accumulation of phenolic compounds in *Melissa officinalis* L. *International Journal of Molecular Sciences*, 22(13), 6844.
- Hernández-Pérez, T., Gómez-García, M. D. R., Valverde, M. E., & Paredes-López, O. (2020). *Capsicum annuum* (Hot Pepper): An Ancient Latin-American Crop with Outstanding Bioactive Compounds and Nutraceutical Potential. A review. *Comprehensive Reviews in Food Science and Food Safety*, 19(6), 2972-2993.
- Hossain, M. M., Azad, M. A. K., Soren, E. B., Alam, M. N., Ahmed, M. S., Islam, M. S., Kauium, M. A., Ali, T. B., Akter, F., Ali, M. I., & Monira, S. (2025). Enhancing growth, yield, and nutritional value of *Capsicum annuum*: evaluating micronutrient efficiency and varietal performance. *Journal of Agriculture and Food Research*, 21, 101945.
- Humbal, A., & Pathak, B. (2023). Influence of exogenous elicitors on the production of secondary metabolite in plants: A review ("VSI: secondary metabolites"). *Plant Stress*, 8, 100166.
- Ikeuchi, M., Iwase, A., Rymen, B., Lambolez, A., Kojima, M., Takebayashi, Y.,

- Heyman, J., Watanabe, S., Seo, M., Veylder, L. D., Sakakibara, H., Sugimoto, K., & Sugimoto, K. (2017). Wounding triggers callus formation via dynamic hormonal and transcriptional changes. *Plant physiology*, 175(3), 1158-1174.
- Isda, M. N., & Salsabilla, M. J. (2022). In Vitro Callus Induction in *Tacca (Tacca chantrieri Andre)* Leaf Explants on Murashige and Skoog Media with Different Concentrations of Sucrose. *Jurnal Biologi UNAND*, 10(1), 1-9.
- İzgü, T., Kahraman, R., Düzgören, B., Şen, E. Y., & Yalçın, Y. (2023). Salinity Stress in In Vitro Culture. *PROCEEDINGS BOOK*, 243.
- Javed, M. U., Ullah, M. A., Mahmood, T., Khan, T., Viehmannova, I., Akbar, A., Khan, Y., Khan, T., Abbasi, B. H., Hano, C., & Giglioli-Guivarc'h, N. (2026). Sodium carbonate and sodium chloride as elicitors of secondary metabolite production in callus cultures of *Fagonia indica*. *Plant Biosystems*, 160(1), 39.
- Julianti, R. F., Nurchayati, Y., & Setiari, N. (2021). Pengaruh Konsentrasi Sukrosa dalam Medium MS terhadap Kandungan Flavonoid Kalus Tomat (*Solanum lycopersicum* syn. *Lycopersicum esculentum*). *Jurnal Metamorfosa*, 8(1), 141-149.
- Junairiah, J., Nimatuzahroh, N., & Suwito, H. (2014). Produksi Elisitor untuk Menstimulasi Metabolit Sekunder pada Kultur Jaringan Tumbuhan. In *Proceeding Biology Education Conference: Biology, Science, Enviromental, and Learning* (Vol. 11, No. 1, pp. 178-181).
- Khasan, R. S. (2019). Analisis Genetik Beberapa Jenis Cabai (*Capsicum spp.*) Berdasarkan Karakteristik Morfologi, Molekuler (*PCR-RAPD*) Dan Kandungan Kapsaisin (*Doctoral dissertation*, Universitas Brawijaya).
- Khoerunisa, R., Khamilah, R. J. N. S., Ayuanindya, D. G., Surtikanti, H. K., & Priyandoko, D. (2024). Kandungan Senyawa Capsaicin dalam Cabai (*Capsicum annuum* L) sebagai Anti Hama pada Sayuran: Kajian Pustaka. *Holistic: Journal of Tropical Agriculture Sciences*, 1(2).
- Kumari, S., & Basu, P. Capsaicin, A Milestone in Pharmaceutical Field: A Prospective Review.
- Kurnianingsih, R., Ghazali, M., Rosidah, S., Muspiah, A., Astuti, S. P., & Nikmatullah, A. (2020). Pelatihan Teknik Dasar Kultur Jaringan Tumbuhan. *JMM (Jurnal Masyarakat Mandiri)*, 4(5), 888-896.
- Li, Y., Kong, D., Fu, Y., Sussman, M. R., & Wu, H. (2020). The Effect of Developmental and Environmental Factors on Secondary Metabolites in

Medicinal Plants. *Plant physiology and biochemistry*, 148, 80-89.

- Liu, C., Fan, H., Zhang, J., Wu, J., Zhou, M., Cao, F., ... & Zhou, X. (2024). Combating browning: mechanisms and management strategies in in vitro culture of economic woody plants. *Forestry Research*, 4, e032.
- Longkumer, I., Akbar, U., Singh, J., Rasane, P., Nanda, V., Pandey, V. K., Kaur, S., & Abdi, G. (2025). Elicitors enhance bioactive compound production in sprouts and improve health benefits. *Discover Sustainability*, 6(1), 919.
- Lu, Y., & Cui, B. (2019). Extraction and Purification of Capsaicin from *Capsicum oleoresin* Using a Combination of Tunable Aqueous Polymer-Phase Impregnated Resin (TAPPIR) Extraction and Chromatography Technology. *Molecules*, 24(21), 3956.
- Maharjan, A., Vasamsetti, B. M. K., & Park, J. H. (2024). A Comprehensive Review of Capsaicin: Biosynthesis, Industrial Productions, Processing to Applications, and Clinical Uses. *Heliyon*, 10(21).
- Mamun, A. A., Islam, M. M., Alam, N. E. K., & Noushin, S. (2020). In vitro Callus Induction under NaCl salt stress and subsequent plant regeneration in Oats (*Avena sativa* L.). *Plant Tissue Culture and Biotechnology*, 30(2), 253-266.
- Mardhiana, F., Soeparjono, S., & Handoyo, T. (2019). Pengaruh Konsentrasi dan Waktu Aplikasi (NaCl) Terhadap Hasil dan Mutu Cabai Merah (*Capsicum annum* L.). *Agriprima, Journal of Applied Agricultural Sciences*, 3(2), 1-8.
- Mengistu, H. K., & Beri, G. B. (2024). Cooking Effect on Bioactive Compounds and Antioxidant Capacity of Red Pepper (*Capsicum annum* L.). *Heliyon*, 10(17).
- Meresa, B. K., Ayimut, K. M., Weldemichael, M. Y., Geberemedhin, K. H., Kassegn, H. H., Geberemikael, B. A., & Egigu, E. M. (2024). Carbohydrate Elicitor-Induced Plant Immunity: Advances and Prospects. *Heliyon*, 10(15).
- Muhyidin, F. A., & Habibah, N. A. (2025). Effect of Chitosan Elicitor Addition and Elicitation Duration on the Growth and Antioxidant Activity of Shallot (*Allium ascalonicum* L.) Callus. *El-Hayah: Jurnal Biologi*, 10(3).
- Muktirianur, M., Supriyanto, B., Sunaryo, W., & Nurhasanah, N. (2022). Somatic Embryos Induction of East Kalimantan Local Rice (*Oryza sativa* L.) Cultivars and In Vitro Selection Against Salinity. *AGRIVITA Journal of Agricultural Science*, 44(2), 207-215.
- Muthi'ah, A., Sakya, A. T., Setyawati, A., Samanhudi, & Rahayu, M. (2023, May).

- Callus induction of *Calotropis gigantea* using BAP and 2, 4-D in vitro. In *IOP Conference Series: Earth and Environmental Science* (Vol. 1177, No. 1, p. 012021). IOP Publishing.
- Nhut, D.T.; Khai, H.D.; Hung, N.V.; Vinh, N.Q.; Dung, D.M.; Tung, H.T.; Mai, N.T.N.; Luan, V.Q.; Cuong, D.M. (2023). Effect of explant age on phytochemicals and morphogenesis in *Begonia*. *Plant Cell Tissue Organ Cult. (PCTOC)*, 155, 267–282..
- Olatunji, T. L., & Afolayan, A. J. (2019). Contributions to the Classification of *Capsicum annuum* l. and *Capsicum frutescens* l. in West Africa Using Morphological Traits. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 47(1), 135-142.
- Oliveira, J. P., Silva, A. J. D., Catrinck, M. N., & Clarindo, W. R. (2023). Embryonic abnormalities and genotoxicity induced by 2,4-dichlorophenoxyacetic acid during indirect somatic embryogenesis in *Coffea*. *Scientific Reports*, 13(1), 9689.
- Othman ZA, Ahmed YB, Habila MA, Ghafar AA. (2011). Determination of capsaicin and dihydrocapsaicin in *Capsicum* fruit samples using high performance liquid chromatography. *Molecules*, 16(10):8919-29.
- Pan, Y., Li, L., Xiao, S., Chen, Z., Sarsaiya, S., Zhang, S., ShangGuan, Y., Liu, H., & Xu, D. (2020). Callus growth kinetics and accumulation of secondary metabolites of *Bletilla striata* Rchb. f. using a callus suspension culture. *PLoS One*, 15(2), e0220084.
- Park, J., Lee, S., Park, G., Cho, H., Choi, D., Umeda, M., Choi, Y., Hwang, D., & Hwang, I. (2021). Cytokinin-Responsive Growth Regulator regulates cell expansion and cytokinin-mediated cell cycle progression. *Plant Physiology*, 186(3), 1734-1746.sa
- Pono, P., Restiani, R., & Adityarini, D. (2021). Elisitasi saponin dalam kultur kalus ginseng Jawa (*Talinum paniculatum* Gaertn.) menggunakan asam salisilat. *Sciscitatio*, 2(2), 45-53.
- Putri, S. S., Muztahidin, N. I., & Isminingsih, S. (2024). Callus Induction of Ciangir Passion Fruit (*Passiflora* sp.) Leaves at Several Concentration Levels of Growth Regulators Substance 2, 4-D and BAP. *Jurnal Biologi Tropis*, 24(1), 168-178.
- Rasud, Y., & Bustaman, B. (2020). Induksi Kalus Secara In Vitro dari Daun Cengkeh (*Syzigium aromaticum* L.) dalam Media dengan Berbagai Konsentrasi

Auksin. *Jurnal Ilmu Pertanian Indonesia*, 25(1), 67-72.

- Razavizadeh, R., Adabavazeh, F., Chermahini, M. R., & Komatsu, S. (2022). Callus induction and plant regeneration from *Carum copticum* and assessment of antioxidant responses and phytochemical profiling by in vitro salinity stress. *Horticulturae*, 9(1), 22.
- Rezazadeh, A., Kia, E. M., Hamishehkar, H., Jahani, B. K. G., & Ghasempour, Z. (2022). Capsaicin-Incorporated Zein Electrospun Nanofibers: Characterization and Release Behavior. *Food Bioscience*, 49, 101843.
- Rifki, M., Sabaruddin, S., Kusumawati, E. 2024. Identifikasi Karakter Morfologi Tanaman Cabai (*Capsicum annum* L.) F6 Hasil Persilangan Perintis dan Kencana di Dataran Menengah. *Jurnal Ilmiah Mahasiswa Pertanian*, 9(1).
- Rishla, K., Sithara, A., & Deepa, P. (2017). Effect of NaCl stress on callus induction in *Centella asiatica* (L.) Urban. *Eur J Pharm Sci*, 4(9), 527-531.
- Rosita, E., Siregar, L. A. M., & Kardhinata, E. H. (2015). Pengaruh Jenis Eksplan dan Komposisi Media Terhadap Pembentukan Tunas Tanaman Karet (*Hevea Brasiliensis* Muell. Arg.) Secara *In Vitro*. *Jurnal Agroekoteknologi Universitas Sumatera Utara*, 4(1), 107799.
- Sa'diyah, U. (2019). Peningkatan kandungan flavonoid kalus Delima Hitam (*Punica granatum l.*) dengan penambahan *polyethylene glycol* (PEG) 6000 melalui teknik *in vitro* (Doctoral dissertation, Universitas Islam Negeri Maulana Malik Ibrahim).
- Swamy, K.R.M. (2023). Origin, Distribution, Taxonomy, Botanical Description, Genetic Diversity And Breeding Of *Capsicum* (*Capsicum annum* L.). *International Journal of Development Research*, 13(3), pp. 61956-61977.
- Saputro, T. B., Fadillatus, N., & Dini, E. (2017). Dynamics expression of Osr40c1 gene and growth of maize (*Zea mays*) calluses in responding to salt stress. *Biodiversitas*, 18(2), 801-808.
- Selwal, N., Rahayu, F., Herwati, A., Latifah, E., Suhara, C., Suastika, I. B. K., Mahayu, W. M., & Wani, A. K. (2023). Enhancing Secondary Metabolite Production in Plants: Exploring Traditional and Modern Strategies. *Journal of agriculture and food research*, 14, 100702.
- Sistyananda, F. N., Suminar, E., Nuraini, A., Kadapi, M., Murgayanti, M., Mubarak, S., Budiarto, R., Renaldi, E., & Kusumiyati, K. (2026). Optimization of *Physalis angulata* L. callus induction and salinity-induced antioxidant

production. *Kultivasi*, 25(1).

- Su, Y. H., Tang, L. P., Zhao, X. Y., & Zhang, X. S. (2021). Plant Cell Totipotency: Insights Into Cellular Reprogramming. *Journal of Integrative Plant Biology*, 63(1), 228-243.
- Taratima, W., Chomarsa, T., & Maneerattanarungroj, P. (2022). Salinity stress response of rice (*Oryza sativa* L. cv. Luem Pua) calli and seedlings. *Scientifica*, 2022(1), 5616683.
- Tarigan, P. L., Sukendah, S., Dewanti, F. D., Pribadi, N. Y., & Zulmi, S. N. (2024). Somatic Embryogenesis Induction in *Coffea arabica* L. by 2, 4-Dichlorophenoxyacetic acid and 6-Furfurylaminopurine. *Agro Bali: Agricultural Journal*, 7(3), 731-738.
- Teresia, N., Zakiah, Z., & Turnip, M. (2024). Induksi Kalus dari Hipokotil Belimbing Merah (*Baccaurea angulata*) dengan Penambahan 2, 4-D (*Dichlorophenoxy Acetic Acid*) dan BAP (6-Benzyl Amino Purin). *Jurnal Biologi Tropis*, 24(1), 194-203.
- Vázquez-Espinosa, M., Álvarez-Romero, M., González-de-Peredo, A. V., Ruíz-Rodríguez, A., Ferreira-González, M., Barbero, G. F., & Palma, M. (2023). Capsaicinoid content in the pericarp and placenta of bolilla peppers (*Capsicum annum* L.) throughout the ripening of the fruit at two different stages of plant maturation. *Agronomy*, 13(2), 435.
- Villa-Rivera, MG, & Ochoa-Alejo, N. (2021). Regulasi transkripsi pematangan pada buah cabai (*Capsicum* spp.). *Jurnal Internasional Ilmu Molekuler* , 22 (22), 12151.
- Wahyuni, D. K., Huda, A., Faizah, S., Purnobasuki, H., & Wardojo, B. P. E. (2020). Effects of Light, Sucrose Concentration and Repetitive Subculture on Callus Growth and Medically Important Production in *Justicia gendarussa* Burm. f. *Biotechnology Reports*, 27, e00473.
- Wahyuni, DK, Andriani, P., Ansori, ANM, & Utami, ESW (2017). Induksi kalus gendarussa (*Justicia gendarussa*) dengan variasi konsentrasi 2, 4-D, IBA, dan BAP. *Biosaintifika: Jurnal Pendidikan Biologi & Biologi* , 9 (3), 402-408.
- Waqas, M., Ahmed, D., & Qamar, M. T. (2022). Surfactant-mediated extraction of capsaicin from *Capsicum annum* L. fruit in various solvents. *Heliyon*, 8(8).
- Wardi, S., Sari, I., & Ikhsan, Z. (2018). Respon Pertumbuhan dan Produksi Cabai (*Capsicum annum* L.) terhadap Pemberian Pupuk Nitrogen, Posfor, Kalium dan

- POC Beluntas (*Pluchea indica* L.) pada media gambut. *Jurnal Agro Indragiri*, 3(01), 255-265.
- Weryszko-Chmielewska, E., & Michalojc, Z. (2011). Anatomical traits of sweet pepper (*Capsicum annuum* L.) fruit. *Acta Agrobotanica*, 64(4).
- Wittmann, S., Wittmann, I., Mewis, I., Förster, N., Asseng, S., & Mempel, H. (2025). *Capsicum annuum* in vertical indoor farming: yield and capsaicinoid responses to reduced light and additional UV-A. *Scientia Horticulturae*, 350, 114364.
- Yaroshko, O., Pasternak, T., Larriba, E., & Pérez-Pérez, J. M. (2023). Optimization of callus induction and shoot regeneration from tomato cotyledon explants. *Plants*, 12(16), 2942.
- Yuniardi, F. (2019). Aplikasi *Dimmer Switch* pada Rak Kultur Sebagai Pengatur Kebutuhan Intensitas Cahaya Optimum Bagi Tanaman *In Vitro*. *Indonesian Journal of Laboratory*, 1(4), 8-13.
- Yunita, R., Bagus, F. R. M., Nova, B., Rosadi, F. N., & Jamsari, J. (2021, May). Optimization of growth regulators to induce callus in chili [*Capsicum annuum*] cv. Berangkai. In *IOP Conference Series: Earth and Environmental Science* (Vol. 741, No. 1, p. 012047). IOP Publishing.
- Zamljen, T., Medic, A., Hudina, M., Veberic, R., & Slatnar, A. (2022). Salt stress differentially affects the primary and Secondary Metabolism of Peppers (*Capsicum annuum* L.) according to the Genotype, Fruit Part, and Salinity Level. *Plants*, 11(7), 853.
- Zhang, Y., Zhang, Y., Yu, J., Zhang, H., Wang, L., Wang, S., Guo, S., Miao, Y., Chen, S., Li, Y., & Dai, S. (2019). NaCl-responsive ROS scavenging and energy supply in alkaligrass callus revealed from proteomic analysis. *BMC genomics*, 20(1), 990.
- Zhang, X., Ma, X., Wang, S., Liu, S., & Shi, S. (2024). Physiological and genetic aspects of resistance to abiotic stresses in *Capsicum* species. *Plants*, 13(21), 3013.