

DAFTAR PUSTAKA

- Adetunji, A. E., Varghese, B., & Pammenter, N. (2021). Effects of exogenous application of five antioxidants on vigour, viability, oxidative metabolism and germination enzymes in aged cabbage and lettuce seeds. *South African Journal of Botany*, 137, 85-97.
- Badan Pusat Statistik. (2026). Luas Panen, Produksi, dan Produktivitas Jagung Menurut Provinsi. Luas Panen, Produksi, dan Produktivitas Jagung Menurut Provinsi - Tabel Statistik - Badan Pusat Statistik Indonesia. (diakses 19 Mei 2026).
- Badhani, B., Sharma, N., & Kakkar, R. (2015). Gallic acid: A versatile antioxidant with promising therapeutic and industrial applications. *RSC Advances*, 5(35), 27540–27557.
- Bahrabadi, E., Tavakkol Afshari, R., Mahallati, M. N., & Seyyedi, S. M. (2022). Absciscic, gibberellic, and salicylic acids effects on germination indices of corn under salinity and drought stresses. *Journal of Crop Improvement*, 36(1), 73–89.
- Bailly, C. (2019). The signalling role of ROS in the regulation of seed germination and dormancy. *Biochemical journal*, 476(20), 3019-3032.
- Bailly, C., El-Maarouf-Bouteau, H., & Corbineau, F. (2008). From intracellular signaling networks to cell death: The dual role of reactive oxygen species in seed physiology. *Comptes Rendus Biologies*, 331(10), 806–814.
- Baroi, A., Ritu, S. A., Khan, M. S. U., Uddin, M. N., Hossain, M. A., & Haque, M. S. (2024). Absciscic acid and glycine betaine-mediated seed and root priming enhance seedling growth and antioxidative defense in wheat under drought. *Heliyon*, 10(9).
- Bewley, J. D., Bradford, K. J., Hilhorst, H. W. M., & Nonogaki, H. (2013). *Seeds: Physiology of Development, Germination and Dormancy* (3rd ed.). Springer.
- Bouazzi, A., Bouallegue, A., Kharrat, M., Abbes, Z., & Horchani, F. (2024). Seed priming with gallic acid and hydrogen peroxide as a smart approach to mitigate salt stress in faba bean (*Vicia faba* L.) at the germination stage. *Russian Journal of Plant Physiology*, 71(4), 104.
- Bykova, N. V., & Igamberdiev, A. U. (2025). Redox control of seed germination is mediated by the crosstalk of nitric oxide and reactive oxygen species. *Antioxidants & Redox Signaling*, 42(7–9), 442–461.
- Castro-Camba, R., Sánchez, C., Vidal, N., & Vielba, J. M. (2022). *Plant Development and Crop Yield: The Role of Gibberellins*. *Plants*, 11(19), 2650.

- Chayati, I., Sunarti, S., Marsono, Y., & Astuti, M. (2019). Anthocyanin extract of purple corn improves hyperglycemia and insulin resistance of rats fed high fat and fructose diet via GLP1 and GLP1R mechanism. *J. Food Nutr. Res*, 7, 303-310.
- Chen, K., & Arora, R. (2013). *Priming* memory invokes seed stress-tolerance. *Environmental and Experimental Botany*, 94, 33-45.
- Cherifi, K., B.E. Houssein, B. Hassan and M. Fouad, (2016). Comparative salt tolerance study of some Acacia species at seed germination stage. *Asian J. Plant Sci.*, 15: 66-74.
- Colombo, R., Ferron, L., & Papetti, A. (2021). Colored corn: An up-date on metabolites extraction, health implication, and potential use. *Molecules*, 26(1), 199.
- Corso, M., Perreau, F., Mouille, G., & Lepiniec, L. (2020). Specialized phenolic compounds in seeds: structures, functions, and regulations. *Plant Science*, 296, 110471.
- El-Maarouf-Bouteau, H., & Bailly, C. (2023). ROS in seed germination. *Advances in Botanical Research*, 105, 177–204.
- Farhangi-Abriz, S., & Ghassemi-Golezani, K. (2018). How can salicylic acid and gallic acid mitigate salt toxicity in soybean plants? *Ecotoxicology and Environmental Safety*, 147, 1010–1016.
- Farmansyah, Kusnayadi, Heri; Suhada, Ikhlas. (2025). Pengaruh Pemberian Pupuk Kompos Hayati Dan Pupuk Organik Silikat Cair Terhadap Pertumbuhan Jagung Ketan Ungu Jantan F1 (*Zea mays* var. Ceratina Kulesh) Pada Lahan Kering. *Jurnal Agroteknologi Universitas Samawa* 5(1):19-30
- Finch-Savage, W. E., & Leubner-Metzger, G. (2006). Seed dormancy and the control of germination. *New Phytologist*, 171(3), 501–523.
- Gao, J., Hu, J., Hu, D., & Yang, X. (2019). A role of gallic acid in oxidative damage diseases. *International Journal of Tryptophan Research*, 12, 1–11.
- Gaonkar, S. S., Sincinelli, F., Balestrazzi, A., & Pagano, A. (2024). Quercetin and rutin as tools to enhance antioxidant profiles and post-priming seed storability in *Medicago truncatula*. *Agriculture*, 14(5), 738.
- Hendrik, Arnold C., and Agus M. Meha. (2020)"Seed Germination of Kabisak (Acacia Leucophloea) and Tamarind (Tamarindus Indica) Using Variation of Germinate Materials and TIME of Soaking." *Savana Cendana* 5 (41-43)
- International Seed Testing Association. (2024). International rules for seed testing 2024. *International Seed Testing Association*. <https://www.seedtest.org> (diakses 19 Juni 2026).
- Jalil, A. (2024). Penggunaan Berbagai Jenis Seed Priming dan Pengaruhnya Terhadap Perkecambahan, Kualitas Bibit, Pertumbuhan dan Produksi Dua

- Varietas Bawang Merah (Doctoral dissertation, universitas hasanuddin makassar).
- Junaidi, E., & Anwar, Y. A. S. (2018). Aktivitas Antibakteri dan Antioksidan asam galat dari kulit buah lokal yang diproduksi dengan Tanase. *ALCHEMY Jurnal Penelitian Kimia*, 14(1), 131.
- Kasirajan, S., & Mel, V.S. (2016). Hydropriming: A promising seed *priming* technique for enhancing seed quality. *International Journal of Current Research*, 8(9), 38841-38844.
- Khan, F., Bhat, S. A., Narayan, S., Maqbool, R., Murtuza, I. & Khan, F. U. (2017). Seed deterioration and *priming*-An Overview. *SKUAST Journal of Research*, 19(1).
- Kurnia, T. D., E. Pudjihartai, dan L. T. Hasan. (2016). Bio-*Priming* BenihKedelai (Glycine max (L.) Merrill) untuk Meningkatkan Mutu Perkecambahan. *Biota* 1(2):62-67.
- Li, Z., Wang, Y., & Huang, J. (2021). Roles of reactive oxygen species and mitochondria in seed germination. *Frontiers in Plant Science*, 12, 781734.
- Lopez-Martinez, L. X., Parkin, K. L., & Garcia, H. S. (2011). Phase II-inducing, polyphenols content and antioxidant capacity of corn (*Zea mays* L.) from phenotypes of white, blue, red and purple colors processed into masa and tortillas. *Plant foods for human nutrition*, 66(1), 41-47.
- Lubis, Y. A., L. A. P. Putri, dan Rosmayati. (2013). Pengaruh Selfing Terhadap karakter Tanaman Jagung pada Generasi F4 Selfing. *Jurnal Online Agroekoteknologi* 1(2):204- 317.
- MacDonald, M. T., & Mohan, V. R. (2025). Chemical seed priming: Molecules and mechanisms for enhancing plant germination, growth, and stress tolerance. *Current Issues in Molecular Biology*, 47(3), 177
- Miratsi, L., Kurniawan, W. B., & Indriawati, A. (2024). Penerapan Metode Elektrokoagulasi Dalam Peningkatan Kualitas Larutan FeCl3. 6H2O. *Jurnal Riset Fisika Indonesia*, 5(1), 19-28.
- Mufidah, N., A.N. Sugiharto, and B. Waluyo. (2021). Assessment of combining ability in purple corn parents under line $\times$ tester mating design using GGE biplot. *Biodiversitas J. Biol. Divers.* 22(10): 4545 4554
- Paweningsih, Risma Dwi. (2019). Karakterisasi Jagung Ketan (*Zea Mays* L. Var. Ceratina) Pada Generasi S5. *Sarjana thesis*, Universitas Brawijaya
- Raza, S.H., Shafiq, F., Chaudhary, M., Khan, I., (2013). Seed invigoration with water, ascorbic and salicylic acid stimulates development and biochemical characters of okra (*ablemoschus esculentus*) under normal and saline conditions. *Int. J. Agric. Biol.* 15, 486–492.

- Royal Botanic Gardens, Kew. (2026). *Plants of the World Online*. <https://powo.science.kew.org/> (diakses 22 Mei 2026).
- Rusmin, D., Darwati, I., Suwarno, F. C., & Ilyas, S. (2016). Viabilitas benih Purwoceng (*Pimpinella pruatjan*) pada berbagai perlakuan stimulasi perkecambahan. *Bul. Littro*, 27(2), 115-122.
- Shao, Q., Ren, L., Ramzan, M., Hussain, M., Datta, R., Almoallim, H. S., Ansari, M. J. & Ehsan, A. (2024). Combined effect of gallic acid and zinc ferrite nanoparticles on wheat growth and yield under salinity stress. *Scientific reports*, 14.
- Sharifi, R. (2016). Effect of seed priming and foliar application with micronutrients on quality of forage corn (*Zea mays*). *Environmental and Experimental Biology* 14: 151–156
- Siyami, R., Mirshekari, B., Farahvash, F., Rashidi, V., & Tarinejad, A. (2018). The effect of physical priming of seed on traits and yield of corn (*Zea mays* L.) under water deficit conditions in Iran. *Applied Ecology & Environmental Research*, 16(1).
- Sonhaji, M. Y., M. Surahman, S. Ilyas, dan Giyanto. (2013) Perlakuan Benih untuk Meningkatkan Mutu dan Produksi Benih serta Mengendalikan Penyakit Bulai pada Jagung Manis. *Jurnal Agron* 41(3):242-248.
- Taiz, L., Zeiger, E., Møller, I. M., & Murphy, A. (2018). *Plant Physiology and Development* (6th ed.). Sinauer Associates.
- Trehan, S., Singh, N., & Kaur, A. (2018). Characteristics of white, yellow, purple corn accessions: phenolic profile, textural, rheological properties and muffin making potential. *Journal of Food Science and Technology*, 55(6), 2334-2343.
- Ullah, S., Shah, W., Hafeez, A., Ali, B., Khan, S., ... & Elshikh, M. S. (2023). Biochar and seed priming technique with gallic acid: An approach toward improving morpho-anatomical and physiological features of *Solanum melongena* L. under induced NaCl and boron stresses. *ACS omega*, 8(31), 28207-28232.
- United States Department of Agriculture. (n.d.). *Zea mays* L. ssp. *mays* (corn). USDA PLANTS Database. <https://plants.sc.egov.usda.gov/plant-profile/ZEMAM2> (Diakses 10 Juni 2026)
- Wulan, P. N., I. Yulianah, dan Damanhuri. (2017). Penurunan Ketegaran (inbreeding depression) pada Generasi F1, S1 dan S2 Populasi Tanaman Jagung. *Jurnal Produksi Tanaman* 5(3):521-530.
- Xu, Z., Yang, B., Fan, J., Yuan, Q., He, F., Liang, H., ... & Liu, W. (2024). Gallic acid regulates primary root elongation via modulating auxin transport and signal transduction. *Frontiers in Plant Science*, 15, 1464053.

Zeid, I. M., Gharib, Z. F. A. E., Ghazi, S. M., & Ahmed, E. Z. (2019). Promotive effect of ascorbic acid, gallic acid, selenium and nano-selenium on seed germination, seedling growth and some hydrolytic enzymes activity of cowpea (*Vigna unguiculata*) seedling. *J Plant Physiol Pathol* 7, 1(2).