

DAFTAR PUSTAKA

- Agustina, A., & Aprinica, N. P. I. (2022). Dampak Pariwisata Terhadap Pencemaran Air Danau Batur Kabupaten Bangli. *Jurnal Ilmiah Hospitality Management*, 12(2): 81-89.
- Aiuppa, A., & Moussallam, Y. (2024). Hydrogen and hydrogen sulphide in volcanic gases: abundance, processes, and atmospheric fluxes. *Comptes Rendus. Géoscience*, 356(1), 85-108.
- Al Malik, M. D., Aulya, M., & Cahyani, N. K. D. (2026). DBP metabarcoding pipeline: An integrated tool for eDNA analysis of ONT data using the Indonesian marine fish database. *Regional Studies in Marine Science*, 104868.
- Al Malik, M. D., Cahyani, N. K. D., & Anggoro, A. W. (2025). DBP Metabarcoding Pipeline (for metabarcoding data using nanopore). <https://www.protocols.io/view/dbp-metabarcoding-pipeline-for-metabarcoding-data-j8nlk94rxv5r/v1>.
- Amelia, T., Lestari, W., & Nuryanto, A. (2014). Distribusi longitudinal dan struktur populasi *Rasbora* spp. di Sungai Banjaran Kabupaten Banyumas. *Scripta Biologica*, 1(2), 167-172.
- Antich, A., Palacín, C., Cebrian, E., Golo, R., Wangenstein, O. S., & Turon, X. (2021). Marine biomonitoring with eDNA: Can metabarcoding of water samples cut it as a tool for surveying benthic communities?. *Molecular ecology*, 30(13), 3175-3188.
- Aryanti, F., Amati, N., Lestari, D. W., Putra, A. W., & Abas, A. E. P. (2023). Struktur komunitas gastropoda pada ekosistem mangrove di Pulau Pannikiang. *Bioma: Jurnal Biologi Makassar*, 8(1), 7-15.
- Bali Post. (2022, 3 Agustus). Semburan belerang kembali muncul di Danau Batur, sejumlah ikan mati. *Bali Post*. <https://www.balipost.com/news/2022/08/03/283841/Semburan-Belerang-Kembali-Muncul-di...html>
- Bali Travel News. (2024, 21 April). Air Danau Batur sempat berubah warna diduga akibat letupan belerang. *Bali Travel News*. <https://www.balitravelnews.id/regency/105612510204/air-danau-batur-sem-pat-berubah-warna-diduga-akibat-letupan-belerang>
- Barluenga, M., & Meyer, A. (2010). Phylogeography, colonization and population history of the Midas cichlid species complex (*Amphilophus* spp.) in the Nicaraguan crater lakes. *BMC Evolutionary Biology*, 10(1), 326.

- Barnes, M. A., & Turner, C. R. (2016). The ecology of environmental DNA and implications for conservation genetics. *Conservation genetics*, 17(1), 1-17.
- Berra, T. M. (2001). *Freshwater fish distribution*. Academic Press.
- Boussarie, G., Bakker, J., Wangensteen, O.S., Mariani, S., Bonnin, L., Juhel, J.B., Kiszka, J.J., Kulbicki, M., Manel, S., Robbins, W.D. & Vigliola, L. (2018). Environmental DNA illuminates the dark diversity of sharks. *Science Advances*, 4(5): 1-8.
- Brys, R., Halfmaerten, D., Neyrinck, S., Mauvisseau, Q., Auwerx, J., Sweet, M., & Mergeay, J. (2021). Reliable eDNA detection and quantification of the European weather loach (*Misgurnus fossilis*). *Journal of Fish Biology*, 98(2), 399-414.
- Bylemans, J., Gleeson, D. M., Duncan, R. P., Hardy, C. M., & Furlan, E. M. (2019). A performance evaluation of targeted eDNA and eDNA metabarcoding analyses for freshwater fishes. *Environmental DNA*, 1(4), 402-414.
- Canonico, G. C., Arthington, A., McCrary, J. K., & Thieme, M. L. (2005). The effects of introduced tilapias on native biodiversity. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 15(5), 463-483.
- Cahyani, N. K. D., Al Malik, M. D., Soeprobowati, T. R., Anggoro, A. W., & Syakal, E. R. (2024). *Metode pengambilan sampel eDNA dan analisisnya: Teori dan praktek*. UNDIP PRESS.
- Callahan, B. J., McMurdie, P. J., & Holmes, S. P. (2017). Exact sequence variants should replace operational taxonomic units in marker-gene data analysis. *The ISME journal*, 11(12), 2639-2643.
- Callier, M. D., Byron, C. J., Bengtson, D. A., Cranford, P. J., Cross, S. F., Focken, U., & McKindsey, C. W. (2018). Attraction and repulsion of mobile wild organisms to finfish and shellfish aquaculture: a review. *Reviews in aquaculture*, 10(4), 924-949.
- Capo, E., Spong, G., Königsson, H., & Byström, P. (2020). Effects of filtration methods and water volume on the quantification of brown trout (*Salmo trutta*) and Arctic char (*Salvelinus alpinus*) eDNA concentrations via droplet digital PCR. *Environmental DNA*, 2(2), 152-160.
- Collins, R. A., Bakker, J., Wangensteen, O. S., Soto, A. Z., Corrigan, L., Sims, D. W., & Mariani, S. (2019). Non-specific amplification compromises environmental DNA metabarcoding with COI. *Methods in Ecology and Evolution*, 10(11), 1985-2001.
- Cooper, M. K., Villacorta-Rath, C., Burrows, D., Jerry, D. R., Carr, L., Barnett, A., & Simpfendorfer, C. A. (2022). Practical eDNA sampling methods

- inferred from particle size distribution and comparison of capture techniques for a Critically Endangered elasmobranch. *Environmental DNA*, 4(5), 1011-1023.
- Cristescu, M. E., & Hebert, P. D. (2018). Uses and misuses of environmental DNA in biodiversity science and conservation. *Annual Review of Ecology, Evolution, and Systematics*, 49(1), 209-230.
- Cucherousset, J., & Olden, J. D. (2011). Ecological impacts of non-native freshwater fishes. *Fisheries*, 36(5), 215-230.
- Curd, E. E., Gold, Z., Goodwin, K. D., Choi, E. S., Frable, B. W., Thompson, A. R., & Barber, P. H. (2021). Improving metabarcoding taxonomic assignment: A case study of fishes in a large marine ecosystem. *Molecular ecology resources*, 21(7), 2546-2564.
- D'Amato, M. E., Esterhuysen, M. M., Van Der Waal, B. C., Brink, D., & Volckaert, F. A. (2007). Hybridization and phylogeography of the *Mozambique tilapia* & *Oreochromis mossambicus* in southern Africa evidenced by mitochondrial and microsatellite DNA genotyping. *Conservation Genetics*, 8(2), 475-488.
- David, B. O., Fake, D. R., Hicks, A. S., Wilkinson, S. P., Bunce, M., Smith, J. S., & Gleeson, D. M. (2021). Sucked in by eDNA a promising tool for complementing riverine assessment of freshwater fish communities in Aotearoa New Zealand. *New Zealand Journal of Zoology*, 48(3-4), 217-244.
- Deagle, B. E., Thomas, A. C., McInnes, J. C., Clarke, L. J., Vesterinen, E. J., Clare, E. L., & Eveson, J. P. (2019). Counting with DNA in metabarcoding studies: How should we convert sequence reads to dietary data?. *Molecular ecology*, 28(2), 391-406.
- Deiner, K., Bik, H. M., Mächler, E., Seymour, M., Lacoursière-Roussel, A., Altermatt, F., Creer, S., Bista, I., Lodge, D. M., de Vere, N., Pfrender, M. E., & Bernatchez, L. (2017). Environmental DNA metabarcoding: Transforming how we survey animal and plant communities. *Molecular Ecology*, 26(21): 5872-5895.
- Dejean, T., Valentini, A., Duparc, A., Pellier-Cuit, S., Pompanon, F., Taberlet, P., & Miaud, C. (2011). Persistence of environmental DNA in freshwater ecosystems. *PLoS ONE*, 6(8), e23398.
- Detikcom. (2025, Juli). Viral ribuan ikan mati massal akibat belerang di Danau Batur, ini penjelasannya. *Detikcom*.
<https://www.detik.com/bali/berita/d-8010605/viral-ribuan-ikan-mati-massal-akibat-belerang-di-danau-batur-ini-penjasannya>

- De Silva, S. S., Subasinghe, R. P., Bartley, D. M., & Lowther, A. (2004). *Tilapias as alien aquatics in Asia and the Pacific: A review* (FAO Fisheries Technical Paper No. 453). Food and Agriculture Organization of the United Nations.
- Diaz, R. J., & Rosenberg, R. (2008). Spreading dead zones and consequences for marine ecosystems. *science*, 321(5891), 926-929.
- Dina, R., Wahyudewantoro, G., Larashati, S., Aisyah, S., Lukman, L., Sulastri, S., Imroatushshoolikhah, I., & Sauri, S. (2022). Distributional mapping and impacts of invasive alien fish in Indonesia: An alert to inland waters sustainability. *Sains Malaysiana*, 51(8), 2377–2401.
- Doorenspleet, K., Jansen, L., Oosterbroek, S., Kamermans, P., Bos, O., Wurz, E., Murk, A., & Nijland, R. (2024). The long and the short of it: Nanopore based eDNA metabarcoding of marine vertebrates works; sensitivity and specificity depend on amplicon lengths. *Molecular Ecology Resources*, 24(3), e14079.
- Dubreuil, T., Baudry, T., Mauvisseau, Q., Arqu  , A., Courty, C., Delaunay, C., & Grandjean, F. (2022). The development of early monitoring tools to detect aquatic invasive species: eDNA assay development and the case of the armored catfish *Hypostomus robinii*. *Environmental DNA*, 4(2), 349-362.
- Dudgeon, D., Arthington, A. H., Gessner, M. O., Kawabata, Z. I., Knowler, D. J., L  v  que, C., & Sullivan, C. A. (2006). Freshwater biodiversity: importance, threats, status and conservation challenges. *Biological reviews*, 81(2), 163-182.
- Elbaraasi, H., Mohamed, M. A., Elsilini, O., Jenjan, H., Corinaldesi, C., Buschi, E., & Azzurro, E. (2022). The Yucatan molly *Poecilia velifera* (Regan, 1914) (Cyprinodontiformes: Poeciliidae): an invasive species in the Mediterranean lagoon of Ayn Zayanah, Libya. *BioInvasions Records*, 11(2), 481-490.
- Evan, A. R. (2019). Exploring the biodiversity of the lakes of the Malay Archipelago using environmental DNA metabarcoding. *Dissertation*, Bangor University.
- Frankham, R. (2005). Genetics and extinction. *Biological conservation*, 126(2), 131-140.
- Febrian, I., Nursadah, E., & Karyadi, B. (2022). Analisis Indeks Keanekaragaman, Keragaman, dan Dominansi Ikan di Sungai Aur Lemau Kabupaten Bengkulu Tengah. *Bioscientist: Jurnal Ilmiah Biologi*, 10(2): 600-612.
- Fonseca, V. G. (2018). Pitfalls in relative abundance estimation using eDNA metabarcoding. *Molecular Ecology Resources*, 18(5), 5872-5895

- Gavriloaie, C. (2023). The contribution of the diversity of Poeciliid fishes and their genetic plasticity to the development of the aquarium hobby and the aquarium market. *Poeciliid Research*, 13(1), 1-8.
- Gómez-Márquez, J. L., Peña-Mendoza, B., & Guzmán-Santiago, J. L. (2016). Reproductive biology of *Poecilia sphenops* valenciennes, 1846 (Cyprinodontiformes: Poeciliidae) at the Emiliano Zapata reservoir in Morelos, Mexico. *Neotropical Ichthyology*, 14(02), e140127.
- Gozlan, R. E., Britton, J. R., Cowx, I., & Copp, G. H. (2010). Current knowledge on non-native freshwater fish introductions. *Journal of fish biology*, 76(4), 751-786.
- Gustiano, R., Sri Haryani, G., Arthana, I. W., Noegroho, T., Aisyah, S., Kartika, G. R. A., & Aththar, M. H. F. (2023). Non-native and invasive fish species of Lake Batur in Bali, Indonesia. *BioInvasions Record*, 12(3): 837-850.
- Gustiano, R., Haryani, G. S., Aisyah, S., Nur, F. M., Kartika, G. R., Noegroho, T., & Permana, I. G. N. (2024). Ecophenotypic Variation of *Midas Cichlid*, *Amphilophus citrinellus* (Gunther, 1864), in Lake Batur, Bali, Indonesia. *Brazilian Journal of Biology*, 84, 1-9.
- Guzik, M. T., Stringer, D. N., Thornhill, J., Coates, P. J., Van der Heyde, M., Hillyer, M. J., & Austin, A. D. (2025). What are the best practices for curating eDNA custom barcode reference libraries? A case study using Australian subterranean fauna. *Biological Journal of the Linnean Society*, 146(1), 1-12.
- Handayani, C. I., Arthana, I. W., & Merit, I. N. (2011). Identifikasi sumber pencemar dan tingkat pencemaran air di Danau Batur Kabupaten Bangli. *Ecotrophic*, 6(1), 37-43.
- Handley, L. L., Read, D. S., Winfield, I. J., Kimbell, H., Johnson, H., Li, J., & Hänfling, B. (2019). Temporal and spatial variation in distribution of fish environmental DNA in England's largest lake. *Environmental DNA*, 1(1), 26-39.
- Hänfling, B., Lawson Handley, L., Read, D. S., Hahn, C., Li, J., Nichols, P., & Winfield, I. J. (2016). Environmental DNA metabarcoding of lake fish communities reflects long-term data from established survey methods. *Molecular ecology*, 25(13), 3101-3119.
- Haryani, G. S., Gustiano, R., Arthana, I. W., Noegroho, T., Aisyah, S., Kartika, G. R. A., & Sulawesty, F. (2025). Optimizing Fisheries Management for Invasive Fish Control in Lake Batur, Bali Island. In *BIO Web of Conferences* (Vol. 196, p. 05001). EDP Sciences.
- Hassan, S., Bahar, R., Johan, M. F., Mohamed Hashim, E. K., Abdullah, W. Z., Esa, E., & Zulkafli, Z. (2023). Next-generation sequencing (NGS) and

- third-generation sequencing (TGS) for the diagnosis of thalassemia. *Diagnostics*, 13(3): 373.
- Hasan, V., Pratama, F., Malonga, W. A. M., & Cahyanurani, A. B. (2019). First record of the Mozambique Tilapia *Oreochromis mossambicus* Peters, 1852 (Perciformes: Cichlidae) on Kangean Island, Indonesia. *Neotropical Biology and Conservation*, 14(2), 207–211.
- Heather, J. M., & Chain, B. (2016). The sequence of sequencers: The history of sequencing DNA. *Genomics*, 107(1), 1-8.
- Hering, D., Borja, A., Jones, J. I., Pont, D., Boets, P., Bouchez, A., & Kelly, M. (2018). Implementation options for DNA-based identification into ecological status assessment under the European Water Framework Directive. *Water research*, 138: 192-205.
- Hu, T., Chitnis, N., Monos, D., & Dinh, A. (2021). Next-generation sequencing technologies: An overview. *Human Immunology*, 82(11), 801-811.
- Inocencia, A., Putranto, T. W. C., & Syauqina, M. (2021). Inventarisasi jenis ikan air tawar di kawasan Kampus Universitas Palangka Raya, Kalimantan Tengah. *Jurnal Ilmu Hayat*, 5(1), 35-42.
- Iskandar, I. (2021). Pengaruh perbedaan salinitas terhadap pertumbuhan dan kelangsungan hidup benih ikan mujair (*Oreochromis mossambicus*). *Arwana: Jurnal Ilmiah Program Studi Perairan*, 3(1), 44-51.
- Iqbal, M., Amey, T., Widayanti, G. A., Aprillia, I., Syafutra, R., Sari, D. K., & Pattiselanno, F. (2024). From “Sabang to Merauke”, the presence of non-native *Oreochromis mossambicus* and *Oreochromis niloticus* (Cichliformes: Cichlidae) in Indonesia. In Bio Web of Conferences (Vol. 136, p. 03007). *EDP Sciences*.
- Iqbal, P. M., Imadadienan, F. J., & Pius, G. (2022). *Ancaman Tambang Batubara terhadap Keanekaragaman Hayati di Kalimantan. Kalimantan Timur, Perkumpulan Aksi Ekologi dan Emansipasi Rakyat (AEER)*.
- Jaya, N. M. P., Harmayani, K. D., Widhiawati, I. A. R., Parahita, I. G. A. A., Wiryananda, N. G. A. K., Putra, I. N. A. G. P., & Tara, N. P. R. S. (2024). Pembuatan Percontohan Keramba Jaring Apung (KJA) Ramah Lingkungan di Perairan Danau. *Buletin Udayana Mengabdi*, 23(1), 67-72.
- Jiang, P. W., Min, L. I., Shuai, Z. H. A. N. G., Zuo-Zhi, C. H. E. N., & Shan-Nan, X. U. (2022). Investigating the fish diversity in pearl river estuary based on environmental DNA metabarcoding and bottom trawling. *Acta Hydrobiologica Sinica*, 46(11), 1701-1711.
- Jiménez, P. T., & Beto, H. T. (2007). Alimentación de los peces dulceacuícolas tropicales *Heterandria bimaculata* y *Poecilia sphenops*

- (Cyprinodontiformes Poeciliidae). *Revista de Biología Tropical*, 55(2), 603-615.
- Jo, T., Murakami, H., Yamamoto, S., Masuda, R., & Minamoto, T. (2019). Effect of water temperature and fish biomass on environmental DNA shedding, degradation, and size distribution. *Ecology and evolution*, 9(3), 1135-1146.
- Juliawan I. W., Arthana, I. W., Suryaningtyas, E. W. (2020). Sebaran pola pertumbuhan ikan Red Devil (*Amphilophus* sp.) Di Kawasan Danau Batur, Bali. *Jurnal Bumi Lestari*, 20: 40–49.
- Jusmaldi, J., Dianingrum, A. R., & Hariani, N. (2021). Pola pertumbuhan dan faktor kondisi ikan sepat rawa *Trichopodus trichopterus* (Pallas, 1770) dari Bendungan Lempake, Kalimantan Timur. *Jurnal Iktiologi Indonesia*, 21(3), 215-233.
- Karamitros, T., & Magiorkinis, G. (2017). Multiplexed targeted sequencing for oxford nanopore MinION: a detailed library preparation procedure. In *Next Generation Sequencing: Methods and Protocols* (pp. 43-51). New York, NY: Springer New York.
- Kartini, & Elvyra, R. (2025). Inventarisasi Ikan Famili Channidae Di Desa Mentulik Sungai Kampar Kiri, Provinsi Riau. *Berkala Perikanan Terubuk*, 53(2), 2935-2940.
- Katsanevakis, S., Wallentinus, I., Zenetos, A., Leppäkoski, E., Çinar, M. E., Öztürk, B., Grabowski, M., Golani, D., & Cardoso, A. C. (2014). Impacts of invasive alien marine species on ecosystem services and biodiversity: a pan-European review. *Aquatic Invasions*, 9: 391–423.
- Kelly, R. P., Port, J. A., Yamahara, K. M., & Crowder, L. B. (2014). Using environmental DNA to census marine fishes in a large mesocosm. *PloS one*, 9(1), e86175.
- Kementerian Kelautan dan Perikanan Republik Indonesia. (2020). *Peraturan Menteri Kelautan dan Perikanan Nomor 19/PERMEN-KP/2020 tentang Larangan Pemasukan, Pembudidayaan, Peredaran, dan Pengeluaran Jenis Ikan yang Membahayakan dan/atau Merugikan ke Dalam dan dari Wilayah Pengelolaan Perikanan Negara Republik Indonesia*. JDIH BPK RI. <https://peraturan.bpk.go.id/Details/159377/permen-kkp-no-19permen-kp2020-tahun-2020>
- Klymus, K. E., Richter, C. A., Chapman, D. C., & Paukert, C. (2015). Quantification of eDNA shedding rates from invasive bighead carp *Hypophthalmichthys nobilis* and silver carp *Hypophthalmichthys molitrix*. *Biological conservation*, 183, 77-84.

Kompas. (2021, 3 Maret). 11.950 kilogram ikan mati di Danau Batur, kerugian capai ratusan juta rupiah. *Kompas.com*.

<https://regional.kompas.com/read/2021/03/03/152801578/11950-kilogram-ikan-mati-di-danau-batur-kerugian-capai-ratusan-juta-rupiah>

Kottelat, M., Whitten, A. J., Kartikasari, N., & Wirjoatmodjo, S. (1993). *Freshwater fishes of Western Indonesia and Sulawesi*. Periplus Editions.

Levi, T., Allen, J. M., Bell, D., Joyce, J., Russell, J. R., Tallmon, D. A., Vulstek, S. C., Yang, C., & Yu, D. W. (2019). Environmental DNA for the enumeration and management of Pacific salmon. *Molecular Ecology Resources*, 19(3), 597-608.

Liang, X., Yang, X., Sha, N., Wang, J., GuangleiQiu, & Chang, M. (2025). Application of eDNA Metabarcoding Technology to Monitor the Health of Aquatic Ecosystems. *Journal of Water*, 17: 1-11.

Lu, H., Giordano, F., & Ning, Z. (2020). Oxford Nanopore MinION Sequencing and Genome Assembly. *Genomics, Proteomics & Bioinformatics*, 14(5), 265-279.

Lumbantobing, D. 2021. *Rasbora baliensis*. The IUCN Red List of Threatened Species 2021: e.T19315A91070323.

Lusia, A., Prayogo, T., Zulaikha, S., Widodo, L., & Garno, Y. S. (2023). Persepsi Masyarakat Petani Terhadap Manfaat dan Kondisi Lingkungan Danau Batur: Perception of the Farming Community on Benefits and Environmental Conditions of Lake Batur. *Jurnal Teknologi Lingkungan*, 24(2), 228-234.

Macher, T. H., Schütz, R., Yildiz, A., Beermann, A. J., & Leese, F. (2023). Evaluating five primer pairs for environmental DNA metabarcoding of Central European fish species based on mock communities. *Metabarcoding and Metagenomics*, 7: 217–245.

Mächler, E., Walser, J. C., & Altermatt, F. (2021). Decision-making and best practices for taxonomy-free environmental DNA metabarcoding in biomonitoring using Hill numbers. *Molecular Ecology*, 30(13), 3326-3339.

Macher, T. H., Schütz, R., Arle, J., Beermann, A. J., Koschorreck, J., & Leese, F. (2021). Beyond fish eDNA metabarcoding: Field replicates disproportionately improve the detection of stream associated vertebrate species. *BioRxiv*, 1-30.

Macaranas, J. M., Taniguchi, N., Pante, M., Capili, J. B., & Pullin, R. S. V. (1986). Electrophoretic Evidence for Extensive Hybrid Gene Introgression into Commercial *Oreochromis niloticus* (L.) Stocks in the Philippines. *Aquaculture and Fisheries Management*, 17, 249-258.

- Madduppa, H., Cahyani, N. K. D., Anggoro, A. W., Subhan, B., Jefri, E., Sani, L. M. I., & Bengen, D. G. (2021). eDNA metabarcoding illuminates species diversity and composition of three phyla (chordata, mollusca and echinodermata) across Indonesian coral reefs. *Biodiversity and Conservation*, 30(11), 3087-3114.
- McKinnon, J. S., & Rundle, H. D. (2002). Speciation in nature: the threespine stickleback model systems. *Trends in Ecology & Evolution*, 17(10), 480-488.
- Meyer, A. (1997). The evolution of sexually selected traits in male swordtail fishes (Xiphophorus: Poeciliidae). *Heredity*, 79(3), 329-337.
- Miya, M., Gotoh, R. O., & Sado, T. (2020). MiFish metabarcoding: a high-throughput approach for simultaneous detection of multiple fish species from environmental DNA and other samples. *Ichthyological Research*, 86: 939-970.
- Miya, M., Sato, Y., Fukunaga, T., Sado, T., Poulsen, J. Y., Sato, K., & Iwasaki, W. (2015). MiFish, a set of universal PCR primers for metabarcoding environmental DNA from fishes: detection of more than 230 subtropical marine species. *Royal Society open science*, 2(7), 150088.
- Mollah, A., Ashan, M. A., & Khatimah, A. H. (2022). Uji kualitas dan kuantitas DNA porang (*Amorphophallus muelleri*) pada beberapa kawasan di Sulawesi Selatan. *Jurnal Agritechno*, 1-7.
- Morey, K. C., Myler, E., Hanner, R., & Tetreault, G. (2024). Taxonomic Blind Spots: A Limitation of Environmental DNA Metabarcoding-Based Detection for Canadian Freshwater Fishes. *Environmental DNA*, 6(6), 1-17.
- Moyer, G. R., Díaz-Ferguson, E., Hill, J. E., & Shea, C. (2014). Assessing environmental DNA detection in controlled lentic systems. *PLoS ONE*, 9(7), e103767.
- Murakami, H., Yoon, T. H., Kasai, A., Minamoto, T., Yamamoto, S., Sakata, M. K., Horiuchi, T., Sawada, H., Kondoh, M., Yamashita, Y., & Masuda, R. (2019). Dispersion and degradation of environmental DNA from caged fish in a marine environment. *Fisheries Science*, 85(2), 327–337.
- Muslim, M., Yonarta, D., Syaifudin, M., & Harmilia, E. D. (2023). The diversity of seluang fish (Danionidae, Rasbora) in the swamp waters of Cinta Marga village Ogan Ilir regency South Sumatra. *Arwana: Jurnal Ilmiah Program Studi Perairan*, 5(2), 132-138.
- Njiru, M., Okeyo-Owuor, J. B., Muchiri, M., & Cowx, I. G. (2004). Shifts in the food of Nile tilapia, *Oreochromis niloticus* (L.) in Lake Victoria, Kenya. *African Journal of Ecology*, 42(3), 163-170.

- Nolan, J. M., Skujina, I., Hurpy, G., Tighe, A. J., Whelan, C., & Teeling, E. C. (2025). Evaluation of Oxford Nanopore Technologies MinION Sequencer as a Novel Short Amplicon Metabarcoding Tool Using Arthropod Mock Sample and Irish Bat Diet Characterisation. *Ecology and Evolution*, 15(5), e71333.
- Ohee, H. L., Sujarta, P., Surbakti, S. B., & Barclay, H. (2018). Rapid expansion and biodiversity impacts of the red devil cichlid (*Amphilophus labiatus*, Günther 1864) in Lake Sentani, Papua, Indonesia. *Biodiversitas*, 19(6), 2096-2103.
- Oldfield, R. G. (2011). Aggression and welfare in a common aquarium fish, the Midas cichlid. *Journal of Applied Animal Welfare Science*, 14(4), 340-360.
- Olds, B. P., Jerde, C. L., Renshaw, M. A., Li, Y., Evams, N. T., Turner, C. R., Deiner, K., Mahon, A. R., Brueseke, M. A., Shirey, P. D., Pfrender, M. E., Lodge, D. M., & Lamberti, G. A. (2016). Estimating species richness using environmental DNA. *Ecol Evol*, 6: 4214–4226.
- Östlund-Nilsson, S., Mayer, I., & Huntingford, F. A. (Eds.). (2006). *Biology of the three-spined stickleback*. CRC Press.
- Othman, N., Haris, H., Fatin, Z., & Faudzir, N. M. (2021). A Review on Environmental DNA (eDNA) Metabarcoding Markers for Wildlife Monitoring Research. *IOP Conference Series: Earth and Environmental Science*, 736: 1-6.
- Oxford Nanopore Technologies. (2015). Introducing MinION - Oxford Nanopore Technologies' portable DNA sequencer. Retrieved from <https://nanoporetech.com>
- Pamularsih, T. R. (2021). Strategi Pengembangan Potensi Wisata Alam di Desa Abangsongan, Kintamani, Kabupaten Bangli, Bali. *Jurnal Sosial Humaniora dan Pendidikan*, 5(1): 46-54.
- Pandakov, P., Barzov, Z., Moldovanski, R., & Huđek, H. (2021). First confirmed record of an established population of green swordtail (*Xiphophorus hellerii* Heckel, 1848) in Europe. *Knowledge & Management of Aquatic Ecosystems*, (422), 31.
- Pandawana, I. D. G. A., Partama, Y. I. G. D., Puspitawati, N. M. D., Dwipa, I. M. S., & Sari, P. A. P. (2023). Penerapan Teknologi Smart Jair Berbasis IoT Dalam Meningkatkan Produktivitas Budidaya Ikan Mujair dan Mitigasi Kematian Ikan Massal Di KJA Danau Batur-Kintamani. *Community Development Journal*, 4(6), 13.013-13.018.
- Pecl, G. T., Araújo, M. B., Bell, J. D., Blanchard, J., Bonebrake, T. C., Chen, I. C., & Williams, S. E. (2017). Biodiversity redistribution under climate

- change: Impacts on ecosystems and human well-being. *Science*, 355(6332), 9214.
- Pereira, R., Oliveira, J., & Sousa, M. (2020). Bioinformatics and Computational Tools for Next-Generation Sequencing Analysis in Clinical Genetics. *Journal of Clinical Medicine*, 9: 1-30.
- Pos Bali. (2021, Agustus). Kurangi bau busuk, ratusan liter eco enzyme dituang di Danau Batur. *Pos Bali*.
<https://www.posbali.net/daerah/1422692611/kurangi-bau-busuk-ratusan-liter-eco-enzyme-dituang-di-danau-batur>
- Prakash, S., & Verma, A. K. (2022). Anthropogenic Activities and Biodiversity Threats. *International Journal of Biological Innovations*, 4(1): 94-103.
- Putri, N. N. S., Putra, I. D. G. A. D., & Rajendra, I. G. N. A. (2023) Analysis of Land Use Suitability in Batur Lake Border, Bali Province. *Journal of Regional and Rural Development Planning*, 7: 29–41,
- Qi, Z., Liu, J., Shi, J., Yin, M., Liu, J., Fan, J., & Hu, J. (2025). Integrated transcriptomic and epigenomic analysis reveals mechanisms underlying melanotic spot formation in red tilapia (*Oreochromis* spp.). *International Journal of Molecular Sciences*, 26(9), 4370.
- Radiarta, I. N., & Sagala, S. L. (2012). Model Spasial Tingkat Kesuburan Perairan di Danau Batur Kabupaten Bangli Provinsi Bali dengan Aplikasi Sistem Informasi Geografis. *Jurnal Riset Akuakultur*, 7(3), 499-508.
- Rais, A. H., Sawestri, S., & Muthmainnah, D. (2020). Dinamika pertumbuhan sepat siam (*Trichopodus pectoralis*, Regan 1910) di Perairan Rawa Banjiran Patra Tani Sumatra Selatan. *Depik*, 9(3), 444-451.
- Rambe, K., Harahap, M. A. B., Pratiwi, A., Gultom, Y. A., Sagala, F. A., & Khairul. (2023). Eksplorasi aspek bioekologi dan status konservasi ikan endemik Sumatera Rasbora spilotaenia Hubbs & Brittan, 1954. *Bioscientist: Jurnal Ilmiah Biologi*, 11(2), 1111–1122.
- Rishan, S. T., Kline, R. J., & Rahman, M. S. (2023). Applications of environmental DNA (eDNA) to detect subterranean and aquatic invasive species: A critical review on the challenges and limitations of eDNA metabarcoding. *Environmental Advances*, 12: 1-19.
- Rochmady, R. (2015). Analisis parameter oseanografi melalui pendekatan sistem informasi manajemen berbasis web (Sebaran suhu permukaan laut, klorofil-a dan tinggi permukaan laut). *Agrikan: Jurnal Agribisnis Perikanan*, 8(1), 1-7.

- Roswell, M., Dushoff, J., & Winfree, R. (2021). A conceptual guide to measuring species diversity. *Oikos*, 130(3), 321–338.
- Rüber, L., Britz, R., & Zardoya, R. (2006). Molecular phylogenetics and evolutionary diversification of labyrinth fishes (Perciformes: Anabantoidei). *Systematic Biology*, 55(3), 374–397.
- Ruppert, K. M., Kline, R. J., & Rahman, M. S. (2019). Past, present, and future perspectives of environmental DNA (eDNA) metabarcoding: A systematic review in methods, monitoring, and applications of global eDNA. *Global Ecology and Conservation*, 17: 1–29.
- Said, D. S., & Hidayat. (2015). *101 ikan hias air tawar Nusantara*. LIPI Press, Jakarta.
- Sales, N. G., Wangenstein, O. S. Carvalho, D. C. Deiner, K., Præbel, K., Coscia, I. McDevitt, A. D., & Mariani, S. Space-time dynamics in monitoring neotropical fish communities using eDNA metabarcoding. *Sci. Total Environ.* 754, 142096.
- Sathyananta, K. P., dkk. (2024). Food and feeding habits of *Osteochilus vittatus* Valenciennes, 1842 and *Barbodes binotatus* Valenciennes, 1842, in Tamblingan Lake, Bali. *Jurnal Perikanan Universitas Gadjah Mada*, 26(2).
- Scarano, C., Veneruso, I., De Simone, R. R., Di Bonito, G., Secondino, A., & D'Argenio, V. (2024). The Third-Generation Sequencing Challenge: Novel Insights for the Omic Sciences. *Biomolecules*, 14(5): 568.
- Schultz, M. B., et al. (2020). Nanopore sequencing and its application in clinical and research environments. *Frontiers in Genetics*, 11, 438
- Schlupp, I., Nanda, I., Döbler, M., Lamatsch, D. K., Epplen, J. T., Parzefall, J., & Scharl, M. (1998). Dispensable and indispensable genes in an asexual fish, the Amazon molly *Poecilia formosa*. *Cytogenetics and Cell Genetics*, 80(1–4), 193–198.
- Schlupp, I. (2005). The evolutionary ecology of gynogenesis. *Annu. Rev. Ecol. Evol. Syst.*, 36(1), 399–417.
- Sentosa, A. A., & Wijaya, D. (2013). Community of introduced fish in Lake Batur, Bali, Indonesia. *Widyariset*, 16: 403–410.
- Sepp, M., Tamm, M., Newell, S. E., Myers, J. A., Hunt, T., Palmik-Das, K., & McCarthy, M. J. (2025). Water column ammonium regeneration supports productivity in two large, eutrophic lakes. *Limnology and Oceanography*, 70(5), 1449–1465.

- Septiani, N. K. A., Suyasa, I. W. B., & Rai, I. N. (2022). Analisis Kualitas Air dan Strategi Pengendalian Pencemaran di Danau Batur Menggunakan Analisis Force Field. *Ecotrophic: Journal of Environmental Science*, 16(1), 10–19.
- Sholihah, A., Delrieu-Trottin, E., Sukmono, T., Dahruddin, H., Risdawati, R., Elvyra, R., ... & Hubert, N. (2020). Disentangling the taxonomy of the subfamily Rasborinae (Cypriniformes, Danionidae) in Sundaland using DNA barcodes. *Scientific reports*, 10(1), 2818.
- Siddiqui, A. Q., & Al-Harbi, A. H. (1995). Evaluation of three species of tilapia, red tilapia and a hybrid tilapia as culture species in Saudi Arabia. *Aquaculture*, 138(1-4), 145-157.
- Spear, M. J., Embke, H. S., Krysan, P. J., & Vander Zanden, M. J. (2021). Application of eDNA as a tool for assessing fish population abundance. *Environmental DNA*, 3(1), 83-91.
- Stat, M., John, J., DiBattista, J. D., Newman, S. J., Bunce, M., & Harvey, E. S., 2019. Combined use of eDNA metabar-coding and video surveillance for the assessment of fish biodiversity. *Conservation Biology*, 33(1):196–205.
- Strayer, D. L. (2010). Alien species in fresh waters: ecological effects, interactions with other stressors, and prospects for the future. *Freshwater biology*, 55, 152-174.
- Sundari, S., & Priadi, B. (2019). Teknik, Isolasi dan Elektroforesis DNA Ikan Tapah. *Buletin Teknik Litkayasa Akuakultur*, 17 (2): 87-90.
- Suryani, F. Y., Setyawati, T. R., & Yanti, A. H. (2019). Struktur populasi ikan seluang (*Rasbora argyrotaenia*) di hilir sungai sekadau kecamatan sekadau hilir kabupaten sekadau. *Protobiont*, 8(2).
- Taqwin, N. A. A., Munawaroh, Q. A., Sari, D. M., Suryani, E. M., Rahayu, D. A., & Listyorini, D. (2014). Studi morfometrik dan meristik ikan melem biru (*Osteochilus* sp.) di aliran sungai Ketro, Ponorogo, Jawa Timur. In *Proceeding Seminar Nasional Biodiversitas V* (No. 494-503).
- Thalinger, B., Rieder, A., Teuffenbach, A., Pütz, Y., Schwerte, T., Wanzenböck, J., & Traugott, M. (2021). The effect of activity, energy use, and species identity on environmental DNA shedding of freshwater fish. *Frontiers in Ecology and Evolution*, 9, 623718.
- Tokeshi, M., & Arakaki, S. (2012). Habitat complexity in aquatic systems: fractals and beyond. *Hydrobiologia*, 685(1), 27-47.
- Umar, C., Kartamihardja, E. S., & Aisyah, A. (2015). Dampak invasif ikan red devil (*Amphilophus Citrinellus*) terhadap keanekaragaman ikan di perairan umum daratan di Indonesia. *Jurnal Kebijakan Perikanan Indonesia*, 7(1), 55-61.

- Wetzel, R. G. (2001). *Limnology: lake and river ecosystems* (3rd). gulf professional publishing.
- Wilson, E. O. (Ed.). (1988). *Biodiversity*. National Academy Press.
- Willis, A. D. (2019). Rarefaction, alpha diversity, and statistics. *Frontiers in microbiology*, 10, 2407.
- Wiradana, P. A., Yudha, I. K. W., & Mukti, A. T. (2022). Mass tilapia (*Oreochromis mossambicus*) mortality in floating net cages at Batur Lake, Bangli Regency, Bali Province: a case report. *In IOP Conference Series: Earth and Environmental Science*, 1036 (1), 1-6.
- Taradipha, G. A. D. O, Arthana, I. W., & Kartika, G. R. A. (2018). Diversity of species and distribution of fish in Lake Buyan Bali. *Current Trends in Aquatic Science*, 1: 57–63
- Valentini, A., Taberlet, P., Miaud, C., Civade, R., Herder, J., & Thomsen, P. F. (2016). Next-generation monitoring of aquatic biodiversity using environmental DNA metabarcoding. *Molecular Ecology*, 25: 929–942.
- Van Dijk, E. L., Jaszczyszyn, Y., Naquin, D., & Thermes, C. (2018). The third revolution in sequencing technology. *Trends in Genetics*, 34(9), 666-681.
- Yao, M., Zhang, S., Lu, Q., Chen, X., Zhang, S. Y., Kong, Y., & Zhao, J. (2022). Fishing for fish environmental DNA: Ecological applications, methodological considerations, surveying designs, and ways forward. *Molecular ecology*, 31(20), 5132-5164.
- Yudha, D. S., Salsabila, S., & Priyono, D. S. (2024). Fish Diversity in The Upstream of Opak River using Environmental DNA (eDNA) Metabarcoding. *Biota: Jurnal Ilmiah Ilmu-Ilmu Hayati*, 9(3): 238-246.
- Zhan, L., Gui, C., Wei, W., Liu, J., & Gui, B. (2023). Third generation sequencing transforms the way of the screening and diagnosis of thalassemia: a mini-review. *Frontiers in Pediatrics*, 11: 1-7.
- Zhang, S., Zhao, J., & Yao, M. (2020). A comprehensive and comparative evaluation of primers for metabarcoding eDNA from fish. *Methods in Ecology and Evolution*, 11(12)1, 1609-1625.
- Zinger, L., Bonin, A., Alsos, I. G., Bálint, M., Bik, H., Boyer, F., & Taberlet, P. (2019). DNA metabarcoding—Need for robust experimental designs to draw sound ecological conclusions. *Molecular ecology*, 28(8), 1857-1862.
- Zuhdi, F. M., Madduppa, H., Zamani, N. P. (2021). Variasi Temporal Kelompok Ikan Terumbu Karang di Pulau Tidung Kecil Menggunakan eDNA Metabarcoding dan Sensus Visual. *Jurnal Kelautan Tropis*, 24(3): 283-290.