

DAFTAR PUSTAKA

- AAPM. (2004). Update of AAPM Task Group No. 43 Report: A revised AAPM protocol for brachytherapy dose calculations (AAPM Report No. 84). American Institute of Physics.
- Ahmad, M. (2013). Iridium-192 Production in PARR-1. *PINSTECH, Islamabad*, 1.
- Alizadeh, M., Ghorbani, M., Haghparast, A., Zare, N., Moghaddas, T. A., dkk. (2015). A Monte Carlo study on dose distribution evaluation of Flexisource Ir brachytherapy source. Reports in Practical Oncology and Radiotherapy.
- Chang, S. J., Hung, S. Y., Liu, Y. L., & Jiang, S. H. (2016). Construction of Taiwanese adult dosimetry of a new high dose rate brachytherapy source. Medical Physics.
- Cross, W. G., Soares, C. G., Vynckier, S., dkk. (2003). Dosimetry of beta rays and low-energy photons for brachytherapy with sealed sources (ICRU Report 72).
- Daskalov, G. M., dkk. (1998). Monte Carlo-aided dosimetry of a new high dose-rate brachytherapy source. Medical Physics, 25, 2200–2208.
- De Almeida, C. E. (2011). The need for quality control in high dose rate brachytherapy. In O. Ivanov (Ed.), Application and Experiences of Quality Control (pp. 11–26). InTech.
- DeMarco, J. J., Solberg, T. D., & Agazaryan, N. (2003). A seed-specific dose kernel method for low-energy brachytherapy dosimetry. Journal of Applied Clinical Medical Physics, 4(1), 66–74. <https://doi.org/10.1120/jacmp.v4i1.2543>
- DeMarco, J., Solberg, T., & Smathers, J. B. (1998). A CT-based Monte Carlo simulation tool for dosimetry planning and analysis. Medical Physics, 25(1), 1–11.
- ENSDF / MIRD. (2000). ENSDF decay data in the MIRD (Medical Internal Radiation Dose) format for 192Ir. ORAU. Retrieved from <https://www.ornl.gov/ptp/ptplibrary/library/doe/bnl/nuclidedata/MIRIr192.htm>
- Flynn, A., dkk. (2005). Isotopes and delivery systems for brachytherapy. In P. Hoskin & C. Coyle (Eds.), Radiotherapy in Practice: Brachytherapy. Oxford University Press.
- Gautreau. (1995). Fisika modern. Jakarta: Erlangga.
- Global Cancer Observatory (GLOBOCAN) / IARC. (2022). GLOBOCAN 2022: Cancer incidence & mortality worldwide. Retrieved from <https://gco.iarc.fr/today>

- Granero, D., Pérez-Calatayud, J., & Ballester, F. (2008). Monte Carlo study of the dose rate distributions for the Ir2.A85-2 and Ir2.A85-1 Ir-192 afterloading sources. *Medical Physics*, 35, 1280–1287.
- Granero, D., Vijande, J., Ballester, F., & Rivard, M. J. (2011). Dosimetry revisited for the HDR Ir-192 mHDR-v2 source. *Medical Physics*, 38, 487–494. <https://doi.org/10.1118/1.3531973>
- Huh, H., Kim, W., Loh, J. J., dkk. (2007). Rectum dose analysis employing a multi-purpose brachytherapy phantom. *Japanese Journal of Clinical Oncology*, 37(5), 391–398.
- IAEA. (2000). Absorbed dose determination in external beam radiotherapy: An international code of practice for dosimetry based on standards of absorbed dose to water (IAEA Technical Reports Series No. 398). International Atomic Energy Agency.
- ICRP, 2008. Nuclear Decay Data for Dosimetric Calculations. ICRP Publication 107. *Ann. ICRP* 38 (3).
- ICRU. (1985). Dose and volume specification for reporting intracavitary therapy in gynecology (ICRU Report 38). International Commission on Radiation Units and Measurements.
- Kacperek, A. (2000). Clinical proton dosimetry: Beam production, beam delivery and measurement of absorbed dose (ICRU Report 59).
- Kasmudin. (2015). Simulasi Dosis Serap Radial Sumber Iridium-192 Untuk Brakiterapi dengan Menggunakan MCNP. Prosiding Seminar Nasional XI SDM Teknologi Nuklir (SDMTN 2015). ISSN 1978-0176.
- Kasmudin. (2021). Penentuan Karakteristik Fungsi Geometri Dan Fungsi Anisotropi Sumber Iridium-192 Untuk Brakiterapi Dengan Menggunakan MCNP.
- Khan, F. M. (2014). *The Physics of Radiation Therapy* (5th ed.). William & Wilkins.
- Krane, K. (1992). *Fisika Modern*. Jakarta: Universitas Indonesia.
- Kristiyanti, E. K. (2014). Analisis Dosis Radiasi pada Kolam Iradiator Gamma 2 MCi Menggunakan MCNP. *Majalah Prima*, 11(2).
- López, J. A., Donaire, J. T., & Alcalde, R. G. (2011). Monte Carlo dosimetry of the most commonly used Ir-192 high dose rate brachytherapy sources. *Revista de Física Médica*, 12(3), 159–168.
- Mazon, J. J., Ardiet, J. M., Haie-Méder, C., Kovács, G. R., Levendag, P., Peiffert, D., Polo, A., Rovirosa, A., & Strnad, V. (2009). GEC-ESTRO recommendations for brachytherapy.

- MCNP5/MCNPX. (2008). MCNP5/MCNPX-exe package: Monte Carlo N-particle extended (Technical report). Los Alamos National Laboratory.
- Milad Payandeh, dkk. (2022). Determination of TG-43 dosimetric parameters for I-125, Ir-192, and Co-60 brachytherapy sources using the Monte Carlo simulation.
- Mostaar, A., Alahverdi, M., & Shahriari, M. (2003). Application of MCNP4C Monte Carlo code in radiation dosimetry in heterogeneous phantom.
- Mostaghimi, H., Mehdizadeh, A. R., Darvish, L., Akbari, S., & Rezaei, H. (2018). Mathematical formulation of I-125 seed dosimetry parameters and heterogeneity correction in lung permanent implant brachytherapy. *Journal of Cancer Research and Therapeutics*, 13, 436–441.
- Musa Joya, dkk. (2023). Investigation of TG-43 dosimetric parameters for 192Ir brachytherapy source using GATE Monte Carlo code.
- Nath, R., Anderson, L. L., Luxton, G., Weaver, K., Williamson, J. F., & Li, W. (1995). Dosimetry of interstitial brachytherapy sources: Recommendations of AAPM Task Group No. 43. *Medical Physics*, 22(2), 209–234.
- Payandeh, M., Sadeghi, M., dkk. (2022). Determination of TG-43 dosimetric parameters for I-125, Ir-192 and Co-60 brachytherapy sources using Monte Carlo simulation. *Radiation Physics and Engineering*.
- Rasito. (2013). Pengenalan MCNP untuk Pengkajian Dosis. Jakarta : Pusdiklat-BATAN.
- Rivard, M. J., Coursey, B. M., DeWerd, L. A., Hanson, W. F., Huq, M. S., Ibbott, G. S., dkk. (2004). Update of AAPM Task Group No. 43 Report: A revised AAPM protocol for brachytherapy dose calculations. *Medical Physics*, 31(3), 633–674. <https://doi.org/10.1118/1.1646040>
- Rogers, D. W. O. (2006). Fifty years of Monte Carlo simulations for medical physics. *Physics in Medicine and Biology*, 51, R287–R301.
- Rusmanto. (2011). Penentuan Parameter Distribusi Dosis dalam Air dari Sumber Brakiterapi Ir-192 HDR dengan Menggunakan Monte Carlo (Tesis S-2, Program Studi Magister Fisika Medis, FMIPA UI, Depok).
- Sadeghi, M., Taghdiri, F., & Saidi, P. (2011). Dosimetric characteristics of the 192Ir high-dose-rate afterloading brachytherapy source. *Japanese Journal of Radiology*, 29, 324–329.
- Sarrut, D., Bardiès, M., Bousson, N., Freud, N., Jan, S., dkk. (2014). A review of the use and potential of the GATE Monte Carlo simulation code for radiation therapy and dosimetry applications. *Medical Physics*, 41(6), 064301.

- Shultis, J. K., & Faw, R. E. (2011). *An MCNP Primer*. Department of Mechanical and Nuclear Engineering, Kansas State University, Manhattan.
- Susworo. (2007). *Radioterapi*. Jakarta : UI Press.
- Thomadsen, B. R., dkk. (2005). *Brachytherapy Physics*. Medical Physics Publishing.
- Tsoufanidis, N. (1983). *Measurement and Detection of Radiation*. Hemisphere Publishing Corporation.
- Tsuji, S., dkk. (2024). High-dose-rate ^{192}Ir brachytherapy source model: Monte Carlo dosimetry for mHDR-v2 and mHDR-v2r. PLOS ONE.
- Utari M., Milvita D., Nuraeni N., & Yulianti H. (2014). Analisis Dosis Radiasi Terhadap Radioterapi Menggunakan Pocket Dosemeter, Tld Badge dan Tld-100 di Instalasi Radioterapi RSUP Dr. M. Djamil Padang Studi Kasus (Mei – Oktober) 2014. *Jurnal Fisika Unand*, Vol 3 (4). ISSN 2302-8491.
- Wang, X., dkk. (2024). Cervical cancer segmentation based on medical images: a literature review.