

REFERENSI

- Abrahams, J. (1994). Fire escape in difficult circumstances. *Design against Fire, London, New York*.
- Aldahlawi, R. Y., Akbari, V., & Lawson, G. (2024). *A systematic review of methodologies for human behavior modelling and routing optimization in large-scale evacuation planning*. International Journal of Disaster Risk Reduction. <https://doi.org/10.1016/j.ijdr.2024.104638>
- Alfuadi, N. (2023). *Risiko Bencana (Disaster Risk)*. Signature.Bmkg.Go.Id. <https://signature.bmkg.go.id/site/risiko-bencana-disaster-risk/>
- Aronoff, S. (1989). *Geographic information systems: a management perspective*.
- Arya, M., Ayyada, F., & Sari, D. N. (2025). *Analisis Kerawanan Bencana Banjir dan Arahan Evakuasi berbasis SIG di DAS Tukad Mati Bali*. 02, 297–308.
- Atmodjo, P. S., Sangkawati, S., & Setiaji, A. B. (2015). *Analisis Efektivitas Jalur Evakuasi Bencana Banjir Pendahuluan*. 21(1), 23–34.
- Baldassarre, D., Marchi, D., Opinions, P. J. H., Baldassarre, G. Di, Kreibich, H., Vorogushyn, S., Aerts, J., & Arnbjerg-nielsen, K. (2018). *Hess Opinions: An interdisciplinary research agenda to explore the unintended consequences of structural flood protection*.
- BNPB. (2021). *Penyusunan Rencana Evakuasi*. https://bpbd.sukoharjokab.go.id/uploads/menu/5__Modul_Penyusunan_Rencana_Evakuasi.pdf?
- Cahyono, H. (2016). *Jurnal Geografi Media Infomasi Pengembangan Ilmu dan*. 13(2), 136–149.
- Cardona, O. D., Van Aalst, M. K., Birkmann, J., Fordham, M., Mc Gregor, G., Rosa, P., Pulwarty, R. S., Schipper, E. L. F., Sinh, B. T., Décamps, H., & others. (2012). Determinants of risk: exposure and vulnerability. In *Managing the risks of extreme events and disasters to advance climate change adaptation: special report of the intergovernmental panel on climate change* (pp. 65–108). Cambridge University Press.
- Carter, W. N. (2008). *Disaster management A disaster managers handbook*.
- CDEMA. (2014). *Shelter planning: Comprehensive hazard and risk information management*. <https://www.cdema.org/virtuallibrary/index.php/charim-hbook/use-case-book/5-preparedness-planning/5-2-shelter-planning>
- Chelariu, O., & Iat, C. (2022). *A GIS-Based Model for Flood Shelter Locations and Pedestrian Evacuation Scenarios in a Rural Mountain Catchment*.
- Chmutina, K., & Meding, J. Von. (2019). A Dilemma of Language : ““ Natural Disasters ”” in Academic Literature. *International Journal of Disaster Risk Science*, 10(3), 283–292. <https://doi.org/10.1007/s13753-019-00232-2>
- Christian, R., Hutaaruk, H., Alfiandy, S., & Nainggolan, H. A. (2020). *GIS-based Flood Susceptibility Mapping in Central Sulawesi*. 34(December), 136–145. <https://doi.org/10.23917/forgeo.v34i2.10667>
- Dirgantara, I., Zalmita, N., & Author, C. (2022). *Gunung Meriah Kabupaten Aceh Singkil*. VII, 10–12. <https://doi.org/10.24815/jpg.v>
- Dwiati, T., & Sukur, M. (2015). *Penentuan Tingkat Kerentanan Banjir Secara Geospasial*. 20(1), 57–76.
- Efendi, H. (2021). *Hatta Efendi*.
- Ella, Y., & Usman, S. (2008). *Mencerdasi Bencana. Jakarta: PT Grasindo*.
- Faradila, R. N. (2026). *Pemetaan Kerentanan Banjir Berbasis Penginderaan Jauh dan Sistem Informasi Geografis untuk Mendukung Mitigasi Bencana di*. 05(01), 25–34. <https://doi.org/10.12962/jpji.v5i1.9513>

- Fauzia, A., Pawestri, D. A., Wahrudin, U., & Rahmawati, S. N. (2021). *Analisis Penentuan Lokasi Evakuasi Bencana Banjir dengan Sistem Informasi Geografis dan Metode Simple Additive Wighting (Studi Kasus Kecamatan Cileungsi)*. 9(2), 121–132.
- Hasddin, & Tamburaka, E. (2021). *Anlisis Spasial Titik dan Jalur Evakuasi dalam Mitigasi Pengurangan Risiko Bencana Banjir di Kecamatan Mandonga Kota Kendari*. 13, 16–23.
- IPCC. (2022). *Introduction to WGII AR6 Fact Sheets*. 1–3.
- Irsyad, H. A. W., & Hitoshi, N. (2022). International Journal of Disaster Risk Reduction Flood disaster evacuation route choice in Indonesian urban riverbank kampong : Exploring the role of individual characteristics , path risk elements , and path network configuration. *International Journal of Disaster Risk Reduction*, 81(March), 103275. <https://doi.org/10.1016/j.ijdr.2022.103275>
- Jakarta, P. P. D. (2021). *Dokumen kajian risiko bencana nasional provinsi dki jakarta 2022 - 2026*.
- Jati, D. R. (2023). *Evaluasi Kualitas Lingkungan Daerah Pesisir Kota Singkawang sebagai Kota Tangguh*. 11, 296–309.
- Jha, A. K., Bloch, R., & Lamond, J. (n.d.). *A Guide to Integrated Urban*.
- Jongman, B., Ward, P. J., & Aerts, J. C. J. H. (2012). Global exposure to river and coastal flooding : Long term trends and changes. *Global Environmental Change*, 22(4), 823–835. <https://doi.org/10.1016/j.gloenvcha.2012.07.004>
- Jusuf, H., & Nakoe, M. R. (2025). *Analisis Spasial Titik Lokasi Dan Jalur Evakuasi Dalam Mitigasi Pengurangan Risiko Bencana Banjir Kelurahan Biawu Kecamatan Kota Selatan Kota Gorontalo Spatial Analysis of Location Points and Evacuation Routes in Flood Disaster Risk Reduction Mitigation in Biawu Village , South Kota District , Gorontalo City*. 8(6), 3756–3767. <https://doi.org/10.56338/jks.v8i6.7905>
- Kako, M., Steenkamp, M., Ryan, B., Arbon, P., & Takada, Y. (2020). *Best practice for evacuation centres accommodating vulnerable populations: A literature review*. <https://doi.org/https://doi.org/10.1016/j.ijdr.2020.101497>
- Kalbar, B. (2022). *Hujan dengan intensitas tinggi penyebab Singkawang kembali banjir*. BPBD Kalbar. <https://bpbd.kalbarprov.go.id/hujan-dengan-intensitas-tinggi-penyebab-singkawang-kembali-banjir/>
- Khaerunnisa, Wulan, A. S. K., & Satya, I. A. P. (2010). *Potensi Bangunan Publik Sebagai Tempat Evakuasi Sementara Pada Saat Bencana Erupsi Gunung Merapi PENDAHULUAN Pengalihfungsian bangunan publik sebagai bangunan evakuasi sesaat setelah terjadinya bencana sangatlah jamak ditemui di Indonesia . Pada saat terj.*
- Kompas. (2025). *Lebih dari 200.000 warga terdampak, tanggap darurat banjir diberlakukan di Kalbar*. Kompas.Id. <https://www.kompas.id/artikel/en-lebih-dari-200000-warga-terdampak-tanggap-darurat-banjir-diberlakukan-di-kalba>
- LAPAN. (2021). *5 Perbedaan Banjir dan Genangan Versi Lapan*. Detik.Com. <https://news.detik.com/berita/d-5379367/5-perbedaan-banjir-dan-genangan-versi-lapan>
- Lin, C., & Chen, B. (2021). *Research for Risk Management of Construction Projects in Taiwan*. 1–15.
- Lin, L., Wu, Z., & Liang, Q. (2019). Urban flood susceptibility analysis using a GIS-based multi-criteria analysis framework. *Natural Hazards*, 97(2), 455–475.
- Litman, T. A. (2009). *Transportation Cost and Benefit Analysis*. January.
- Lutfi, Mulyati, S., & Nahrowy, A. R. (2023). *Penentuan Titik Evakuasi Bencana Banjir Bandang Sungai Ore di Desa. Jurusan Teknik Arsitektur Fakultas Teknik Universitas Tadulako*. 17(September), 37–44.

- Masuya, A., Dewan, A., & Corner, R. J. (2015). Population evacuation : evaluating spatial distribution of flood shelters and vulnerable residential units. *Natural Hazards*. <https://doi.org/10.1007/s11069-015-1802-y>
- Mitropoulos, L., Karolemeas, C., & Tsigidinos, S. (2025). Road network accessibility assessment during flood events by using infrastructure facility-based indices. *International Journal of Disaster Risk Reduction*, 122, 105475. <https://doi.org/https://doi.org/10.1016/j.ijdr.2025.105475>
- Murray-Tuite, P., & Wolshon, B. (2013). Evacuation transportation modeling: An overview of research, development, and practice. *Transportation Research Part C: Emerging Technologies*, 27, 25–45. <https://doi.org/https://doi.org/10.1016/j.trc.2012.11.005>
- Nadila, A. (2026). *Hujan dan Pasang Laut bisa Memperparah Genangan, BMKG Ingatkan Ancaman Rob 2 Meter di Pontianak*. *Tribun Pontianak*. <https://pontianak.tribunnews.com/metropolis/1176054/hujan-dan-pasang-laut-bisa-memperparah-genangan-bmkg-ingatkan-ancaman-rob-2-meter-di-pontianak>
- Novira, N., Fadilah, R., Pratama, A., Situmorang, A. M., Putri, N. A., & Utami, W. A. (2024). *Identifikasi dan Pemetaan Jalur Evakuasi Bencana Alam serta Non-Alam di Museum Perkebunan Indonesia 2 Medan*. 9(2), 441–456.
- Openrouteservice. (2024). *OpenRouteService: Open source route planner API*. HeiGIT GGmbH. <https://openrouteservice.org/>
- Ouma, Y. O., & Tateishi, R. (2014). *Urban Flood Vulnerability and Risk Mapping Using Integrated Multi-Parametric AHP and GIS: Methodological Overview and Case Study Assessment*. 1515–1545. <https://doi.org/10.3390/w6061515>
- Oxtora, R. (2023). *Banjir yang terjadi di Kota Singkawang semakin tinggi*. ANTARA. <https://www.antaranews.com/berita/3427557/banjir-yang-terjadi-di-kota-singkawang-semakin-tinggi>
- Parajuli, G., Neupane, S., Kunwar, S., Adhikari, R., & Acharya, T. D. (2023). *A GIS-Based Evacuation Route Planning in Flood-Susceptible Area of Siraha Municipality , Nepal*.
- Rendra Oxtora. (2023). *Pemerintah Kota Singkawang keruk Sungai Kulor antisipasi banjir*. ANTARA News Kalimantan Barat. <https://kalbar.antaranews.com/berita/537543/pemerintah-kota-singkawang-keruk-sungai-kulor-antisipasi-banjir>
- Rosyidie, A. (2013). *Banjir : Fakta dan Dampaknya , Serta Pengaruh dari Perubahan Guna Lahan*. 24(3).
- Sahetapy, G. B., Ir. Hanny Poli, M., & Ir. Suryono, M. (2014). *Jalur Evakuasi Bencana Banjir Banjir mengandung pengertian aliran air*. 70–79.
- Sani, S. (2026). *BPBD Soroti Drainase usai Banjir Rob Pontianak*. RRI.Co.Id. <https://rri.co.id/pontianak/regional/2498274/bpbd-soroti-drainase-usai-banjir-rob-pontianak>
- Saputra, E. E. (2022). *Ribuan Warga Singkawang Terdampak Banjir*. Kompas. <https://www.kompas.id/artikel/ribuan-warga-singkawang-terdampak-banjir>
- Setiawati, F. Z., & Hidayanto, N. (2016). *Kajian Klimatologis Banjir Kilat (Flash Flood) Singkawang Tanggal 21-22 Mei 2016*. 7(2), 25–32.
- Sibuea, H. R. (2018). *Analisis Sistem Drainase sebagai Pengendali Banjir Genangan pada DAS Citarik*.
- Siregar, J., Fikri, M., & Indriyany, I. A. (2026). *Membangun Resiliensi Perempuan dalam Menghadapi Banjir di Sumatera Utara : Perspektif Kebijakan Responsif Gender*. 3.
- Sritart, H., Miyazaki, H., Kanbara, S., & Hara, T. (2020). *Methodology and Application of Spatial Vulnerability Assessment for Evacuation Shelters in Disaster Planning*.
- Sturges, H. A. (1926). The Choice of a Class Interval. *Journal of the American Statistical Association*, 21(153), 65–66. <https://doi.org/10.1080/01621459.1926.10502161>

- Sugiarto, S., Isya, M., & Haiqal, M. (2019). *Characterizing mode choice behaviors of the evacuees during emergency evacuation using a Logistic regression model*. *Characterizing mode choice behaviors of the evacuees during emergency evacuation using a Logistic regression model*. <https://doi.org/10.1088/1757-899X/523/1/012032>
- Sullivan, D. O., Morrison, A., & Shearer, J. (2000). *Using desktop GIS for the investigation of accessibility by public transport : an isochrone approach*. 14(1), 85–104.
- Suprpto, F. A., Juanda, B., Rustiadi, E., & Munibah, K. (2023). *Kajian kerawanan dan kesiapsiagaan kelembagaan dalam penanganan banjir di Kota Batu , Jawa Timur*. 37(1), 48–58. <https://doi.org/10.22146/mgi.74421>
- Tabasi, N., & Fereshtehpour, M. (2025). *A Review of Flood Risk Assessment Frameworks and the Development of Hierarchical Structures for Risk Components*. 10(2025), 1–27.
- Tarihoran, M., Mutiawati, C., & Fisaini, J. (2025). *Evaluating tsunami evacuation routes and shelter capacity using GIS and travel time analysis in Aceh Besar , Indonesia*. 141–156.
- Taris, H. (2019). *Assessment of loss due to flood hazard in Singkawang City (case study : flood in 2016 at Singkawang City)* *Assessment of loss due to flood hazard in Singkawang City (case study : flood in 2016 at Singkawang City)*. <https://doi.org/10.1088/1755-1315/311/1/012026>
- UNDRR. (2017). *Definition: Vulnerability*. Undrr.Org. https://www.undrr.org/terminology/vulnerability?utm_source=chatgpt.com
- UNDRR. (2025). *Sendai Framework for Disaster Risk Reduction 2015–2030*. United Nations Office for Disaster Risk Reduction. <https://www.undrr.org/publication/sendai-framework-disaster-risk-reduction-2015-2030>
- Wibowo, N. A., & Abadi, A. M. (2022). *Analisis Tingkat Kerawanan Bencana Alam Banjir di Kabupaten Purbalingga dengan Fuzzy Logic Analysis Of Floof Vulnerability Level In Purbalingga Regency*. 11(2), 83–94.
- Wisner, B., & Wisner, B. (2004). *At risk: natural hazards, people's vulnerability and disasters*. Psychology Press.
- Yao, Y., Zhang, Y., Yao, T., Wong, K., Tsou, J. Y., & Zhang, Y. (2021). *A GIS-Based System for Spatial-Temporal Availability Evaluation of the Open Spaces Used as Emergency Shelters : The Case of Victoria , British Columbia , Canada*.
- Yusuf, I., & Widjonarko, W. (2018). *Teknik pwk*. 7(3), 179–189.
- Zhao, Y., & Zhou, Y. (2024). *Isochrone-Based Accessibility Analysis of Pre-Hospital Emergency Medical Facilities : A Case Study of Central Districts of Beijing*.