

## DAFTAR PUSTAKA

- Adajar, M. A., Galupino, J., Frianeza, C., Faye Aguilon, J., Sy, J. B., & Tan, P. A. (2020). Compressive Strength And Durability Of Concrete With Coconut Shell Ash As Cement Replacement. *International Journal of GEOMATE*, 18, 183–190. <https://doi.org/10.21660/2020.70.9132>
- Agrawal, Y., Gupta, T., Sharma, R., Panwar, N. L., & Siddique, S. (2021). A Comprehensive Review On The Performance Of Structural Lightweight Aggregate Concrete For Sustainable Construction. Dalam *Construction Materials* (Vol. 1, Nomor 1, hlm. 39–62). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/constrmater1010003>
- Artika, A., Masril, & Herista, F. (2021). Analisis Substitusi Arang Tempurung Kelapa Pada Agregat Halus Terhadap Kuat Tekan Beton Mutu F'c 16,6 Mpa. *Ensiklopedia Research and Community Service Review*, Vol 1 No.1 Okt 2021. <http://jurnal.ensiklopediaku.org>
- Badan Pusat Statistik. (2026). *Badan Pusat Statistik:Produksi Tanaman Perkebunan*.
- Badan Standardisasi Nasional. (1990a). *Metode Pengujian Tentang Analisis Saringan Agregat Halus dan Kasar (SNI 03-1968-1990)*.
- Badan Standardisasi Nasional. (1990b). *Mutu dan Cara Uji Agregat Beton (SNI 03-1750-1990)*.
- Badan Standardisasi Nasional. (1992a). *Pengujian berat jenis dan penyerapan (SNI 1970:2008)*.
- Badan Standardisasi Nasional. (1992b). *Pengujian kadar organik agregat halus (SNI 03-2816-1992)*.
- Badan Standardisasi Nasional. (1996a). *Bata Beton (Paving Block) (SNI 03-0691-1996)*.
- Badan Standardisasi Nasional. (1996b). *Metode Pengujian Jumlah Bahan Dalam Agregat (SNI 03-4142-1996)*.
- Badan Standardisasi Nasional. (1996c). *Pengujian kadar lumpur agregat halus (SNI 03-4142-1996)*.

- Badan Standardisasi Nasional. (1998). *Spesifikasi Bahan Bangunan (SNI S-04-1998-F)*.
- Badan Standardisasi Nasional. (2000). *Tata Cara Pembuatan Rencana Campuran Beton Normal (SNI 03-2834-2000)*.
- Badan Standardisasi Nasional. (2002a). *Pengujian konsistensi normal semen (SNI 03-6826-2002)*.
- Badan Standardisasi Nasional. (2002b). *Pengujian waktu ikat awal semen (SNI 03-6827-2002)*.
- Badan Standardisasi Nasional. (2002c). *Tata Cara Perhitungan Struktur Beton untuk Bangunan Gedung (SNI 03-2847-2002)*.
- Badan Standardisasi Nasional. (2008a). *Cara Uji Berat Jenis dan Penyerapan Air Agregat Halus (SNI 1970:2008)*.
- Badan Standardisasi Nasional. (2008b). *Cara Uji Berat Jenis dan Penyerapan Air Agregat Halus (SNI 1970:2008)*.
- Badan Standardisasi Nasional. (2012). *Metode uji untuk analisis saringan agregat halus dan agregat kasar (SNI ASTM C136:2012)*.
- Badan Standardisasi Nasional. (2013). *Spesifikasi air pencampur yang digunakan dalam produksi beton semen hidraulis (SNI 7974:2013)*.
- Badan Standardisasi Nasional. (2014). *Semen Portland Komposit (SNI 7064:2014)*.
- Badan Standardisasi Nasional. (2015). *Spesifikasi dan metode pengujian semen portland (SNI 2049:2015)*.
- Badan Standardisasi Nasional. (2018). *Spesifikasi Bata Beton Ringan untuk Pasangan Dinding (SNI 8640:2018)*.
- Bentz, D. P., & Stutzman, P. E. (1994). Evolution Of Porosity And Calcium Hydroxide In Laboratory Concretes Containing Silica Fume. *Cement and Concrete Research*, 24(6), 1044–1050.  
[https://doi.org/https://doi.org/10.1016/0008-8846\(94\)90027-2](https://doi.org/https://doi.org/10.1016/0008-8846(94)90027-2)
- Biessikirski, A., Dworzak, M., Kaczmarczyk, G. P., Machowski, G., Ziabka, M., Kaczmarczyk, A., Jakóbczyk, J., & Gotovac-Atlagić, S. (2025). Evaluation

- Of The Porosity And Morphology Of Microstructured Charcoal. *Materials*, 18(8). <https://doi.org/10.3390/ma18081730>
- Boddepalli, U., Gandhi, I. S. R., & Panda, B. (2024). Synergistic Effect Of Fly Ash And Polyvinyl Alcohol Fibers In Improving Stability, Rheology, And Mechanical Properties Of 3d Printable Foam Concrete. *Construction and Building Materials*, 429, 136464. <https://doi.org/10.1016/j.conbuildmat.2024.136464>
- Chung, S.-Y., Abd Elrahman, M., Kim, J.-S., Han, T.-S., Stephan, D., & Sikora, P. (2019). Comparison Of Lightweight Aggregate And Foamed Concrete With The Same Density Level Using Image-Based Characterizations. *Construction and Building Materials*, 211, 988–999. <https://doi.org/10.1016/j.conbuildmat.2019.03.270>
- Dinas Pekerjaan Umum Bina Marga dan Cipta Karya (DPU BINMAR CIPKA) Provinsi Jawa Tengah. (2025). *Mas Petruk Jawa Tengah*. Peraturan Menteri Pekerjaan Umum dan Perumahan Rakyat Nomor 8 Tahun 2023 dan Surat Edaran Direktur Jenderal Bina Konstruksi Nomor 30/SE/Dk/2025. [https://maspetruk.dpubinmarcipka.jatengprov.go.id/harga\\_satuan/hspk\\_umum](https://maspetruk.dpubinmarcipka.jatengprov.go.id/harga_satuan/hspk_umum)
- Eppendie, A., & Kushartomo, D. W. (2023). Analisis Efektifitas Penggunaan Bata Ringan Sebagai Pengganti Bata Merah Pada Konstruksi Gedung Bertingkat. Dalam *Agustus* (Vol. 6, Nomor 3).
- Eransyah, M. F., Ninik, P., & Rika, S. (2022). Pengaruh Penggunaan Serbuk Arang Batok Kelapa Terhadap Kuat Tekan Beton. *Jurnal Jurnal Sains Dan Teknologi (JSIT)*, Vol. 2 No. 1.
- Fang, Y., Xu, Y., & Gu, R. (2022). Experiment And Analysis Of Mechanical Properties Of Lightweight Concrete Prefabricated Building Structure Beams. *International Journal of Concrete Structures and Materials*, 16(1). <https://doi.org/10.1186/s40069-021-00496-3>
- Hamdan, Z. R., idayawan, A., & Wahyu Adhi, B. (2025). Inovasi Campuran Bata Ringan Berbasis Limbah Popok Bayi Dan Fly Ash Sebagai Material Bangunan Ramah Lingkungan. *Seminar Nasional Teknik Sipil*.

- Hardini, B., Noor Abdi, F., Haryanto, B., Jamal, M., & Sharly Arifin, T. P. (2021). Penambahan Abu Tempurung Kelapa Sebagai Bahan Tambah Dalam Pembuatan Paving Block. *Jurnal Teknologi Sipil, Vol5*.
- Haris Javed, M., Ali Sikandar, M., Ahmad, W., Tariq Bashir, M., Alrowais, R., & Bilal Wadud, M. (2022). Effect Of Various Biochars On Physical, Mechanical, And Microstructural Characteristics Of Cement Pastes And Mortars. *Journal of Building Engineering*, 57. <https://doi.org/10.1016/j.jobe.2022.104850>
- Hashim, M., & Tantray, M. (2023). Physical, Mechanical, And Bonding Properties Comparison Of Lightweight Foam Concrete Brick With Burnt Clay Brick Used In Masonry. *International Journal of Masonry Research and Innovation*, 9(1–2), 176–191. <https://doi.org/10.1504/IJMRI.2024.135230>
- Jiang, X., Qu, F., Zhang, Y., Zhu, X., Leung, A. Y. F., Poon, C. S., & Tsang, D. C. W. (2025). Cold-Bonded Biochar-Cement Lightweight Aggregates For Evaporation-Enhanced Permeable Bricks. *Journal of Cleaner Production*, 493, 144886. <https://doi.org/10.1016/j.jclepro.2025.144886>
- Juenger, M. C. G., Snellings, R., & Bernal, S. A. (2019). Supplementary Cementitious Materials: New Sources, Characterization, And Performance Insights. Dalam *Cement and Concrete Research* (Vol. 122, hlm. 257–273). Elsevier Ltd. <https://doi.org/10.1016/j.cemconres.2019.05.008>
- Kim, Y. J., Hu, J., Lee, S. J., & Broughton, B. J. (2011). Prediction of Compressive Strength of Aerated Lightweight Aggregate Concrete by Artificial Neural Network. *Applied Mechanics and Materials*, 84–85, 177–182. <https://doi.org/10.4028/www.scientific.net/AMM.84-85.177>
- Kumar, K. D., Chamberlin, K. S., & Kumar, N. N. (2025). Enhancing Concrete Performance With Coconut Shell Ash: A Sustainable Approach To Cement Replacement. *ARP Journal of Engineering and Applied Sciences*, 20(1), 22–27. <https://doi.org/10.59018/012513>
- Langitan, G., Marthin D. J. Sumajow, & Servie O. Dapas. (2022). Studi Eksperimental Kuat Tekan Beton Dengan Menggunakan Agregat Lokal Dan

- Abu Arang Tempurung Kelapa Sebagai Substitusi Parsial Semen. *Jurnal Sipil Statik*, 10(2), 135–142.
- Lawrence, P., & Regin, J. (2024). Effect Of Partial Sand Replacement By Coconut Shell Charcoal And Silica Fume In Auto-Claved Aerated Concrete An Experimentation. *Matéria (Rio de Janeiro)*, 29(3). <https://doi.org/10.1590/1517-7076-rmat-2024-0092>
- Mahendra, Y. I., E. Gardjito, A. Ridwan, & H. Wicaksono. (2021). Meningkatkan Kuat Tekan Beton Fc' 16,60 Mpa Menggunakan Fly Ash Dan Arang Batok Kelapa. *JURMATEKS : Jurnal Manajemen Teknologi & Teknik Sipil, Volume 4 No 1*, 121043. <https://doi.org/10.30737/jurmateks>
- Maheswari, E., Suresh Babu, S., Neelamegam, P., & Karthick, R. (2025). Development Of Environmentally Friendly Fibre Reinforced Concrete Using Agricultural Byproduct As A Cement Substitute To Reduce The Ecological Footprint Of Cement. *Advances in Civil and Architectural Engineering*, 16(31), 1–13. <https://doi.org/10.13167/2025.31.1>
- Memis, S., & Sahin, S. (2019). Investigation of the effect of press compaction and the use of zeolite on mechanical properties in the production of low strength Reactive Powder Concrete (RPC). *Fresenius Environmental Bulletin*, 28(5), 4123–4130. <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85091515220&partnerID=40&md5=1e54ab758f8702b055db61c059c67dda>
- Miller, S. A., Habert, G., Myers, R. J., & Harvey, J. T. (2021). Achieving Net Zero Greenhouse Gas Emissions In The Cement Industry Via Value Chain Mitigation Strategies. Dalam *One Earth* (Vol. 4, Nomor 10, hlm. 1398–1411). Cell Press. <https://doi.org/10.1016/j.oneear.2021.09.011>
- Nambiar, E. K. K., & Ramamurthy, K. (2007). Air-Void Characterisation Of Foam Concrete. *Cement and Concrete Research*, 37(2), 221–230. <https://doi.org/10.1016/j.cemconres.2006.10.009>
- Nasrulah, T., Arha, A. A., Zulkarnain, I., & Asnan, M. N. (2019). Effect Of Addition Of Rice Husk Charcoal On Concrete Compressive Strength. *International Journal of Engineering and Advanced Technology*, 8(6), 4951–4955. <https://doi.org/10.35940/ijeat.F9251.088619>

- Ola, A. L., & Silaban, D. (2018). Komposit Bata Beton Ringan Dari Fly Ash Dan Bottom Ash Limbah Batubara Pabrik Minyak Nabati Lightweight Concrete Brick Composite From Fly Ash And Bottom Ash Coal Waste Vegetable Oil Company. *Jurnal Riset Teknologi Industri*, 12(1), 47.
- Parvathikumar, G., Karthikeyan, P. B., Eswaramoorthy, K., Sahadevan, B., & Kumar, V. U. (2025). Optimizing Mechanical Properties Of Concrete With Waste Ceramic Tiles And Coconut Shell Charcoal As Fine Aggregate Replacements: A Taguchi Approach. *Revista Materia*, 30. <https://doi.org/10.1590/1517-7076-RMAT-2025-0461>
- Purwanta, R. Y., Hutabarat, L. E., & Setiyadi. (2024). The Effect Of Coconut Shell Charcoal On The Compressive Strength And Density Of A Lightweight Concrete Mixture With Fly Ash. *AIP Conference Proceedings*, 3039(1), 040004. <https://doi.org/10.1063/5.0209583>
- Putri, E., Ismeddiyanto, & Suryanita, R. (2019). Sifat Fisik Paving Block Komposit Sebagai Lapis Perkerasan Bebas Genangan Air (Permeable Pavement). Dalam *Jurnal Teknik* (Vol. 13).
- Ramos, F. V., de Vargas, A. S., Moura, Â. B. D., & Ottoni, T. P. (2025). Evaluation Of The Influence Of Lightweight Aggregates Based On Wood Charcoal Waste (WCW) In Mortars. *Rev. IBRACON Estrut. Mater.* 18 (2).
- Ranatunga, K. S., del Rey Castillo, E., & Toma, C. L. (2023). Evaluation Of The Optimal Concrete Mix Design With Coconut Shell Ash As A Partial Cement Replacement. *Construction and Building Materials*, 401. <https://doi.org/10.1016/j.conbuildmat.2023.132978>
- Risdanareni, P., Sulton, M., & Nastiti, S. F. (2016). Lightweight Foamed Concrete For Prefabricated House. *AIP Conference Proceedings*, 1778. <https://doi.org/10.1063/1.4965763>
- Riyanto, A., Azhari, & Ermiyati. (2025). Pengaruh Arang Tempurung Kelapa Sebagai Pengganti Sebagian Pasir Terhadap Kuat Tekan Beton. *Jurnal Vokasi Manajemen dan Rekayasa Infrastruktur Sipil*, 2.

- Riyanto, D., Cahyadi, H., Respati, R., Alumni, ), Um, F. T., & Raya, P. (2018). Pengaruh Pemakaian Arang Batok Kelapa Terhadap Kuat Tekan Beton K225. *Media Ilmiah Teknik Sipil*, 6(1), 94–101.
- Santosa, B., Ginting, A., Adi, P., & Manasye, E. O. (2023). Pengaruh Penggantian Sebagian Semen dengan Abu Tempurung Kelapa terhadap Kinerja Beton. *Jurnal Teknik Sipil*, 19(2). <https://doi.org/10.28932/jts.v19i2.5286>
- Saradar, A., Nemati, P., Paskiabi, A. S., Moein, M. M., Moez, H., & Vishki, E. H. (2020). Prediction Of Mechanical Properties Of Lightweight Basalt Fiber Reinforced Concrete Containing Silica Fume And Fly Ash. *Journal of Building Engineering*, 32. <https://doi.org/10.1016/j.jobbe.2020.101732>
- Sihombing, A., Yuzuar Afrizal, & Agustin Gunawan. (2018). Pengaruh Penambahan Arang Batok Kelapa Terhadap Kuat Tekan Mortar. *Jurnal Inersia April*, 10.
- Song, Q., He, B., Gu, K., Zhang, H., Li, J., Gao, W., Li, W., & Jiang, Z. (2026). Influence Of Cement Fineness On The Spatial Zonation Of Hydration Products In Ultra-Low Water-To-Binder Cementitious Composites. *Cement and Concrete Composites*, 171. <https://doi.org/10.1016/j.cemconcomp.2026.106649>
- Tarigan, B. V., Jafri, M., & Adoe, D. G. H. (2024). Use Of Coconut Shell Charcoal Briquettes As Pcm Seawater Distillation. *AIP Publishing*, 060005. <https://doi.org/10.1063/5.0210341>
- Taufik, H., Kurniawandy, A., & Arita, D. (2017). Tinjauan Kuat Tekan Bata Ringan Menggunakan Bahan Tambah Foaming Agent The Analysis Of Lightweight Compressive Strength By Adding Form Agent Material. *Jurnal Saintis*, 17(1), 52–62.
- Widari, L., & Debrina, I. (2015). Pengaruh Penggunaan Abu Serbuk Kayu Terhadap Kuat Tekan Dan Daya Serap Air Pada Paving Block. *Teras Jurnal*, 5(1).
- Xue, H., Li, J., Li, Q., Wang, H., & Jin, K. (2026). Durability Of Aeolian Sand Lightweight Concrete Under The Combined Effect Of Wind-Sand Erosion

- And Chloride Salt Wet-Dry Cycles. *Construction and Building Materials*, 518, 145794. <https://doi.org/10.1016/j.conbuildmat.2026.145794>
- Yusrianti, Noverma, & Hapsari, O. (2019). Analisis Sifat Fisis Penyerapan Air Pada Paving Block Dengan Campuran Variasi Limbah Abu Ketel Dan Limbah Botol Plastik. Dalam *Jurnal Teknik Lingkungan* (Vol. 5, Nomor 1). <http://jurnalsaintek.uinsby.ac.id/index.php/alard/index>
- Zhang, M., Jia, S., Guan, J., Han, R., Xie, Y., Xie, C., Li, L., & Liu, B. (2025). Research Progress On Macroscopic Properties Of Concrete Based On Microporous Structure And Exploration Of Fracture Models. *Case Studies in Construction Materials*, 23, e05240. <https://doi.org/10.1016/j.cscm.2025.e05240>
- Zhou, H., Jiang, W. , Li, W., & Zhang, W. (2021). Effect Of Raw Material Ratio On The Properties Of Magnesium Oxychloride Cement-Bamboo Charcoal Boards. *Journal of Forestry Engineering*.