

DAFTAR PUSTAKA

- Abdelgaied, M, Saber, MA, Bassuoni, MM & Khaira, A.M. 2023, 'Solid *desiccant* air conditioning system using *desiccant dehumidifiers* with cooling technique and thermal recovery unit: Experimental investigation and performance analysis', *Journal of Cleaner Production*, vol. 421, pp.138387. DOI:10.1016/j.jclepro.2023.138387.
- Ai, ZT, Mak, CM 2013, 'Pressure Losses across Multiple Fittings in Ventilation Ducts', *Research Article*, DOI:http://dx.doi.org/10.1155/2013/195763
- Al-Obaidi, ASM, Peterson, S & Hui, KJLN 2022, '*Desiccant*-based air *dehumidifier* and cooling system', *Journal of Physics: Conference Series*, vol. 2222, no. 1, pp. 012012, DOI:10.1088/1742-6596/2222/1/012012.
- Alam, Z & Hussain, T 2022, 'Experimental analysis and performance evaluation of solid *desiccant dehumidifier* using *silica gel*', *International Journal of Analytical, Experimental and Finite Element Analysis*, vol. 9, no. 1, pp. 1–8, DOI:10.26706/ijaefea.1.9.20211202.
- Alvindocs 2025, 'Rumus Debit Aliran Air dan Cara Menghitungnya dengan Flowmeter', *Alvindocs*, Available at : <https://www.alvindocs.com/blog/rumus-debit-aliran-air>, diakses pada 26 Juni 2026.
- Asa, FN, Yunianto, B & Muchammad 2024, 'Dehumidifikasi udara tertutup menggunakan *desiccant silica gel*', *Jurnal Teknik Mesin S-1*, vol. 12, no. 1, pp. 19–24.
- Behede, B, Chakrabarti, S & Wankhede, U 2024, 'Development of rotary *dehumidifier* with silica-gel-based composite *desiccant*', *Thermal Science*, vol. 28, no. 5, pp. 4223-4233, DOI:10.2298/TSCI231016174B.
- Chaudhary, GQ, Ali, M, Ashiq, M, Ali, HM, Amber, KP 2019, 'Experimental and model based performance investigation of a solid *desiccant wheel dehumidifier* in subtropical climate', *Thermal Science*, vol. 23, no. 2B, pp. 975-988, DOI: <https://doi.org/10.2298/TSCI170127165C>
- Cuce, PM, Yilmaz, YN & Cuce, E 2025, 'A comprehensive review on rotary *desiccant*

wheel systems: The future of smart building climate control', *Journal of Thermal Analysis and Calorimetry*, vol. 150, pp. 9827–9850, DOI:10.1007/s10973-025-14362-x.

Douyee, Panduan lengkap tentang *silica gel*: spesifikasi, kelebihan, industri pemakai dan tempat pembelian, diakses pada 15 Februari 2026, <https://www.douyee.co.id/panduan-lengkap-tentang-silica-gel-spesifikasi-kelebihan-industri-pemakai-dan-tempat-pembelian/>

Engineering Tool Box (n.d.), 'Air Duct Friction Loss : Pressure Drop', *The Engineering ToolBox*, Available at : https://www.engineeringtoolbox.com/duct-friction-pressure-loss-d_444.html#gsc.tab=0 , diakses pada 26 Juni 2026.

Engineering Tool Box (n.d.), 'Angular Motion - Power and Torque', *The Engineering ToolBox*, Available at : <https://www.engineeringtoolbox.com/>, diakses pada 26 Juni 2026.

Fu, HX & Liu, XH 2017, 'Review of the impact of liquid *desiccant* dehumidification on indoor air quality', *Building and Environment*, vol. 116, pp. 158-172, DOI:10.1016/j.buildenv.2017.02.014.

Gorai, VK, Singh, SK & Jani, DB 2024, 'A comprehensive review on solid *desiccant*-assisted novel dehumidification and its advanced regeneration methods', *Journal of Thermal Analysis and Calorimetry*, vol. 149, no. 17, pp. 8979-9000, DOI:10.1007/s10973-024-13479-9.

Hanif, S, Adiputra, S, Yaningsih, I, Budiana, EP 2023, 'Adsorption Characteristics of *Silica gel*-Water Pairs in Personal Protection Equipment', *Mekanika: Majalah Ilmiah Mekanika*, vol. 22, pp. 50-58, DOI: <https://dx.doi.org/10.20961/mechanika.v22i2.71250>.

Hraiech, I, Zallama, B, Belkhiria, S, Zili-Ghedira, L, Maatki, C, Hassen, W, Hadrich, B & Kolsi, L 2025, 'Experimental characterization of *silica gel* adsorption and desorption isotherms under varying temperature and relative humidity in a fixed bed reactor', *Scientific Reports*, vol. 15, pp. 29041, DOI:10.1038/s41598-025-14677-7.

Ibrahim, AS, Al-Samari, A, Nayyef, MA, Ismael, MA 2025, 'Experimental Study on Dehumidification by *Silica gel* Blue Using Dehumidification System and Air-

- Conditioning’, *Journal of Techniques*, vol. 7, no. 4, pp 43-52, DOI: <https://doi.org/10.51173/jt.v7i4.2673>
- Innovative Air Technologies 2024, *Desiccant dehumidification with Innovative Air Technologies* [video], YouTube, diakses pada 20 Januari 2026, (<https://youtu.be/y9BW7N8nBTc>).
- Iqbal, W, Mahmood, M, Iqbal, S, Ali, M, Iqbal, MH, Hussien, AG & Kamel, S 2023, ‘Techno-economic and emission analysis of solar assisted *desiccant* dehumidification: An experimental and numerical study’, *Energy Reports*, vol. 10, pp. 2640–2654. DOI:10.1016/j.egy.2023.08.077.
- Jani, DB 2020, ‘Application of liquid *desiccant* cooling technology in built environment: a review’, *International Journal of Modern Studies in Mechanical Engineering (IJMSME)*, vol. 6, no. 1, pp. 9–18, DOI:10.20431/2454-9711.061002.
- Kamsah, N, Mohamed Kamar, H, Wan Khairuzzaman, MI, Alhamid, MI & Zawawi, FM 2016, ‘Performance assessment of a solid *desiccant* air *dehumidifier*’, *Jurnal Teknologi (Sciences & Engineering)*, vol. 78, no. 8–4, pp. 57–64.
- Khan, K, Moses, SC, Kumar, A & Soni, S 2017, 'Design a seed metering *wheel* for sowing corn (*Zea mays*) seeds', *Plant Archives*, vol. 17, no. 2, pp. 1651–1657
- Kosasih, EA, Zikri, A, Dzaky, MI 2022, ‘Water vapor desorption from *silica gel* in a combined drying and double-condenser compression refrigeration system, *Heliyon*, vol. 8, DOI: <https://doi.org/10.1016/j.heliyon.2022.e09757>
- Kurniawan, Y, Ruslani & Anggriawan, FA 2017, 'Analisa kinerja sistem heating *dehumidifier* menggunakan AC split untuk pengeringan ikan', *Jurnal Teknologi Terapan*, vol. 3, no. 1, pp. 41–47.
- LibreTexts, n.d, ‘10.1: Angular Acceleration’, *LibreTexts Physics*, Available at : [https://phys.libretexts.org/Bookshelves/College_Physics/College_Physics_1e_\(OpenStax\)/10%3ARotational_Motion_and_Angular_Momentum/10.01%3A_Angular_Acceleration](https://phys.libretexts.org/Bookshelves/College_Physics/College_Physics_1e_(OpenStax)/10%3ARotational_Motion_and_Angular_Momentum/10.01%3A_Angular_Acceleration), diakses pada 26 Juni 2026.
- Li, Z & Tao, R 2023, ‘Performance enhancement of *desiccant wheels* by adsorption/desorption in stages with type-S isotherm *desiccants*’ *Journal of Applied Thermal Engineering*, vol. 224, p. 120068. DOI: <https://doi.org/10.1016/j.applthermaleng.2023.120068>

- Liu, L, Wu, R, Huang, H, Li, J, Bai, Y, He, Z, Deng, L, Wang, Z, Kubota, M & Kobayashi, N 2024, 'Theoretical study on the dehumidification behaviors of dual-*desiccants* coated cross-flow *heat exchanger* with staged adsorption-desorption process', *Energy*, vol. 297, pp. 131050, DOI:10.1016/j.energy.2024.131050.
- Mathwords, n.d. 'RPM — Definition, Formula & Examples', *Mathwords*, Available at : <https://www.mathwords.com/r/rpm.htm>, diakses pada 26 Juni 2026
- Mehare, HB, Hussain, T, Zia, MA, Saleem, S 2025, 'Performance evaluation of a rotary *dehumidifier* with molecular sieve *desiccant* using coupled regeneration mode: Experimental investigation', *Energy and Built Environment*, vol. 6, pp. 219-229, DOI: <https://doi.org/10.1016/j.enbenv.2023.10.008>
- Mohammed, R.H., Mesalhy, O., Abdelkareem, M., Hou, S., Su, M. & Chow, L.C., 2018. Physical properties and adsorption kinetics of silica-gel/water for adsorption chillers. *Applied Thermal Engineering*, vol. 137, pp.368–376, DOI: <https://doi.org/10.1016/j.applthermaleng.2018.03.088>
- Moran, M.J., Shapiro, H.N., Boettner, D.D. and Bailey, M.B., 2006. Fundamentals of Engineering Thermodynamics. 5th ed. Hoboken, NJ: John Wiley & Sons.
- Norazam, AS, Kamar, HM, Kamsah, N, Alhamid, MI 2019, 'simulation of adsorption process in a rotary solid *desiccant wheel*', *International Journal of Technology*, vol. 10, pp. 1120-1130, DOI: <https://dx.doi.org/10.14716/ijtech.v10i6.3590>
- Nuryanto, H n.d, 'Rumus Volume Balok dan Contoh-Contoh Soalnya', *Gramedia Blog*, Available at : <https://www.gramedia.com/literasi/rumus-volume-balok/>, diakses pada 26 Juni 2026.
- Open-Meteo, 2025. *Historical Weather API*. Available at : <https://open-meteo.com/en/docs/historical-weather-api>, diakses pada 25 Juni 2026
- OpenStax, n.d, '10.1 Rotational Variables', *LibreTexts Physics*, Available at : <https://openstax.org/books/university-physics-volume-1/pages/10-1-rotational-variables> , diakses pada 26 Juni 2026.
- Pamungkas, AD & Sasongko, SB 2023, 'Performansi *dehumidifier* pada variasi suhu ruangan dengan waktu pengujian yang berbeda', in *Proceedings of the Seminar Nasional Teknologi Industri Berkelanjutan III (SENASTITAN III)*, Institut Teknologi Adhi Tama Surabaya, Surabaya.

- Quipper 2019, 'Lihat Benda Berputar, Ingat Momen Inersia', Quipper Blog. Available at : <https://www.quipper.com/id/blog/mapel/fisika/lihat-benda-beputar-ingat-momen-inersia/>, diakses pada 14 Juli 2026.
- Rambhad, KS, Walke, PV, Kalbande, VP, Kumbhalkar, MA, Khond, VW, Nandanwar, Y, Mohan, M & Jibhakate, R 2023, 'Experimental investigation of *desiccant* dehumidification with four different combinations of *silica gel desiccant wheel* on indoor air quality', *SN Applied Sciences*, vol. 5, no. 11, DOI:10.1007/s42452-023-05505-6.
- Risno, SJ 2023, 'Rumus volume tabung lengkap dengan pengertian, ciri, dan jenisnya', Brilio.net, Available at: <https://www.brilio.net/ragam/rumus-volume-tabung-lengkap-dengan-pengertian-ciri-dan-jenisnya-230829d/jenis-jenis-rumus-volume-tabung-230829c.html>, Diakses pada 26 Juni 2026.
- Saputra, DA, Osaka, Y, Tsujiguchi, T, Haruki, M, Kumita, M & Kodama, A 2020, 'Experimental investigation of *desiccant wheel* dehumidification control method for changes in regeneration heat input', *Energy*, vol. 205, pp. 118109, DOI:10.1016/j.energy.2020.118109.
- Sari, LH, Zahriah & Zuhrina 2021, Pengaruh karakter arsitektur tropis pada desain rumah Belanda, Syiah Kuala University, Banda Aceh.
- Su, M, Han, X, Dai, Y, Wang, J, Liu, J & Yan, J 2024, 'Investigation on recirculated regenerative solid *desiccant*-assisted dehumidification system: Impact of system configurations and *desiccant* materials', *Energy*, vol. 286, pp. 129629, DOI:10.1016/j.energy.2023.129629.
- Surbakti, JS, Yunianto, B & Muchammad 2024, 'Dehumidifikasi udara tertutup menggunakan *desiccant* karbon aktif', *Jurnal Teknik Mesin S-1*, vol. 12, no. 1, pp. 91–98.
- Tsubaki n.d., *technical data Synchronous Belts and Belt Sprockets Selection*, Tsubaki, diakses pada 19 Februari 2026, (https://en.tt-net.tsubakimoto.co.jp/tecs/engd/tbl/engd_tbl_sen_kou.asp?utm_source=chatgpt.com).
- Vision Air Quality Systems. (n.d.). *Methods of operation*, diakses pada 23 Juli 2026 (<https://www.visionaq.com/methods-of-operation/>)
- Wikipedia (n.d), 'Darcy friction factor formulae', *Wikipedia*. Available at :

https://en.wikipedia.org/wiki/Darcy_friction_factor_formulae , diakses pada 26 Juni 2026.

- Yadav, A, Yadav, L 2014, 'Comparative performance of *desiccant wheel* with effective and ordinary regeneration sector using mathematical model', *Heat Mass Transfer*, vol. 50, pp. 1465-1478, DOI: 10.1007/s00231-014-1349-6
- Yang, G, Yu, W, Chen, W & Jiao, S 2025, 'Experimental investigation of rotating *wheel* speed and regeneration temperature effects on marine dual-stage *desiccant* dehumidification fresh-air pre-treatment system performance', *Processes*, vol. 13, no. 3, DOI:10.3390/pr13030669.
- Yang, J & Kim, YI 2025, 'Experimental analysis of energy savings in a combined rotary *desiccant dehumidifier* with a *purge section*', *Sustainability*, vol. 17, no. 9, DOI:10.3390/su17094126.
- Ybyraiymkul, D, Chen, Q, Burhan, M, Akhtar, FH, AlRowais, R, Shahzad, MW, Ja, MK & Ng, KC 2023, 'Innovative solid *desiccant* dehumidification using distributed *microwaves*', *Scientific Reports*, vol. 13, no. 1, pp. 1-12, DOI:10.1038/s41598-023-34542-9.
- Yeboah, SK, Darkwa, J 2021, 'Experimental Data on Water Vapour Adsorption on *Silica gel* in Fully Packed and Z-Annulus Packed Beds', *Journal Pre-proof*, DOI: <https://doi.org/10.1016/j.dib.2021.106736>
- YouTube (Holden and Associates 2024) Holden and Associates 2024, *Desiccant Dehumidification with Innovative Air Technologies*, YouTube, 18 October, diakses pada Desember 28 2025, (<https://youtu.be/y9BW7N8nBTc?si=5xCsbzVHtWsFB036>).
- Yu, H, Seo, SW, Miksik, F, Thu, K, Miyazaki, T, Ng, KC 2022, 'Effects of temperature and humidity ratio on the performance of *desiccant* dehumidification system under low-temperature regeneration', *Journal of Thermal Analysis and Calorimetry*, DOI: <https://doi.org/10.1007/s10973-022-11368-7>