

DAFTAR PUSTAKA

- Afifah, N., Riyanta, A. B., & Amananti, W. (2023). Fitokimia pada Ekstrak Daun Mangga Harum Manis (*Mangifera indica* L.). *Jurnal Crystal: Publikasi Penelitian Kimia dan Terapannya*, 5(1), 54–61.
- Ahmad Muhaimin; Annur Tasya Alfiati; Irma Nadia Yanti; Marisa Susanti; Siti Noorlena Universitas. (2025). Tinjauan Berbagai Metode Kromatografi: Kromatografi Kertas, Gas, dan Cair dalam Analisis Kimia. *Medic nutricia. Jurnal Ilmu Kesehatan*, 12(4). <https://doi.org/10.5455/mnj.v1i2.644>
- Aminah, A., Tomayahu, N., & Abidin, Z. (2017). Penetapan Kadar Flavonoid Total Ekstrak Etanol Kulit Buah Alpukat (*Persea Americana* Mill.) dengan Metode Spektrofotometri Uv-Vis. *Jurnal Fitofarmaka Indonesia*, 4(2), 226–230. <https://doi.org/10.33096/jffi.v4i2.265>
- Azlan, U. K., Mediani, A., Rohani, E. R., Tong, X., Han, R., Misnan, N. M., Jam, F. A., Bunawan, H., Sarian, M. N., & Hamezah, H. S. (2022). A Comprehensive Review with Updated Future Perspectives on the Ethnomedicinal and Pharmacological Aspects of *Moringa oleifera*. *Molecules*, 27(18). <https://doi.org/10.3390/molecules27185765>
- Belle, A and Khale, A. (2011). An Overview On Thin Layer Chromatography. *International Journal of Pharmaceutical Sciences and Research*. 2(2), 256–267.
- Chang, C. C., Yang, M. H., Chern, J. C. 2002. Estimation of total flavonoid content in propolis by two complementary colorimetric methods. *Journal of Food and Drug Analysis*. 10(3), 178-182.
- Chen, S., Wang, X., Cheng, Y., Gao, H., & Chen, X. (2023). A Review of Classification, Biosynthesis, Biological Activities and Potential Applications of Flavonoids. *Molecules*, 28(13), 1–27.
- Chen, X., H. Li, B. Zhang & Z. Deng. (2022). The synergistic and antagonistic antioxidant interactions of dietary phytochemical combinations. *Critical Reviews in Food Science and Nutrition* , 62(20), 5658-5677.
- Coppin, J. P., Xu, Y., Chen, H., Pan, M. H., Ho, C. T., Juliani, R., Simon, J. E., & Wu, Q. (2013). Determination of flavonoids by LC/MS and anti-inflammatory activity in *Moringa oleifera*. *Journal of Functional Foods*, 5(4), 1892–1899. <https://doi.org/10.1016/j.jff.2013.09.010>
- Coskun, O. (2016). Separation techniques: Chromatography. *North Clin Istanbul*. 3(2), 156–160. <https://doi.org/10.14744/nci.2016.32757>

- Cuyckens, F., & Claeys, M. (2004). Mass spectrometry in the structural analysis of flavonoids. *Journal of Mass Spectrometry*, 39(1), 1–15. <https://doi.org/10.1002/jms.585>
- Fachriyah, E., Kusrini, D., Haryanto, I. B., Wulandari, S. M. B., Lestari, W. I., & Sumariyah, S. (2020). Phytochemical Test, Determination of Total Phenol, Total Flavonoids and Antioxidant Activity of Ethanol Extract of Moringa Leaves (*Moringa oleifera* Lam). *Jurnal Kimia Sains dan Aplikasi*, 23(8), 290–294. <https://doi.org/10.14710/jksa.23.8.290-294>
- Fachriyah, E., Kusrini, D., & Wibawa, P. J. (2018). Improvement of Bioactivity with Nanoparticle Fabrication: Cytotoxic Test of Ethanol, N-Hexane and Ethyl Acetate Extract from Red Galangal Rhizome (*Alpinia purpurata* (Vieill.) K. Schum) in Bulk and Nanoparticle size using BSLT Method. *Jurnal Kimia Sains dan Aplikasi*, 21(1), 39–43. <https://doi.org/10.14710/jksa.21.1.39-43>
- Fuller, B. (2010). Antioxidant and Antiinflammatories. In D. ZD (Ed.), *Cosmetic Dermatology Product and Prosedure*. Willey Blackwell, Oxford.
- Haryanto Haryanto, Sitti Nur Atika Ningsih, Nabila Syahrani Anwar, Farda Nur Annisa, Meilinda Putri Anastasya, Muh Abdiyal, Ispa Novianti Nanrang, Adinda Safira, Ratu Raisyah Rahmatia Rumbara, & Liska Nur. (2025). Analisis Kandungan Kadar Paracetamol pada Jamu Pegal Linu Menggunakan Spektrofotometri UV VIS. *Jurnal Mahasiswa Ilmu Kesehatan*, 3(1), 104–110. <https://doi.org/10.59841/jumkes.v3i1.2237>
- Jannah, M. (2024). Review Artikel: Kadar Flavonoid Ekstrak Etanol Daun Dari Beberapa Jenis Tanaman. *Makassar Natural Product Journal (MNPJ)*, 2(1), 23–32. <https://doi.org/10.33096/mnpj.v2i1.142>
- Justesen, U. (2001). Collision-induced fragmentation of deprotonated methoxylated flavonoids, obtained by electrospray ionization mass spectrometry. *Journal of Mass Spectrometry*, 36(2), 169–178. <https://doi.org/10.1002/jms.118>
- Kausar, R. Al, Putra, A. S. E., & Tutik. (2023). the Relationship Between Flavonoid Content and Antioxidant Activity in Guava Leaves (*Syzygium Aqueum*) and Moringa Leaves (*Moringa Oleifera*) Using Uv-Vis Spectrophotometry. *Jurnal Analis Farmasi*, 8(2), 170–187.
- Leone, A., Spada, A., Battezzati, A., Schiraldi, A., Aristil, J., & Bertoli, S. (2015). Cultivation, genetic, ethnopharmacology, phytochemistry and pharmacology of *Moringa oleifera* leaves: An overview. *International Journal of Molecular Sciences*, 16(6), 12791–12835. <https://doi.org/10.3390/ijms160612791>
- Liguori, I., Russo, G., Curcio, F., Bulli, G., Aran, L., Della-Morte, D., Gargiulo, G., Testa, G., Cacciatore, F., Bonaduce, D., & Abete, P. (2018). Oxidative stress,

- aging, and diseases. *Clinical Interventions in Aging*, 13, 757–772. <https://doi.org/10.2147/CIA.S158513>
- Lv, H., Palacios, G., Hartil, K., & Kurland, I. J. (2011). *Advantages of Tandem LC - MS for the Rapid Assessment of Tissue-Specific Metabolic Complexity Using a Pentafluorophenylpropyl Stationary Phase*. 2104–2112.
- Mabry, T. J., Markham, K. R., & Thomas, M. B. (1970). *The Systematic Identification of Flavonoids*. Springer-Verlag.
- Marjoni, M.R. (2016). *Dasar-Dasar Fitokimia untuk Diploma III Farmasi*. Trans Info Media, Jakarta.
- Martha, R. D., Safitri, Y. D., Parbuntari, H., Farmasi, P. S., Kimia, J., Malang, U. N., Studi, P., Kesehatan, A., Kimia, J., & Padang, U. N. (2024). Identifikasi Senyawa Flavonoid Daun Jinten (*Plectranthus amboinicus*) Menggunakan Liquid Chromatography-Mass Spectrometry (LC-MS) dan Potensinya sebagai Antikanker Secara In-Vitro. *Sainstek*. 21(1), 67–76.
- Molyneux, P. (2004). The Use of the Stable Free Radical Diphenylpicryl-hydrazyl (DPPH) for Estimating Antioxidant Activity. *Songklanakarin Journal of Science and Technology*. <https://doi.org/10.1287/isre.6.2.144> 26 (December 2003), 211–219.
- Mutingatun, S., Fachriyah, E., & Kusriani, D. (2022). Isolation, Identification, and Antioxidant Activity of Flavonoid Compounds in the Ethanol Extract in Bandotan Leaves (*Ageratum conyzoides*). *Jurnal Kimia Sains dan Aplikasi*, 25(12), 456–466. <https://doi.org/10.14710/jksa.25.12.456-466>
- Ni Kadek Fina Parwati, M. N. dan A. W. M. D. (2016). Uji-Aktivitas-Antioksidan-Ekstrak-Daun-Binahong. *J. Akad. Kim.*, 3(4), 206–213.
- Nofita, S. D., Ngibad, K., & Rodli, A. F. (2022). Determination of percentage yield and total phenolic content of ethanol extract from purple passion (*Passiflora edulis* f. *edulis* Sims) fruit peel. *Jurnal Pijar Mipa*, 17(3), 309–313. <https://doi.org/10.29303/jpm.v17i3.3461>
- Ntshambiwa, K. T., Seifu, E., & Mokhawa, G. (2023). Nutritional composition, bioactive components and antioxidant activity of *Moringa stenopetala* and *Moringa oleifera* leaves grown in Gaborone, Botswana. *Food Production, Processing and Nutrition*, 5(1). <https://doi.org/10.1186/s43014-022-00124-x>
- Nurshazidah, S., Prasetya, F. A., Fikayuniar, L., Utami, D. S. P., Andini, D. A. P., Wijaya, G. D., Alfarizy, A., & Atoriq, M. A. (2023). Review Article: Uji Kadar Flavonoid Total Pada Simplisia Daun Kelor (*Moringa oleifera* L.) dari Berbagai Jenis Pereaksi. *Jurnal Ilmiah Wahana Pendidikan*. 9(16), 712–723. <https://doi.org/10.5281/zenodo.8264936>

- Panche, A. N., Diwan, A. D., & Chandra, S. R. (2016). Flavonoids: An overview. *Journal of Nutritional Science*, 5. <https://doi.org/10.1017/jns.2016.41>
- Panova, N., Gerasimova, A., Gentsheva, G., Nikolova, S., Makedonski, L., Velikova, M., Beraich, A., Talhaoui, A., Petkova, N., Batovska, D., & Nikolova, K. (2025). *Moringa oleifera* Lam.: A Nutritional Powerhouse with Multifaceted Pharmacological and Functional Applications. *Life*, 15(6), 1–38. <https://doi.org/10.3390/life15060881>
- Pareek, A., Pant, M., Gupta, M. M., Kashania, P., Ratan, Y., Jain, V., Pareek, A., & Chuturgoon, A. A. (2023). *Moringa oleifera*: An Updated Comprehensive Review of Its Pharmacological Activities, Ethnomedicinal, Phytopharmaceutical Formulation, Clinical, Phytochemical, and Toxicological Aspects. *International Journal of Molecular Sciences*, 24(3). <https://doi.org/10.3390/ijms24032098>
- Purba, E. C. (2020). Kelor (*Moringa oleifera* L.). Pemanfaatan dan Bioaktivitas. *Jurnal Pro-Life*, 7(1), 1–12.
- Samosir, S. R. (2022). Isolasi dan Identifikasi Senyawa Flavonoida dari Daun Tumbuhan Mundu (*Garcinia dulcis* (Roxb) kurz). *Jurnal Ilmiah Farmasi Imelda*. 5(2), 65–72.. 5(2), 65–72.
- Shi, L., W. Zhao., Z. Yang., V. Subbiah., Suleria. (2022). Extraction and characterization of phenolic compounds and their potential antioxidant activities. *Environmental Science and Pollution Research*, 29(54), 81112–81129.
- Sindhu, I. W., & Prasetya, W. (2023). Potensi Kandungan Fitokimia Bawang Dayak (*Eleutherine palmifolia* (L.) Merr) sebagai Sumber Antioksidan. *Review Artikel, Prosiding Workshop dan Seminar Nasional Farmas*. 2, 345–355.
- Sunardi, & Hafizah, D. A. (2024). Pemisahan Kromatografi Lapis Tipis pada Asam Amino dengan Menentukan Nilai Faktor Retensi. *Jurnal Kimia Dan Rekayasa*, 5, 1–7.
- Wahdaniah, Erika, M., & Purwaningsih, I. (2018). Jurnal Laboratorium Khatulistiwa. *Jurnal Laboratorium Khatulistiwa*, 2(1), 26–33.
- Winarsi, H. (2007). Antioksidan alami dan radikal bebas: Potensi dan aplikasi dalam kesehatan (pp.23-88). Yogyakarta: Kanisius.
- Yuniati, W. W., Anam, K., & Kusriani, D. (2012). Isolasi, Karakterisasi dan Uji Aktivitas Antioksidan Flavonoid dari Ekstrak Air Kulit Batang Ketapang Kencana (*Terminalia muelleri Benth.*). *Jurnal Sains dan Matematika*. 20(3), 71–76.