

DAFTAR PUSTAKA

- Afifah, N., Budi Riyanta, A., Amananti, W., Article, R., Kunci, K., Maserasi, W., Fitokimia, S., Mangga, D., & Manis, H. (2023). *PENGARUH WAKTU MASERASI TERHADAP HASIL SKRINING FITOKIMIA PADA EKSTRAK DAUN MANGGA HARUM MANIS (Mangifera indica L.)* (Vol. 5, Number 1).
- Ameen, M., Mahmood, A., Sahkoo, A., Zia, M. A., & Ullah, M. S. (2024). The role of endophytes to combat abiotic stress in plants. *Plant Stress*, 12, 100435. <https://doi.org/https://doi.org/10.1016/j.stress.2024.100435>
- Apak, R. (2019). Current Issues in Antioxidant Measurement. *Journal of Agricultural and Food Chemistry*, 67(33), 9187–9202. <https://doi.org/10.1021/acs.jafc.9b03657>
- Apak, R., Özyürek, M., Güçlü, K., & Çapanoğlu, E. (2016). Antioxidant Activity/Capacity Measurement. 1. Classification, Physicochemical Principles, Mechanisms, and Electron Transfer (ET)-Based Assays. *Journal of Agricultural and Food Chemistry*, 64(5), 997–1027. <https://doi.org/10.1021/acs.jafc.5b04739>
- Benzie, I. F. F., & Choi, S.-W. (2014). Chapter One - Antioxidants in Food: Content, Measurement, Significance, Action, Cautions, Caveats, and Research Needs. In J. Henry (Ed.), *Advances in Food and Nutrition Research* (Vol. 71, pp. 1–53). Academic Press. <https://doi.org/https://doi.org/10.1016/B978-0-12-800270-4.00001-8>
- Benzie, I. F. F., & Strain, J. J. (1996). The Ferric Reducing Ability of Plasma (FRAP) as a Measure of “Antioxidant Power”: The FRAP Assay. *Analytical Biochemistry*, 239(1), 70–76. <https://doi.org/https://doi.org/10.1006/abio.1996.0292>
- BLOIS, M. S. (1958). Antioxidant Determinations by the Use of a Stable Free Radical. *Nature*, 181(4617), 1199–1200. <https://doi.org/10.1038/1811199a0>
- Bondet, V., Brand-Williams, W., & Berset, C. (1997). Kinetics and Mechanisms of Antioxidant Activity using the DPPH.Free Radical Method. *LWT - Food Science and Technology*, 30(6), 609–615. <https://doi.org/https://doi.org/10.1006/fstl.1997.0240>
- Brakhage, A. A., Schuemann, J., Bergmann, S., Scherlach, K., Schroeckh, V., & Hertweck, C. (2008). Activation of fungal silent gene clusters: A new avenue to drug discovery. In F. Petersen & R. Amstutz (Eds.), *Natural Compounds as Drugs: Volume II* (pp. 1–12). Birkhäuser Basel. https://doi.org/10.1007/978-3-7643-8595-8_1

- Caffrey, E. B., Sonnenburg, J. L., & Devkota, S. (2024). Our extended microbiome: The human-relevant metabolites and biology of fermented foods. *Cell Metabolism*, 36(4), 684–701.
<https://doi.org/10.1016/j.cmet.2024.03.007>
- Cano, A., & Arnao, M. B. (2018). ABTS/TEAC (2,2'-azino-bis(3-ethylbenzothiazoline-6-sulfonic acid)/Trolox®-Equivalent Antioxidant Capacity) radical scavenging mixed-mode assay. In *Measurement of Antioxidant Activity & Capacity* (pp. 117–139).
<https://doi.org/https://doi.org/10.1002/9781119135388.ch7>
- Cano, A., Maestre, A. B., Hernández-Ruiz, J., & Arnao, M. B. (2023). ABTS/TAC Methodology: Main Milestones and Recent Applications. In *Processes* (Vol. 11, Number 1). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/pr11010185>
- Chaturwedi, S. B., Mainali, S., & Chaudhary, R. (2024). Antibacterial activity of pigment extracted from bacteria isolated from soil samples. *BMC Research Notes*, 17(1). <https://doi.org/10.1186/s13104-024-06834-4>
- Chavan, A., Pawar, J., Kakde, U., Venkatachalam, M., Fouillaud, M., Dufossé, L., & Deshmukh, S. K. (2025). Pigments from Microorganisms: A Sustainable Alternative for Synthetic Food Coloring. In *Fermentation* (Vol. 11, Number 7). Multidisciplinary Digital Publishing Institute (MDPI).
<https://doi.org/10.3390/fermentation11070395>
- Cheng, Y., Phyu, M. P., Kang, Y., Lyu, T., & Kim, W. (2025). Optimizing Extraction Polarity for Multifunctional Bioactivities and Phenolic Composition in *Polygonum cuspidatum* Sieb. et Zucc. Ultrasonic Extraction. *Antioxidants*, 14(12).
<https://doi.org/10.3390/antiox14121431>
- Cubas Pereira, D., Pupin, B., & de Simone Borma, L. (2024). Influence of sample preparation methods on FTIR spectra for taxonomic identification of tropical trees in the Atlantic forest. *Heliyon*, 10(5).
<https://doi.org/10.1016/j.heliyon.2024.e27232>
- da Silva Pinto, L. F., Tavares, T. C. S., Cardenas-Alegria, O. V., Lobato, E. M. S. G., de Sousa, C. P., & Nunes, A. R. C. (2025). Endophytic Bacteria with Potential Antimicrobial Activity Isolated from *Theobroma cacao* in Brazilian Amazon. *Microorganisms*, 13(7).
<https://doi.org/10.3390/microorganisms13071686>

- de Andrade, C. P., Lacerda, C. D., Valente, R. A., Rocha, L. S. de H., de Souza, A. T. F., Pereira, D. Í. de M., Barbosa, L. K., Fantin, C., Duvoisin Junior, S., & Albuquerque, P. M. (2025). An OSMAC Strategy for the Production of Antimicrobial Compounds by the Amazonian Fungi *Talaromyces pinophilus* CCM-UEA-F0414 and *Penicillium paxilli* CCM-UEA-F0591. *Antibiotics*, 14(8). <https://doi.org/10.3390/antibiotics14080756>
- Dwibedi, V., Rath, S. K., Joshi, M., Kaur, R., Kaur, G., Singh, D., Kaur, G., & Kaur, S. (2022). Microbial endophytes: application towards sustainable agriculture and food security. *Applied Microbiology and Biotechnology*, 106(17), 5359–5384. <https://doi.org/10.1007/s00253-022-12078-8>
- Fan, B., Parrot, D., Blümel, M., Labes, A., & Tasdemir, D. (2019). Influence of OSMAC-based cultivation in metabolome and anticancer activity of fungi associated with the brown alga *fucus vesiculosus*. *Marine Drugs*, 17(1). <https://doi.org/10.3390/md17010067>
- Gulcin, İ., & Alwasel, S. H. (2023). DPPH Radical Scavenging Assay. In *Processes* (Vol. 11, Number 8). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/pr11082248>
- Gupta, S., Chaturvedi, P., Kulkarni, M. G., & Van Staden, J. (2020). A critical review on exploiting the pharmaceutical potential of plant endophytic fungi. *Biotechnology Advances*, 39, 107462. <https://doi.org/https://doi.org/10.1016/j.biotechadv.2019.107462>
- Huang, T., Tan, H., Lu, F., Chen, G., & Wu, Z. (2017). Changing oxidoreduction potential to improve water-soluble yellow pigment production with *Monascus ruber* CGMCC 10910. *Microbial Cell Factories*, 16(1). <https://doi.org/10.1186/s12934-017-0828-0>
- Jolliffe, I. T., & Cadima, J. (2016). Principal component analysis: A review and recent developments. In *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences* (Vol. 374, Number 2065). Royal Society of London. <https://doi.org/10.1098/rsta.2015.0202>
- Kedare, S. B., & Singh, R. P. (2011). Genesis and development of DPPH method of antioxidant assay. *Journal of Food Science and Technology*, 48(4), 412–422. <https://doi.org/10.1007/s13197-011-0251-1>
- Kusbandari, A., & Susanti, H. (2017). KANDUNGAN BETA KAROTEN DAN AKTIVITAS PENANGKAPAN RADIKAL BEBAS TERHADAP DPPH (1,1-DIFENIL 2-PIKRIHYDRAZIL) EKSTRAK

BUAH BLEWAH (*Cucumis melo* var. *cantalupensis* L) SECARA
SPEKTROFOTOMETRI UV-VISIBEL. *Journal of Pharmaceutical
Sciences and Community*, 14(1), 37–42.
<https://doi.org/10.24071/jpsc.141562>

Le Loarer, A., Dufossé, L., Bignon, J., Frédérick, M., Ledoux, A., Fouillaud, M., & Gauvin-Bialecki, A. (2023). *OSMAC Method to Assess Impact of Culture Parameters on Metabolomic Diversity and Biological Activity of Marine-Derived Actinobacteria*.
<https://doi.org/10.20944/preprints202309.1275.v1>

Molyneux, P. (2004). The use of the stable free radical
diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity.
Songklanakarin Journal of Science and Technology, 26(2), 211–219.

Momand, H., Awan, S. J., Maqbool, T., Munawar, M., Shehzadi, S., & Hadi, F. (2024). EVALUATION OF COLORLESS CAROTENOIDS FROM WHITE HEIRLOOM TOMATO FOR REGENERATION OF SKIN CELLS VIA REDUCTION OF INFLAMMATION AND STRESS. *Journal of Population Therapeutics and Clinical Pharmacology*.
<https://doi.org/10.53555/jptcp.v31i5.6213>

Muñoz-Torres, P., Márquez, S. L., Sepúlveda-Chavera, G., Cárdenas-Ninasivinch, S., Arismendi-Macuer, M., Huanca-Mamani, W., Aguilar, Y., Quezada, A., & Bugueño, F. (2023). Isolation and Identification of Bacteria from Three Geothermal Sites of the Atacama Desert and Their Plant-Beneficial Characteristics. *Microorganisms*, 11(11).
<https://doi.org/10.3390/microorganisms11112635>

Nuryamin, H. A., Abna, I. M., & Amir, D. M. (2024). Antibacterial Activity Test of Beet (*Beta vulgaris* L.) Leaves 70% Ethanol Extract Against *Pseudomonas aeruginosa* ATCC 9027. In *Archives Pharmacia* (Vol. 6).

Okada, B. K., & Seyedsayamdost, M. R. (2017). Antibiotic dialogues: Induction of silent biosynthetic gene clusters by exogenous small molecules. In *FEMS Microbiology Reviews* (Vol. 41, Number 1, pp. 19–33). Oxford University Press. <https://doi.org/10.1093/femsre/fuw035>

Pinedo-Rivilla, C., Aleu, J., & Durán-Patrón, R. (2022). Cryptic Metabolites from Marine-Derived Microorganisms Using OSMAC and Epigenetic Approaches. In *Marine Drugs* (Vol. 20, Number 2). MDPI.
<https://doi.org/10.3390/md20020084>

Prior, R. L., Wu, X., & Schaich, K. (2005). Standardized Methods for the Determination of Antioxidant Capacity and Phenolics in Foods and Dietary Supplements. *Journal of Agricultural and Food Chemistry*, 53(10), 4290–4302. <https://doi.org/10.1021/jf0502698>

- Re, R., Pellegrini, N., Proteggente, A., Pannala, A., Yang, M., & Rice-Evans, C. (1999). Antioxidant activity applying an improved ABTS radical cation decolorization assay. *Free Radical Biology and Medicine*, 26(9), 1231–1237. [https://doi.org/https://doi.org/10.1016/S0891-5849\(98\)00315-3](https://doi.org/https://doi.org/10.1016/S0891-5849(98)00315-3)
- Reen, F. J., Romano, S., Dobson, A. D. W., & O’Gara, F. (2015). The sound of silence: Activating silent biosynthetic gene clusters in marine microorganisms. In *Marine Drugs* (Vol. 13, Number 8, pp. 4754–4783). MDPI AG. <https://doi.org/10.3390/md13084754>
- Sachadyn-Król, M., Budziak-Wieczorek, I., & Jackowska, I. (2023). The Visibility of Changes in the Antioxidant Compound Profiles of Strawberry and Raspberry Fruits Subjected to Different Storage Conditions Using ATR-FTIR and Chemometrics. *Antioxidants*, 12(9). <https://doi.org/10.3390/antiox12091719>
- Tizabi, D., & Hill, R. T. (2023). *Micrococcus* spp. as a promising source for drug discovery: A review. In *Journal of Industrial Microbiology and Biotechnology* (Vol. 50, Number 1). Oxford University Press. <https://doi.org/10.1093/jimb/kuad017>
- Torres, P. M., Cárdenas, S., Macuer, M. A., Huanacuni, N., Huanca-Mamani, W., Cifuentes, D., Sepúlveda Chavera, G. F., Jamiołkowska, A., Kot, I., & Degola, F. (2021). *The Endophytic Pseudomonas sp. S57 for Plant-Growth Promotion and the Biocontrol of Phytopathogenic Fungi and Nematodes*. <https://doi.org/10.3390/plants1008>
- Xiao, F., Xu, T., Lu, B., & Liu, R. (2020). Guidelines for antioxidant assays for food components. *Food Frontiers*, 1(1), 60–69. <https://doi.org/https://doi.org/10.1002/fft2.10>
- Xie, J., & Schaich, K. M. (2014). Re-evaluation of the 2,2-Diphenyl-1-picrylhydrazyl Free Radical (DPPH) Assay for Antioxidant Activity. *Journal of Agricultural and Food Chemistry*, 62(19), 4251–4260. <https://doi.org/10.1021/jf500180u>
- Zhang, Q., Acuña, J. J., Inostroza, N. G., Mora, M. L., Radic, S., Sadowsky, M. J., & Jorquera, M. A. (2019). Endophytic Bacterial Communities Associated with Roots and Leaves of Plants Growing in Chilean Extreme Environments. *Scientific Reports*, 9(1). <https://doi.org/10.1038/s41598-019-41160-x>