

DAFTAR PUSTAKA

- Alemneh, A. A., Zhou, Y., Ryder, M. H., and Denton, M. D. (2020). Mechanisms in plant growth-promoting rhizobacteria that enhance legume–rhizobial symbioses. *J. Appl. Microbiol.* 129, 1133–1156. doi: 10.1111/jam.14754
- Allouzi, M. M. A., Allouzi, S. M. A., Keng, Z. X., Supramaniam, C. V., Singh, A., & Chong, S. (2022). Liquid biofertilizers as a sustainable solution for agriculture. *Heliyon*, 8(12), e12609. <https://doi.org/10.1016/j.heliyon.2022.e12609>
- Andrews, M., & Andrews, M. E. (2017). Specificity in legume-rhizobia symbioses. *International Journal of Molecular Sciences*, 18(4). <https://doi.org/10.3390/ijms18040705>
- Anjum, S., Rana, S., Dasila, K., Agnihotri, V., Pandey, A., & Pande, V. (2022). Comparative nutritional and antimicrobial analysis of Himalayan black and yellow soybean and their okara. *Journal of the Science of Food and Agriculture*, 102(12), 5358–5367. <https://doi.org/10.1002/jsfa.11889>
- Arnon, D. I. (1949). Copper Enzymes in Isolated Chloroplasts. Polyphenoloxidase in Beta Vulgaris. *Plant Physiology*, 24(1), 1–15. <https://doi.org/10.1104/pp.24.1.1>
- Astuti, A., Mulyono, & Fauzi, R. (2021). Characterization of Rhizobium Indigenous Isolates and Their Compatibility with Edamame Soybean. *IOP Conference Series: Earth and Environmental Science*, 752(1). <https://doi.org/10.1088/1755-1315/752/1/012001>
- Athul, P. P., Patra, R. K., Sethi, D., Panda, N., Mukhi, S. K., Padhan, K., Sahoo, S. K., Sahoo, T. R., Mangaraj, S., Pradhan, S. R., & Pattanayak, S. K. (2022). Efficient native strains of rhizobia improved nodulation and productivity of French bean (*Phaseolus vulgaris* L.) under rainfed condition. *Frontiers in Plant Science*, 13(December), 1–13. <https://doi.org/10.3389/fpls.2022.1048696>
- Atkinson, E.M., Palcic, M.M., Hindsgaul, O., & Long, S.R., 1994. Biosynthesis of *Rhizobium meliloti* lipooligosaccharide Nod factors: *NodA* is required for an N-acyltransferase activity. *Proc. Natl. Acad. Sci.* 91. 8418–8422.
- Aziz, A., Ahiabor, B., Opoku, A., and Abaidoo, R. (2016). Contributions of rhizobium inoculants and phosphorus fertilizer to biological nitrogen fixation, growth and grain yield of three soybean varieties on a fluvisol. *Am. J. Exp. Agric*, 10, 1–11. doi: 10.9734/AJEA/2016/20072
- Baldani, J. I., Reis, V. M., Videira, S. S., Boddey, L. H., & Baldani, V. L. D. (2014). The art of isolating nitrogen-fixing bacteria from non-leguminous plants using N-free semi-solid media: a practical guide for microbiologists. *Plant and Soil*, 384(2), 413–431. <https://doi.org/10.1007/s11104-014-2186-6>

- Bellés-Sancho, P., Liu, Y., Heiniger, B., von Salis, E., Eberl, L., Ahrens, C. H., Zamboni, N., Bailly, A., & Pessi, G. (2022). A novel function of the key nitrogen-fixation activator NifA in beta-rhizobia: Repression of bacterial auxin synthesis during symbiosis. *Frontiers in Plant Science*, 13(September), 1–20. <https://doi.org/10.3389/fpls.2022.991548>
- Berg, G. (2009). Plant-microbe interactions promoting plant growth and health: perspectives for controlled use of microorganisms in agriculture. *Appl. Microbiol. Biotechnol*, 84, 11–18. doi: 10.1007/s00253-009-2092-7
- Bhartiya, A., Aditya, J. P., Pal, R. S., Chandra, N., Kant, L., & Pattanayak, A. (2020). Bhat (Black soybean): A traditional legume with high nutritional and nutraceutical properties from nw himalayan region of india. *Indian Journal of Traditional Knowledge*, 19(2), 307–319. <https://doi.org/10.56042/ijtk.v19i2.35346>
- Broughton, W. J., & Dilworth, M. (1971). Control of leghaemoglobin synthesis in snake beans. *Biochemical journal*, 125(4), 1075-1080. <https://doi.org/10.1042/bj1251075>
- Burén, S., Pratt, K., Jiang, X., Guo, Y., Jimenez-Vicente, E., Echavarri-Erasun, C., Dean, D. R., Saaem, I., Benjamin Gordon, D., Voigt, C. A., & Rubio, L. M. (2019). Biosynthesis of the nitrogenase active-site cofactor precursor NifB-co in *Saccharomyces cerevisiae*. *Proceedings of the National Academy of Sciences of the United States of America*, 116(50), 25078–25086. <https://doi.org/10.1073/pnas.1904903116>
- Burghardt, L. T., & diCenzo, G. C. (2023). The evolutionary ecology of rhizobia: multiple facets of competition before, during, and after symbiosis with legumes. *Current Opinion in Microbiology*, 72, 102281. <https://doi.org/10.1016/j.mib.2023.102281>
- Chaudhary, T., Gera, R., & Shukla, P. (2021). Deciphering the Potential of *Rhizobium pusense* MB-17a, a Plant Growth-Promoting Root Endophyte, and Functional Annotation of the Genes Involved in the Metabolic Pathway. *Frontiers in Bioengineering and Biotechnology*, 8(January), 1–12. <https://doi.org/10.3389/fbioe.2020.617034>
- Chen, W. H., Yang, S. H., Li, Z. H., Zhang, X. X., Sui, X. H., Wang, E. T., Chen, W. X., & Chen, W. F. (2017). *Ensifer shofinae* sp. nov., a novel rhizobial species isolated from root nodules of soybean (*Glycine max*). *Systematic and Applied Microbiology*, 40(3), 144–149. <https://doi.org/10.1016/j.syapm.2017.01.002>
- Churakov, A. A., & Khizhnyak, S. V. (2021). New isolates of soybean nodule bacteria in Central Siberia New isolates of soybean nodule bacteria in Central Siberia. *IOP Conf. Series: Earth and Environmental Science*, 723, 1–7. <https://doi.org/10.1088/1755-1315/723/2/022009>
- Dakora, F. D., and Phillips, D. A. (2002). Root exudates as mediators of mineral acquisition in low-nutrient environments. *Plant Soil*, 245, 35–47. doi: 10.1023/A:1020809400075

- Desta, K. T., Hur, O. S., Lee, S., Yoon, H., Shin, M. J., Yi, J., Lee, Y., Ro, N. Y., Wang, X., & Choi, Y. M. (2022). Origin and seed coat color differently affect the concentrations of metabolites and antioxidant activities in soybean (*Glycine max* (L.) Merrill) seeds. *Food Chemistry*, 381(January), 132249. <https://doi.org/10.1016/j.foodchem.2022.132249>
- Desta, M., Akuma, A., Minay, M., Yusuf, Z., & Baye, K. (2023). Effects of Indigenous and Commercial Rhizobia on Growth and Nodulation of Soybean (*Glycine max* L) under Greenhouse Condition. *The Open Biotechnology Journal*, 17(1), 1–8. <https://doi.org/10.2174/18740707-v17-230223-2022-17>
- Ditta, G., Virts, E., Palomares, A., & Kim, G. H. (1987). The *nifA* gene of *Rhizobium meliloti* is oxygen regulated. *Journal of Bacteriology*, 169(7), 3217–3223. <https://doi.org/10.1128/jb.169.7.3217-3223.1987>
- Dolatabad, H. K., Mahjenabadi, V. A. J., & Khavazi, K. (2024). From soil to symbiosis: Uncovering genetic diversity of lentil-nodulating rhizobia in Iranian agriculture. *Microbe (Netherlands)*, 5(February), 100219. <https://doi.org/10.1016/j.microb.2024.100219>
- Efstathiadou, E., Savvas, D., & Tampakaki, A. P. (2020). Genetic diversity and phylogeny of indigenous rhizobia nodulating faba bean (*Vicia faba* L.) in Greece. *Systematic and Applied Microbiology*, 43(6), 126149. <https://doi.org/10.1016/j.syapm.2020.126149>
- El-Batanony, N. H., Castellano-Hinojosa, A., Correa-Galeote, D., & Bedmar, E. J. (2020). Phylogenetic diversity of bacterial strains from root nodules of legumes grown wild in Egypt. *Biocatalysis and Agricultural Biotechnology*, 27(June), 101692. <https://doi.org/10.1016/j.bcab.2020.101692>
- Fan, P., Mishra, A. K., Feng, S., & Su, M. (2023). The effect of agricultural subsidies on chemical fertilizer use: Evidence from a new policy in China. *Journal of Environmental Management*, 344(June), 118423. <https://doi.org/10.1016/j.jenvman.2023.118423>
- Ferguson, S., Major, A. S., Sullivan, J. T., Bourke, S. D., Kelly, S. J., Perry, B. J., & Ronson, C. W. (2020). *Rhizobium leguminosarum* bv. *trifolii* NodD2 enhances competitive nodule colonization in the clover-rhizobium symbiosis. *Applied and environmental microbiology*, 86(18), e01268-20. <https://doi.org/10.1128/AEM.01268-20>
- Fuhrmann, M., & Hennecke, H. (1984). *Rhizobium japonicum* Nitrogenase Fe Protein Gene (*nifH*). *Discovery*, 158(3), 1005–1011. <https://doi.org/10.1128/jb.158.3.1005-1011.1984>
- Ganesan, K., & Xu, B. (2017). A critical review on polyphenols and health benefits of black soybeans. *Nutrients*, 9(5), 1–17. <https://doi.org/10.3390/nu9050455>
- Geremu, T., Abera, G., Lemma, B., & Rasche, F. (2025). Abundance and symbiotic efficiency of indigenous rhizobia nodulating faba bean and common bean in southern Ethiopia. *Frontiers in Soil Science*, 5(July), 1–17. <https://doi.org/10.3389/fsoil.2025.1568292>

- Ghosh, P., & Chakraborty, J. (2024). Exploring the role of symbiotic modifier peptidases in the legume – rhizobium symbiosis. *Archives of Microbiology*, 206(4). <https://doi.org/10.1007/s00203-024-03920-w>
- Glickmann, E., & Dessaux, Y. (1995). A critical examination of the specificity of the Salkowski reagent for indolic compounds produced by phytopathogenic bacteria. *Applied and Environmental Microbiology*, 61(2), 793–796. <https://doi.org/10.1128/aem.61.2.793-796.1995>
- Goenadi, D. H., Santi, L. P., Dariah, A., Barus, Y., & Kalbuadi, D. N. (2019). Improved black soybean performances grown on selected highly weathered soils by using bio-nano-ortho silicic acid. *IOP Conference Series: Earth and Environmental Science*, 393(1), 1–7. <https://doi.org/10.1088/1755-1315/393/1/012004>
- Haftu, S. Z., Abera, H. K., Kasegn, M. M., Mesele, E., & Gebrekidan, B. G. (2025). Isolation and biochemical characterization of Indigenous rhizobia from root nodules of field pea (*Pisum sativum* L.) and assessment of their bio-inoculants potential on the growth of Bursa variety in Tigray, Ethiopia. *Discover Agriculture*, 3(1). <https://doi.org/10.1007/s44279-025-00416-z>
- Hakim, S., Mirza, B. S., Imran, A., Zaheer, A., Yasmin, S., Mubeen, F., Mclean, J. E., & Mirza, M. S. (2020). Illumina sequencing of 16S rRNA tag shows disparity in rhizobial and non-rhizobial diversity associated with root nodules of mung bean (*Vigna radiata* L.) growing in different habitats in Pakistan. *Microbiological Research*, 231(August 2019), 126356. <https://doi.org/10.1016/j.micres.2019.126356>
- He, L., Hu, Q., Zhang, J., Xing, R., Zhao, Y., Yu, N., & Chen, Y. (2023). An integrated untargeted metabolomic approach reveals the quality characteristics of black soybeans from different geographical origins in China. *Food Research International*, 169(April), 112908. <https://doi.org/10.1016/j.foodres.2023.112908>
- Herliana, O., Harjoso, T., Anwar, A. H. S., & Fauzi, A. (2019). The Effect of Rhizobium and N Fertilizer on Growth and Yield of Black Soybean (*Glycine max* (L) Merrill). *IOP Conference Series: Earth and Environmental Science*, 255(1). <https://doi.org/10.1088/1755-1315/255/1/012015>
- Hlaváčková, K., Šamaj, J., & Ovečka, M. (2023). Cytoskeleton as a roadmap navigating rhizobia to establish symbiotic root nodulation in legumes. *Biotechnology Advances*, 69(September). <https://doi.org/10.1016/j.biotechadv.2023.108263>
- Hnini, M., El Attar, I., Taha, K., & Aurag, J. (2023). Genetic diversity, symbiotic efficiency, stress tolerance, and plant growth promotion traits of rhizobia nodulating *Vachellia tortilis* subsp. *raddiana* growing in dryland soils in southern Morocco. *Systematic and Applied Microbiology*, 46(4), 126434. <https://doi.org/10.1016/j.syapm.2023.126434>
- Hu, M., Xue, H., Wade, A. J., Gao, N., Qiu, Z., Long, Y., & Shen, W. (2024). Biofertilizer supplements allow nitrogen fertilizer reduction, maintain yields,

- and reduce nitrogen losses to air and water in China paddy fields. *Agriculture, Ecosystems and Environment*, 362(December 2023), 108850. <https://doi.org/10.1016/j.agee.2023.108850>
- Huang, K., Zhang, J., Li, J., Qiu, H., Wei, L., Yang, Y., & Wang, C. (2024). Exploring the Impact of Primer–Template Mismatches on PCR Performance of DNA Polymerases Varying in Proofreading Activity. *Genes*, 15(2). <https://doi.org/10.3390/genes15020215>
- Ilahi, H., Hsouna, J., Ellouze, W., Gritli, T., Chihaoui, S. allah, Barhoumi, F., Najib Elfeddy, M., Bachkouel, S., Ouahmane, L., Tambong, J. T., & Mnasri, B. (2021). Phylogenetic study of rhizobia nodulating pea (*Pisum sativum*) isolated from different geographic locations in Tunisia. *Systematic and Applied Microbiology*, 44(4), 126221. <https://doi.org/10.1016/j.syapm.2021.126221>
- Jaiswal, S. K., Mohammed, M., Ibny, F. Y. I., & Dakora, F. D. (2021). Rhizobia as a Source of Plant Growth-Promoting Molecules: Potential Applications and Possible Operational Mechanisms. *Frontiers in Sustainable Food Systems*, 4(January), 1–14. <https://doi.org/10.3389/fsufs.2020.619676>
- John, M., Schmidt, J., Wieneke, U., Kondorosi, E., Kondorosi, A., & Schell, J. (1985). Expression of the nodulation gene *nodC* of *Rhizobium meliloti* in *Escherichia coli*: role of the *nodC* gene product in nodulation. *The EMBO Journal*, 4(10), 2425–2430.
- John M., Rohrig H., Schmidt J., Wieneke U. & Schell J. (1993). *Proceedings of National Academy of Science USA*.90:625–629
- Kanchan, L. B., Guru, R., Sathyanarayan, S., Bukya, D. N., Kulkarni, P., & Hiremath, R. P. (2025). Exploring Triphala as a Biocompatible Alternative to Chemical Denture Cleansers: Effects on Flexural Strength and Surface Roughness of Polymethyl Methacrylate (PMMA) and Flexible Polymers. *Cureus*, 17(12). <https://doi.org/10.7759/cureus.99494>
- Khan, S., Nadir, S., Iqbal, S., Xu, J., Gui, H., Khan, A., & Ye, L. (2021). Towards a comprehensive understanding of free-living nitrogen fixation. *Circular Agricultural Systems*, 1, 1–11. <https://doi.org/10.48130/CAS-2021-0013>
- Kim, S. Y., Wi, H. R., Choi, S., Ha, T. J., Lee, B. W., & Lee, M. (2015). Inhibitory effect of anthocyanin-rich black soybean testa (*Glycine max* (L.) Merr.) on the inflammation-induced adipogenesis in a DIO mouse model. *Journal of Functional Foods*, 14, 623–633. <https://doi.org/10.1016/j.jff.2015.02.030>
- Kour, D., Rana, K. L., Yadav, A. N., Yadav, N., Kumar, M., Kumar, V., Vyas, P., Dhaliwal, H. S., & Saxena, A. K. (2020). Microbial biofertilizers: Bioresources and eco-friendly technologies for agricultural and environmental sustainability. *Biocatalysis and Agricultural Biotechnology*, 23(December 2019), 101487. <https://doi.org/10.1016/j.bcab.2019.101487>
- Kumar, M., Suhag, R., Hasan, M., Dhumal, S., Radha, Pandiselvam, R., Senapathy, M., Sampathrajan, V., Punia, S., Sayed, A. A. S., Singh, S., & Kennedy, J. F.

- (2022). Black soybean (*Glycine max* (L.) Merr.): paving the way toward new nutraceutical. *Critical Reviews in Food Science and Nutrition*, 63(23), 6208–6234. <https://doi.org/10.1080/10408398.2022.2029825>
- Kumar, S., Diksha, Sindhu, S. S., & Kumar, R. (2022). Biofertilizers: An ecofriendly technology for nutrient recycling and environmental sustainability. *Current Research in Microbial Sciences*, 3(December 2021), 100094. <https://doi.org/10.1016/j.crmicr.2021.100094>
- Kurniati, D. E., Riani, C., Hardiyanti, R., & Rachmawati, D. (2025). Optimization of PCR Primers for Detection of Extended-Spectrum Beta-Lactamase Targeting CTX-M and TEM Genes. *3BIO: Journal of Biological Science, Technology and Management*, 7(1), 326–333. <https://doi.org/10.5614/3bio.2025.7.1.5>
- Lai, X., Zhu, W., Liu, C., Peng, W., Hao, Y., Wang, Q., Zheng, Z., & Huang, Y. (2024). Isolation and Screening of Soybean Rhizobia and Their Effects on Soybean Nodulation and Plant Growth in Saline-Alkali Soil. *BIO Web of Conferences*, 142, 0–4. <https://doi.org/10.1051/bioconf/202414202018>
- Larrainzar, E., Villar, I., Rubio, M. C., Huertas, R., Sato, S., Mun, J., & Becana, M. (2020). *Hemoglobins in the legume – Rhizobium symbiosis. 1946*, 472–484. <https://doi.org/10.1111/nph.16673>
- Lebrazi, S., Fadil, M., Chraibi, M., & Fikri-Benbrahim, K. (2020). Screening and optimization of indole-3-acetic acid production by *Rhizobium* sp. strain using response surface methodology. *Journal of Genetic Engineering and Biotechnology*, 18(1). <https://doi.org/10.1186/s43141-020-00035-9>
- Liu CW, Murray JD (2016) The role of flavonoids in nodulation host-range specificity: an update. *Plants* 5:E33. <https://doi.org/10.3390/plants5030033>
- Liu, S., Jiao, J., & Tian, C. F. (2023). Adaptive Evolution of Rhizobial Symbiosis beyond Horizontal Gene Transfer: From Genome Innovation to Regulation Reconstruction. *Genes*, 14(2). <https://doi.org/10.3390/genes14020274>
- Maake, M. M., Beukes, C. W., van der Nest, M. A., Avontuur, J. R., Muema, E. K., Stepkowski, T., Venter, S. N., & Steenkamp, E. T. (2026). *Argyrobium* legumes from an African centre of endemism associate with novel *Bradyrhizobium* species harbouring unique sets of symbiosis genes. *Molecular Phylogenetics and Evolution*, 214(March 2025). <https://doi.org/10.1016/j.ympev.2025.108471>
- Mahdhi, A., Mars, M., & Rejili, M. (2023). Members of Ensifer and *Rhizobium* genera are new bacterial endosymbionts nodulating *Pisum sativum* (L.). *FEMS Microbiology Ecology*, 99(2), 1–10. <https://doi.org/10.1093/femsec/fiad001>
- Malhotra, H., Vandana, S. S., and Pande, R. (2018). Phosphorus nutrition: plant growth in response to deficiency and excess. *Plant Nutrients and Abiotic Stress Tolerance*, 171–190. doi: 10.1007/978-981-10-9044-8_7
- Marzban, M., Pourbabae, A. A., Amoozegar, M. A., Naghavi, M. R., & ABBASI, A. (2022). Biodiversity and phylogenetic study of root nodule bacteria isolated

- from some wildy grown legume species growing in rangeland areas. *Biharean Biologist*, 16(1), 27–37.
- Mbengue, M. D., Hervé, C., & Debellé, F. (2019). Nod factor signaling in symbiotic nodulation. *Advances in Botanical Research*, 94, 1–39. <https://doi.org/10.1016/bs.abr.2019.10.002>
- Megu, M., Paul, A., & Deb, C. R. (2024). Isolation and screening of stress tolerant and plant growth promoting root nodulating rhizobial bacteria from some wild legumes of Nagaland, India. *South African Journal of Botany*, 168, 260–269. <https://doi.org/10.1016/j.sajb.2024.03.021>
- Mitran, T., Meena, R. S., Das, A., Yadav, G. S., & Lal, R. (2018). Legumes for Soil Health and Sustainable Management. *Legumes for Soil Health and Sustainable Management*, 1–539. <https://doi.org/10.1007/978-981-13-0253-4>
- Mukhtar, S., Hirsch, A. M., Khan, N., Malik, K. A., Humm, E. A., Pellegrini, M., Shi, B., Briscoe, L., Huntemann, M., Clum, A., Foster, B., Foster, B., Roux, S., Palaniappan, K., Varghese, N., Mukherjee, S., Reddy, T. B. K., Daum, C., Copeland, A., ... Mehnaz, S. (2020). Impact of soil salinity on the cowpea nodule-microbiome and the isolation of halotolerant pgpr strains to promote plant growth under salinity stress. *Phytobiomes Journal*, 4(4), 364–374. <https://doi.org/10.1094/PBIOMES-09-19-0057-R>
- Nkot, L. N., Timb, S. A. L., Nyouma, A., & Rapsia, D. (2025). Screening and Optimization of Indole-3-Acetic Acid Production by Cowpea (*Vigna unguiculata* L. Walp.) Rhizobia Isolates. *American Journal of Plant Sciences*, 16(06), 774–786. <https://doi.org/10.4236/ajps.2025.166054>
- Noisangiam, R., Teamtisong, K., Tittabutr, P., Boonkerd, N., Toshiki, U., Minamisawa, K., & Teaumroong, N. (2012). Genetic diversity, symbiotic evolution, and proposed infection process of bradyrhizobium strains isolated from root nodules of *Aeschynomene americana* L. in Thailand. *Applied and Environmental Microbiology*, 78(17), 6236–6250. <https://doi.org/10.1128/AEM.00897-12>
- Oldroyd, G. E. D., Murray, J. D., Poole, P. S., & Downie, J. A. (2011). The rules of engagement in the legume-rhizobial symbiosis. *Annual Review of Genetics*, 119–144. <https://doi.org/10.1146/annurev-genet-110410-132549>
- Oleńska, E., Małek, W., Sujkowska-Rybkowska, M., Szopa, S., Włostowski, T., Aleksandrowicz, O., Swiecicka, I., Wójcik, M., Thijs, S., & Vangronsveld, J. (2022). An Alliance of *Trifolium repens*—*Rhizobium leguminosarum* bv. *trifolii*—Mycorrhizal Fungi From an Old Zn-Pb-Cd Rich Waste Heap as a Promising Tripartite System for Phytostabilization of Metal Polluted Soils. *Frontiers in Microbiology*, 1–16. <https://doi.org/10.3389/fmicb.2022.853407>
- Ondieki, D. K., Nyaboga, E. N., Wagacha, J. M., & Mwaura, F. B. (2017). Morphological and genetic diversity of Rhizobia nodulating cowpea (*Vigna unguiculata* L.) from agricultural soils of lower eastern Kenya. *International Journal of Microbiology*, 2017(1), 8684921. <https://doi.org/10.1155/2017/8684921>

- Oo, A., Fagade, D. M., & Adelowo, O. E. (2021). Evaluation of some Nodulation Genes found in Bambara Symbiotic Rhizobia Strains. *Open Access Journal of Microbiology and Pathology*, 5(5), 2021.
- Ormeño-Orrillo, E., Servín-Garcidueñas, L. E., Rogel, M. A., González, V., Peralta, H., Mora, J., Martínez-Romero, J., & Martínez-Romero, E. (2015). Taxonomy of rhizobia and agrobacteria from the Rhizobiaceae family in light of genomics. *Systematic and Applied Microbiology*, 38(4), 287–291. <https://doi.org/10.1016/j.syapm.2014.12.002>
- Paço, A., Da-Silva, J. R., Eliziário, F., Brígido, C., Oliveira, S., & Alexandre, A. (2019). TraG Gene Is Conserved across Mesorhizobium spp. Able to Nodulate the Same Host Plant and Expressed in Response to Root Exudates. *BioMed Research International*, 2019. <https://doi.org/10.1155/2019/3715271>
- Phimphong, T., Sibounnavong, P., Phommalth, S., Wongdee, J., Songwattana, P., Piromyou, P., Greetatorn, T., Boonkerd, N., Tittabutr, P., & Teaumroong, N. (2023). Selection and evaluation of Bradyrhizobium inoculum for peanut, Arachis hypogaea production in the Lao People's Democratic Republic. *Journal of Applied and Natural Science*, 15(1), 137–154. <https://doi.org/10.31018/jans.v15i1.4270>
- Rahimlou, S., Bahram, M., & Tedersoo, L. (2021). Phylogenomics reveals the evolution of root nodulating alpha- and beta-Proteobacteria (rhizobia). *Microbiological Research*, 250(February). <https://doi.org/10.1016/j.micres.2021.126788>
- Remigi, P., Zhu, J., Young, J. P. W., & Masson-Boivin, C. (2016). Symbiosis within Symbiosis: Evolving Nitrogen-Fixing Legume Symbionts. *Trends in Microbiology*, 24(1), 63–75. <https://doi.org/10.1016/j.tim.2015.10.007>
- Saraf, R., Chaudhary, S., & Chakraborty, D. (2018). Isolation and characterization of osmotolerant rhizobium sp. From vigna mungo (L.) hepper grown in semi-arid region. *Vegetos*, 31(Special Issue), 102–107. <https://doi.org/10.5958/2229-4473.2018.00039.3>
- Schachtman, D. P., R. J. Reid and S. M. Ayling. (1998). Phosphorus uptake by plants: From soil to cell. *Plant Physiol.* 116: 447-453. <https://doi.org/10.1104/pp.116.2.447>
- Schlaman, H. R. M., Okker, R. J. H., & Lugtenberg, B. J. J. (1992). Regulation of nodulation gene expression by nodD in rhizobia. *Journal of Bacteriology*, 174(16), 5177–5182. <https://doi.org/10.1128/jb.174.16.5177-5182.1992>
- Sen, A., Saha, N., Sarkar, A., Poddar, R., Pramanik, K., & Kundu, R. (2024). Enhancing phosphorus availability and growth of green gram (Vigna radiata) in acidic red and laterite soil through liquid formulations of native phosphate solubilizing bacteria. *Biocatalysis and Agricultural Biotechnology*, 61(February). <https://doi.org/10.1016/j.bcab.2024.103413>

- Shakirov, Z. S., & Egamberdieva, M. I. (2023). *Isolation of Soybean Nodule Bacteria and Nodule Formation in Uzbekistan Soybean Varieties*. 129–144. <https://doi.org/10.4236/as.2023.141009>
- Shanti, Dash, D., & Chowdhury, T. (2021). Isolation and Biochemical Characterization of Indigenous Rhizobium Strains from Root Nodules of Field Grown Soybean Crop. *International Journal of Current Microbiology and Applied Sciences*, 10(01), 3429–3436.
- Sijilmassi, B., Filali-Maltouf, A., Fahde, S., Ennahli, Y., Boughribil, S., Kumar, S., & Amri, A. (2020). In-vitro plant growth promotion of rhizobium strains isolated from lentil root nodules under abiotic stresses. *Agronomy*, 10(7), 1–19. <https://doi.org/10.3390/agronomy10071006>
- Somasegaran P, Hoben HJ (1994) *Handbook for Rhizobia: Methods in Legume-Rhizobium Technology*. New York: Springer-Verlag.
- Tapia-García, E. Y., Hernández-Trejo, V., Guevara-Luna, J., Rojas-Rojas, F. U., Arroyo-Herrera, I., Meza-Radilla, G., Vásquez-Murrieta, M. S., & Estrada-de los Santos, P. (2020). Plant growth-promoting bacteria isolated from wild legume nodules and nodules of *Phaseolus vulgaris* L. trap plants in central and southern Mexico. *Microbiological Research*, 239(February), 126522. <https://doi.org/10.1016/j.micres.2020.126522>
- Tariq, M., Tahreem, N., Zafar, M., Raza, G., Shahid, M., Zunair, M., Iram, W., & Zahra, S. T. (2024). Occurrence of diverse plant growth promoting bacteria in soybean [*Glycine max* (L.) Merrill] root nodules and their prospective role in enhancing crop yield. *Biocatalysis and Agricultural Biotechnology*, 57(February), 103072. <https://doi.org/10.1016/j.bcab.2024.103072>
- Timofeeva, A., Galyamova, M., & Sedykh, S. (2022). Prospects for Using Phosphate-Solubilizing Microorganisms as Natural Fertilizers in Agriculture. *Plants*, 11(16), 1–23. <https://doi.org/10.3390/plants11162119>
- Versalovic, J., Schneider, M., Bruijn, D. F., & Lupski, J. R. (1994). Genomic Fingerprinting of Bacteria Using Repetitive Sequence-Based Polymerase Chain Reaction. *Methods In Molecular and Cellular Biology*, 5(1), 25–40. <https://doi.org/10.1128/JCM.43.1.199-207.2005>
- Wekesa, C., Jalloh, A. A., Muoma, J. O., Korir, H., Omenge, K. M., Maingi, J. M., Furch, A. C. U., & Oelmüller, R. (2022). Distribution, Characterization and the Commercialization of Elite Rhizobia Strains in Africa. *International Journal of Molecular Sciences*, 23(12). <https://doi.org/10.3390/ijms23126599>
- Wijaya, A. A., Maulana, H., Susanto, G. W. A., Sumardi, D., Amien, S., Ruswandi, D., & Karuniawan, A. (2022). Grain yield stability of black soybean lines across three agroecosystems in West Java, Indonesia. *Open Agriculture*, 7(1), 749–763. <https://doi.org/10.1515/opag-2022-0137>
- Yamashita, Y., Nakamura, A., Nanba, F., Saito, S., Toda, T., Nakagawa, J., & Ashida, H. (2020). Black soybean improves vascular function and blood pressure: A randomized, placebo controlled, crossover trial in humans.

Nutrients, 12(9), 1–14. <https://doi.org/10.3390/nu12092755>

Yan, S., & Bisseling, T. (2024). Is it possible to engineer nitrogen fixing nodule symbiosis? *Agriculture Communications*, 2(1), 100031. <https://doi.org/10.1016/j.agrcom.2024.100031>

Zézé, A., Mutch, L. A., & Young, J. P. W. (2001). Direct amplification of nodD from community DNA reveals the genetic diversity of *Rhizobium leguminosarum* in soil. *Environmental Microbiology*, 3(6), 363–370. <https://doi.org/10.1046/j.1462-2920.2001.00202.x>

Zhuang, Z., Bian, J., Ren, Z., Ta, W., & Peng, Y. (2025). Plant Aux/IAA Gene Family: Significance in Growth, Development and Stress Responses. *Agronomy*, 15(5), 1–16. <https://doi.org/10.3390/agronomy15051228>