

DAFTAR PUSTAKA

- Afsheen, Kumar, D., Muhammad, G., & Zuhairuddin, P. (2026). *Effect of Calcined clay as a Substitution for Cement on the Fresh and Hardened Properties of Concrete* (Vol. 4, Number 4). <http://amresearchreview.com/index.php/Journal/about><http://amresearchreview.com/index.php/Journal/about>
- Ahmed, T. A. H., & Daoud, O. M. A. (2016). Influence of Polypropylene Fibres on Concrete Properties. *IOSR Journal of Mechanical and Civil Engineering*, 13(05), 09–20. <https://doi.org/10.9790/1684-1305060920>
- Ahmed, T. W., Aljubory, N. H., & Zidan, R. S. (2020). Properties and Performance of *Polypropylene fiber Reinforced Concrete: A review*. *Tikrit Journal of Engineering Sciences*, 27(2), 82–97. <https://doi.org/10.25130/tjes.27.2.10>
- Al-Lami, M. S., & Al-saadi, E. A.-M. (2021). The relationships between compressive strength and density of polystyrene lightweight concrete and their component ratios. *Journal of Applied Engineering Science*, 19(1), 175–185. <https://doi.org/10.5937/jaes0-27471>
- Antara News. (2018, January 15). *Kronologi runtuhnya selasar lantai mezanin Gedung BE*. Antara News.
- Arthur, A., Saputra, K., Hardjito, D., & Antoni, A. (2019). *PENGARUH UKURAN PARTIKEL CALCINED CLAY DAN PENGANTIAN SEBAGIAN SEMEN DENGAN KALSIUM HIDROKSIDA PADA MORTAR LIMESTONE CALCINED CLAY CEMENT (LC3)*.
- Avet, F. H. (2017). *Investigation of the grade of calcined clays used as clinker substitute in Limestone Calcined clay Cement (LC3)* THÈSE N O 8143 (2017).
- ASTM International. (2019). *Standard test method for bulk density (“unit weight”) and voids in aggregate: ASTM C29/C29M*.
- ASTM International. (2019). *Standard test method for flexural strength of concrete (using simple beam with center-point loading): ASTM C293/C293M*.

- Badan Penanggulangan Bencana Daerah Provinsi Sulawesi Tengah. (2018). *Laporan kebencanaan dan dampak gempa bumi, tsunami, serta likuefaksi Kota Palu*.
- Badan Standardisasi Nasional. (1991). *Semen portland: SNI 03-261-1991*.
- Badan Standardisasi Nasional. (1998). *Metode pengujian berat isi dan rongga udara dalam agregat: SNI 03-4804-1998*.
- Badan Standardisasi Nasional. (2000). *Tata cara pembuatan rencana campuran beton normal: SNI 03-2834-2000*.
- Badan Standardisasi Nasional. (2011). *Cara uji kuat tekan beton dengan benda uji silinder: SNI 1974:2011 (atau SNI 03-1974:2011)*.
- Badan Standardisasi Nasional. (2012). *Metode analisis saringan agregat halus dan agregat kasar: SNI ASTM C136:2012*.
- Badan Standardisasi Nasional. (2012). *Metode uji bahan yang lebih halus dari saringan 75 μm (No. 200) dalam agregat mineral dengan pencucian: SNI ASTM C117:2012*.
- Badan Standardisasi Nasional. (2012). *Tata cara pemilihan campuran untuk beton normal, beton berat dan beton massa: SNI 7656-2012*.
- Badan Standardisasi Nasional. (2014). *Metode pengambilan contoh uji beton inti: SNI 2492:2014*
- Badan Standardisasi Nasional. (2015). *Semen portland: SNI 2049:2015*.
- Badan Standardisasi Nasional. (2016). *Metode uji berat jenis dan penyerapan air agregat kasar: SNI 1969:2016*.
- Badan Standardisasi Nasional. (2016). *Metode uji berat jenis dan penyerapan air agregat halus: SNI 1970:2016*.
- Badan Standardisasi Nasional. (2017). *Spesifikasi teknis semen puzolan kapur: SNI 8457-2017*.
- Badan Standardisasi Nasional. (2019). *SNI 2847:2019: Persyaratan beton struktural untuk bangunan gedung dan penjelasan*. Jakarta: Badan Standardisasi Nasional. (Catatan: Standar ini bisa Anda tambahkan jika ingin memperkuat aspek regulasi bangunan).

- China Machinery Processing Technology. (2026). Technical Specifications of *Calcined clay*. <https://en.cmptj.com>.
- Bui, P. T., Ogawa, Y., & Kawai, K. (2018). Long-term pozzolanic reaction of fly ash in hardened cement-based paste internally activated by natural injection of saturated $\text{Ca}(\text{OH})_2$ solution. *Materials and Structures/Materiaux et Constructions*, 51(6).
- Departemen Pekerjaan Umum. (1990). *Tata cara rencana pembuatan campuran beton normal: SK SNI T-15-1990-03*. Yayasan Lembaga Penyelidikan Masalah Bangunan.
- Dhandapani, Y., Sakthivel, T., Santhanam, M., Gettu, R., & Pillai, R. G. (2018). Mechanical properties and durability performance of concretes with Limestone *Calcined clay* Cement (LC3). *Cement and Concrete Research*, 107, 136–151. <https://doi.org/10.1016/j.cemconres.2018.02.005>
- Direktorat Jenderal Bina Marga. (2017). *Manual Desain Perkerasan Jalan Nomor 02/M/BM/2017*.
- Govindasami, S., Sakthivel, P. B., & Harish, R. (2018). Effect of aspect ratio and volume fraction of steel fiber on the mechanical properties of SFRC. *Construction and Building Materials*, 21(6), 1250–1253. <https://doi.org/10.1016/j.conbuildmat.2006.05.025>
- Hasan, A., Maroof, N., & Ibrahim, Y. (2019). Effects of *Polypropylene fiber* Content on Strength and Workability Properties of Concrete. *Polytechnic Journal*, 9(1), 7–12. <https://doi.org/10.25156/ptj.v9n1y2019.pp7-12>
- Iffat, S. (2015). Relation Between Density and Compressive Strength of Hardened Concrete. In *Shohana Iffat Concrete Research Letters* (Vol. 6, Number 4).
- PT Kanaka Chem Indonesia. (2026). Spesifikasi Teknik dan Pengaplikasian *Polypropylene fiber* pada Beton. <https://kanakachem.ukm.id>.
- Kementerian Pekerjaan Umum dan Perumahan Rakyat. (2016). *Surat Edaran Menteri Pekerjaan Umum dan Perumahan Rakyat Nomor 07/SE/M/2016 tentang Pedoman Tata Cara Penentuan Campuran Beton Normal dengan Semen OPC, PPC dan PCC*.

- Khairizal, Y., Kurniawandy, A., & Kamaldi, A. (2015). Pengaruh Penambahan Serat Polypropylene Terhadap Sifat Mekanis Beton Normal. In *Jom FTEKNIK* (Vol. 2, Number 2).
- Li, G., Zhou, C., Ahmad, W., Usanova, K. I., Karelina, M., Mohamed, A. M., & Khallaf, R. (2022). Fly Ash Application as Supplementary Cementitious Material: A Review. In *Materials* (Vol. 15, Number 7). MDPI. <https://doi.org/10.3390/ma15072664>
- Nguyen, Q. D., Khan, M. S. H., & Castel, A. (2018). Engineering properties of limestone calcined clay concrete. *Journal of Advanced Concrete Technology*, 16(8), 343–357. <https://doi.org/10.3151/jact.16.343>
- Olofinnade, O., & Ogara, J. (2021). Workability, strength, and microstructure of high strength sustainable concrete incorporating recycled clay brick aggregate and calcined clay. *Cleaner Engineering and Technology*, 3. <https://doi.org/10.1016/j.clet.2021.100123>
- Pusat Studi Gempa Nasional. (2022). *Kajian teknis pasca-gempa Cianjur M5.6: Evaluasi kerusakan infrastruktur dan pemetaan koridor sesar aktif*.
- Siddiqi, Z. A., Kaleem, M. M., Usman, M., Jawad, M., & Ajwad, A. (2018). Comparison of Mechanical Properties of Normal & Polypropylene fiber Reinforced Concrete Comparison of Mechanical Properties of Normal & Polypropylene fiber Comparison of Mechanical Properties of Normal & Polypropylene fiber Reinforced Concrete. *Sci Inquiry Rev*, 2(1), 33–47. <https://doi.org/10.29145/sir>
- Strybny, B., Schack, T., Link, J., & Haist, M. (2024). Calcined clays as Concrete Additive in Structural Concrete: Workability, Mechanical Properties, Durability, and Sustainability Performance. *Materials*, 17(18). <https://doi.org/10.3390/ma17184517>
- Wang, H., He, X., Zhou, M., Wei, B., Wu, W., Zhou, G., & He, J. (2024). A study on the tensile fracture behavior of polypropylene fiber reinforced concrete based on a microscale model. *Construction and Building Materials*, 417. <https://doi.org/10.1016/j.conbuildmat.2024.135291>

Zunino, F., Dhandapani, Y., Ben Haha, M., Skibsted, J., Joseph, S., Krishnan, S., Parashar, A., Juenger, M. C. G., Hanein, T., Bernal, S. A., Scrivener, K. L., & Avet, F. (2022). Hydration and mixture design of *calcined clay* blended cements: review by the RILEM TC 282-CCL. *Materials and Structures/Materiaux et Constructions*, 55(9). <https://doi.org/10.1617/s11527-022-02060-1>