

## DAFTAR PUSTAKA

- Aguayo-Villarreal, I. A. *et al.* (2011) ‘Batch and column studies of Zn<sup>2+</sup> removal from aqueous solution using chicken feathers as sorbents’, *Chemical Engineering Journal*. Elsevier B.V., 167(1), pp. 67–76. doi: 10.1016/j.cej.2010.11.107.
- Akbara, N. A., Azizb, H. A. and Adlan, M. N. (2016) ‘Potential of High Quality Limestone as Adsorbent’, *Jurnal Teknologi*, 2, pp. 77–82.
- Al-Asheh, S., Banat, F. and Al-Rousan, D. (2002) ‘Adsorption of Copper, Zinc and Nickel Ions from Single and Binary Metal Ion Mixtures on to Chicken Feathers’, *Adsorption Science & Technology*, 20(9), pp. 849–864. doi: 10.1260/02636170260555778.
- Anantha, R. K. and Kota, S. (2016) ‘Removal of lead by adsorption with the renewable biopolymer composite of feather (*Dromaius novaehollandiae*) and chitosan (*Agaricus bisporus*)’, *Environmental Technology and Innovation*. Elsevier B.V., 6, pp. 11–26. doi: 10.1016/j.eti.2016.04.004.
- Ariyani, D. *et al.* (2014) ‘Kajian Absorpsi Logam Fe dan Mn Oleh Tanaman Purun Tikus (*Eleocharis dulcis*) pada Air Asam Tambang Secara Fitoremediasi’, *Sains dan Terapan Kimia*, 8(2), pp. 87–93.
- Arshadi, M., Amiri, M. J. and Mousavi, S. (2014) ‘Kinetic, equilibrium and thermodynamic investigations of Ni(II), Cd(II), Cu(II) and Co(II) adsorption on barley straw ash’, *Water Resources and Industry*. Elsevier, 6, pp. 1–17. doi: 10.1016/j.wri.2014.06.001.
- Ashari, A., Budianta, D. and Setiabudidaya, D. (2015) ‘Efektivitas Elektroda pada Proses Elektrokoagulasi untuk Pengolahan Air Asam Tambang’, *Jurnal Penelitian Sains*, 17(2), p. 168442.
- Asnawati, A. (2017) ‘Penentuan Kapasitas Adsorpsi Selulosa Terhadap Rhodamin B dalam Sistem Dinamis’, *Jurnal Kimia Riset*, 2(1), p. 23. doi: 10.20473/jkr.v2i1.3553.
- Ayisha Sidiqua, M. and Priya, V. S. (2021) ‘Removal of yellow dye using composite binded adsorbent developed using natural clay and activated carbon from sapindus seed’, *Biocatalysis and Agricultural Biotechnology*, 33(February). doi: 10.1016/j.bcab.2021.101965.
- Badan Standardisasi Nasional (2004) ‘Standar Nasional Indonesia 06-6989.11-2004 Air dan Limbah - Bagian 11: Cara uji derajat keasaa dengan menggunakan alat pH meter’, *Badan Standardisasi Nasional*. doi: SNI 06-6989.11-2004.
- Badan Standarisasi Nasional (2009) ‘Air dan air limbah – Bagian 16 : Cara uji Besi (Fe) secara Spektrofotometri Serapan Atom ( SSA ) – nyala’, (Cd).
- Banerjee, M., Basu, R. K. and Das, S. K. (2018) ‘Cr(VI) adsorption by a green adsorbent walnut shell: Adsorption studies, regeneration studies, scale-up design and economic feasibility’, *Process Safety and Environmental Protection*. Institution of Chemical Engineers, 116, pp. 693–702. doi: 10.1016/j.psep.2018.03.037.
- Barone, J. R. and Schmidt, W. F. (2005) ‘Polyethylene reinforced with keratin fibers

- obtained from chicken feathers', *Composites Science and Technology*, 65(2), pp. 173–181. doi: 10.1016/j.compscitech.2004.06.011.
- Bertini, F. et al. (2013) 'Wool keratin-polypropylene composites : Properties and thermal degradation', *Polymer Degradation and Stability*. Elsevier Ltd, 98(5), pp. 980–987. doi: 10.1016/j.polymdegradstab.2013.02.011.
- Brewster, E. T. et al. (2020) 'Staged electrochemical treatment guided by modelling allows for targeted recovery of metals and rare earth elements from acid mine drainage', *Journal of Environmental Management*. Elsevier Ltd, 275(April), p. 111266. doi: 10.1016/j.jenvman.2020.111266.
- BSN (2004) 'Air dan air limbah- Bagian 3: Cara uji padatan tersuspensi total (', *Sni 06-6989.3-2004*.
- Cardamone, J. M. (2010) 'Investigating the microstructure of keratin extracted from wool: Peptide sequence (MALDI-TOF/TOF) and protein conformation (FTIR)', *Journal of Molecular Structure*. Elsevier B.V., 969(1–3), pp. 97–105. doi: 10.1016/j.molstruc.2010.01.048.
- Castelo-Grande, T. et al. (2021) 'Magnetic water treatment in a wastewater treatment plant: Part II - Processing waters and kinetic study', *Journal of Environmental Management*, 285(March), pp. 1–5. doi: 10.1016/j.jenvman.2021.112177.
- Choi, J. et al. (2015) 'Keratin / poly ( vinyl alcohol ) blended nano fibers with high optical transmittance', *Polymer*. Elsevier Ltd, 58, pp. 146–152. doi: 10.1016/j.polymer.2014.12.052.
- Chowdhury, S. and Saha, P. Das (2012) 'Biosorption of methylene blue from aqueous solutions by a waste biomaterial: hen feathers', *Applied Water Science*, 2(3), pp. 209–219.
- Coil, D. et al. (2014) 'Acid Mine Drainage', *Creative Commons Attribution Non-Commercial*, (January), pp. 2–5.
- Darni, Y. and Utami, H. (2009) 'Studi Pembuatan dan Karakteristik Sifat Mekanik dan Hidrofobisitas Bioplastik dari Pati Sorgum', *Jurnal Rekayasa Kimia & Lingkungan*, 7(2), pp. 1–1.
- Dayma, N. and Satapathy, B. K. (2012) 'Microstructural correlations to micromechanical properties of polyamide-6/low density polyethylene-grafted-maleic anhydride/nanoclay ternary nanocomposites', *Materials and Design*. Elsevier Ltd, 33(1), pp. 510–522. doi: 10.1016/j.matdes.2011.04.057.
- Demir, E. K. et al. (2021) 'Simulated acid mine drainage treatment in iron oxidizing ceramic membrane bioreactor with subsequent co-precipitation of iron and arsenic', *Water Research*. Elsevier Ltd, 201(April), p. 117297. doi: 10.1016/j.watres.2021.117297.
- Desta, M. B. (2013) 'Batch Sorption Experiments: Langmuir and Freundlich Isotherm Studies for the Adsorption of Textile Metal Ions onto Teff Straw ( Eragrostis tef ) Agricultural Waste', *Journal of Thermodynamics*, 2013, pp. 1–6. doi: 10.1155/2013/375830.
- Diana, L., Safitrah, A. G. and Ariansyah, M. N. (2020) 'Analisis Kekuatan Tarik pada Material Komposit dengan Serat Penguat Polimer', 4(2), pp. 59–67.

- Dong, F. X. *et al.* (2021) ‘Simultaneous adsorption of Cr(VI) and phenol by biochar-based iron oxide composites in water: Performance, kinetics and mechanism’, *Journal of Hazardous Materials*. Elsevier B.V., 416(January), p. 125930. doi: 10.1016/j.jhazmat.2021.125930.
- Dong, Z. *et al.* (2019) ‘Characterization of new active packaging based on PP/LDPE composite films containing attapulgite loaded with Allium sativum essence oil and its application for large yellow croaker (*Pseudosciaena crocea*) fillets’, *Food Packaging and Shelf Life*. Elsevier, 20(April), p. 100320. doi: 10.1016/j.fpsl.2019.100320.
- Egbosiuba, T. C. *et al.* (2021) ‘Activated multi-walled carbon nanotubes decorated with zero valent nickel nanoparticles for arsenic, cadmium and lead adsorption from wastewater in a batch and continuous flow modes’, *Journal of Hazardous Materials*. Elsevier, p. 126993. doi: 10.1016/j.jhazmat.2021.126993.
- El-gabry, L. *et al.* (2015) ‘Study of Co ( II ) adsorption from aqueous solution using protein granules produced from chicken feather’, *Environmental Health Engineering and Management Journal* 2015, 2(4), pp. 193–197.
- El-gabry, L. *et al.* (2016) ‘Acrylic / keratin composite of enhanced dyeability towards cationic and anionic dyes Coloration Technology’, *Society of Dyers and Colourists, Colora. Technol.*, pp. 83–91. doi: 10.1111/cote.12190.
- Estévez-Martínez, Y. *et al.* (2013) ‘Grafting of multiwalled carbon nanotubes with chicken feather keratin’, *Journal of Nanomaterials*, 2013, pp. 8–10. doi: 10.1155/2013/702157.
- Al Fajr, M. A. and Setiawan, A. A. (2019) ‘Penggunaan Material Limbah High Density Polyethylene (HDPE) Sebagai Bahan Pengganti Agregat Kasar Pada Campuran Beton’, *Widyakala Journal*, 6, p. 6. doi: 10.36262/widyakala.v6i0.161.
- Flores-Hernndez, C. G. *et al.* (2014) ‘All green composites from fully renewable biopolymers: Chitosan-Starch reinforced with Keratin from feathers’, *Polymers*, 6(3), pp. 686–705. doi: 10.3390/polym6030686.
- Giat, S. G. S. *et al.* (2015) ‘Sifat Fisis Dan Mekanis Komposit High Density Polyethylene (HDPE) – Hydroxyapatite (HAp) Dengan Teknik Iradiasi Gamma’, *Jurnal Kimia dan Kemasan*, 37(1), p. 53. doi: 10.24817/jkk.v37i1.1812.
- Gitari, W. M. *et al.* (2008) ‘Passive neutralisation of acid mine drainage by fly ash and its derivatives: A column leaching study’, *Fuel*, 87(8–9), pp. 1637–1650. doi: 10.1016/j.fuel.2007.08.025.
- Goi, A. *et al.* (2019) ‘Regeneration of filter materials contaminated by naturally occurring radioactive compounds in drinking water treatment plant’, *Journal of Water Process Engineering*. Elsevier, 30(July 2017), p. 100464. doi: 10.1016/j.jwpe.2017.08.002.
- Gulipalli, C. H. S., Prasad, B. and Wasewar, K. L. (2011) ‘Batch Study , Equilibirum And Kinetics of Adsorption of Selenium Using Rice Husk Ash (RHA)’, *Journal?of?Engineering?Science?and?Technology?*, 6(5), pp. 586–605.
- Gulmine, J. V. *et al.* (2002) ‘Polyethylene characterization by FTIR’, *Polymer*

- Testing*, 21(5), pp. 557–563. doi: 10.1016/S0142-9418(01)00124-6.
- H .L. Yadav, A. J. (2015) ‘Removal of Heavy Metals from Acid Mine Drainage : A Review’, *International Journal of New Technologies in Science and Engineering Vol.*, 2(3), pp. 77–84.
- Hammouche, H. *et al.* (2021) ‘A comparative study of capacitive humidity sensor based on keratin film, keratin/graphene oxide, and keratin/carbon fibers’, *Sensors and Actuators, A: Physical*. Elsevier B.V., 329, p. 112805. doi: 10.1016/j.sna.2021.112805.
- Hamouche, H. *et al.* (2018) ‘Humidity Sensor Based on Keratin bio Polymer Film’, *Sensors and Actuators, A: Physical*. Elsevier B.V., 282, pp. 132–141. doi: 10.1016/j.sna.2018.09.025.
- Hasnan Muin (2000) ‘Kopolimerisasi LLDPPE dengan Anhidrat Maleat tanpa Inisiator dalam LABOPLASTITOMIL’, in. Proseding Simposium Nasional Polimer V. Available at: <https://digilib.batan.go.id/ppin/katalog/file/1410-8720-2005-1-065.pdf>.
- Igarashi, T. *et al.* (2020) ‘The two-step neutralization ferrite-formation process for sustainable acid mine drainage treatment: Removal of copper, zinc and arsenic, and the influence of coexisting ions on ferritization’, *Science of the Total Environment*. Elsevier B.V., 715, p. 136877. doi: 10.1016/j.scitotenv.2020.136877.
- Irawan, C. and Rumhayati, B. (2014) ‘Adsorption of Iron ( II ) By Fly Ash Adsorbent from Coal’, *J. Pure App. Chem. Res*, 3(June), pp. 88–99.
- Jangid, P. and Inbaraj, M. P. (2021) ‘Applications of nanomaterials in wastewater treatment’, *Materials Today: Proceedings*. Elsevier Ltd., 43, pp. 2877–2881. doi: 10.1016/j.matpr.2021.01.126.
- Ji, Y. *et al.* (2014) ‘Extraction of keratin with ionic liquids from poultry feather’, *Separation and Purification Technology*. Elsevier B.V., 132, pp. 577–583. doi: 10.1016/j.seppur.2014.05.049.
- Jin, Xin *et al.* (2020a) ‘Preparation of keratin/PET nanofiber membrane and its high adsorption performance of Cr(VI)’, *Science of the Total Environment*. Elsevier B.V, 710(Vi), p. 135546. doi: 10.1016/j.scitotenv.2019.135546.
- Jin, Xin *et al.* (2020b) ‘Preparation of keratin/PET nanofiber membrane and its high adsorption performance of Cr(VI)’, *Science of the Total Environment*. Elsevier B.V., 710, p. 135546. doi: 10.1016/j.scitotenv.2019.135546.
- Johari, A. F. and Santoso, D. T. (2021) ‘Pengaruh Temperatur terhadap Pembuatan Papan Komposit Sekam Padi Berbasis Limbah HDPE menggunakan Metode Hot Press’, *Jurnal Rekayasa Mesin*, 16(1), pp. 17–24. doi: 10.32497/jrm.v16i1.2036.
- Kamarudin, N. B. *et al.* (2017) ‘Statistical investigation of extraction parameters of keratin from chicken feather using Design-Expert’, *3 Biotech*. Springer Berlin Heidelberg, 7(2), pp. 1–9. doi: 10.1007/s13205-017-0767-9.
- Kampalanonwat, P. and Supaphol, P. (2014) ‘The Study of Competitive Adsorption of Heavy Metal Ions from Aqueous Solution by Aminated Polyacrylonitrile Nanofiber Mats’, *Energy Procedia*. Elsevier B.V., 56, pp. 142–151. doi:

10.1016/j.egypro.2014.07.142.

- Kementerian dan Lingkungan Hidup RI (2003) ‘SK Menteri Negara LH No 113 tahun 2003 Tentang Baku Mutu Air Limbah bagi Usaha dan atau Kegiatan Pertambangan Batubara’.
- Kementerian Lingkungan Hidup RI (2009) *Undang Undang No 32 2009 Perlindungan dan Pengelolaan Lingkungan Hidup*.
- Khosa, M. A., Wu, J. and Ullah, A. (2013) ‘Chemical modification, characterization, and application of chicken feathers as novel biosorbents’, *RSC Advances*, 3(43), p. 20800. doi: 10.1039/c3ra43787f.
- Khosravihaftkhany, S. and Morad, N. (2013) ‘Biosorption of Pb ( II ) and Fe ( III ) from Aqueous Solutions Using Oil Palm Biomasses as Adsorbents’, *Water Air Soil Pollut*, 224, p. 1455. doi: 10.1007/s11270-013-1455-y.
- Kong, J. et al. (2014) ‘Adsorption of Pb(II) from aqueous solution using keratin waste - hide waste: Equilibrium, kinetic and thermodynamic modeling studies’, *Chemical Engineering Journal*. Elsevier B.V., 241, pp. 393–400. doi: 10.1016/j.cej.2013.10.070.
- Kumari, A. R. and , U.Kiran Babu, K. S. (2011) ‘Optimization of Lead Adsorption using Animal Biopolymers by Factorial Design’, *IJSID*, 1(3), pp. 303–319.
- Kumari, A. R. and Sobha, K. (2015) ‘Cost effective and eco-friendly method for copper removal by adsorption with Emu feather ( Dromarus novaehollandiae) and Chitosan (Agaricus bisporus) Composite’, *International Journal of ChemTech Research*, 8(4), pp. 1769–1782.
- Li, H. et al. (2017) ‘Removal of Amoxicillin in Aqueous Solution by a Novel Chicken Feather Carbon: Kinetic and Equilibrium Studies’, *Water Air Soil Pollut* (2017). Water, Air, & Soil Pollution. doi: 10.1007/s11270-017-3385-6.
- Luptakova, A. et al. (2012) ‘Physical-chemical and Biological-chemical Methods for Treatment of Acid Mine Drainage’, *CHEMICAL ENGINEERING TRANSACTIONS*, 28, pp. 115–120. doi: 10.3303/cet1228020.
- Maou, S. et al. (2021) ‘Effect of various chemical modifications of date palm fibers (DPFs) on the thermo-physical properties of polyvinyl chloride (PVC)-high-density polyethylene (HDPE) composites’, *Industrial Crops and Products*. Elsevier B.V., 171(August), p. 113974. doi: 10.1016/j.indcrop.2021.113974.
- Margono, B. et al. (2020) ‘ANALISIS SIFAT MEKANIK MATERIAL KOMPOSIT PLASTIK HDPE BERPENGUAT SERAT AMPAS TEBU DITINJAU DARI KEKUATAN TARIK DAN BENDING’, 6(September), pp. 55–61.
- Meidinariasty, A. and Purnamasari, I. (2015) ‘Level Decreasing Kinetics Model of Heavy Metal Contents in The Coal Stockpile Wastewater with Electrocoagulation’, *International Journal on Advanced Science Engineering Information Technology*, 5(6), pp. 387–391.
- Mirdayanti, R. (2018) ‘Identifikasi Keratin Dari Ekstraksi limbah Bulu Ayam’, *Jurnal Ilmiah Sains, Teknologi, Ekonomi, Sosial dan Budaya Vol.*, 2(2), pp. 33–36.
- Mittal, A., Thakur, V. and Gajbe, V. (2012) ‘Evaluation of adsorption characteristics of an anionic azo dye Brilliant Yellow onto hen feathers in aqueous solutions’,

- Environ Sci Pollut Res* (2012), pp. 2438–2447. doi: 10.1007/s11356-012-0756-9.
- Mittal, A., Thakur, V. and Gajbe, V. (2013) ‘Adsorptive removal of toxic azo dye Amido Black 10B by hen feather’, *Environ Sci Pollut Res*, pp. 260–269. doi: 10.1007/s11356-012-0843-y.
- Mohamad Zain, N. et al. (2021) ‘Synergistic Effect of TiO<sub>2</sub> Size on Activated Carbon Composites for Ruthenium N-3 Dye Adsorption and Photocatalytic Degradation in Wastewater Treatment’, *Environmental Nanotechnology, Monitoring & Management*. Elsevier B.V., 16(August), p. 100567. doi: 10.1016/j.enmm.2021.100567.
- Molina Flores, S. et al. (2020) ‘Development of a new compound based on low-density polyethylene degraded with zeolite waste for the removal of diesel from water’, *Journal of Environmental Management*, 271(June). doi: 10.1016/j.jenvman.2020.110939.
- Moraes, M. L. B. et al. (2020) ‘The role of Al13-polymers in the recovery of rare earth elements from acid mine drainage through pH neutralization’, *Applied Geochemistry*, 113(November 2019). doi: 10.1016/j.apgeochem.2019.104466.
- Moreno, D. D. P., Hirayama, D. and Saron, C. (2018) ‘Accelerated aging of pine wood waste/recycled LDPE composite’, *Polymer Degradation and Stability*. Elsevier, 149(October 2017), pp. 39–44. doi: 10.1016/j.polymdegradstab.2018.01.014.
- Nasir, S., Ibrahim, E. and Arief, A. T. (2014) ‘Perancangan Plant Pengolahan Air Asam Tambang Dengan Proses Sand Filtrasi, Ultrafiltrasi Dan Reverse Osmosis’, *Prosiding SNaPP: Sains dan Teknologi*, 4(1), pp. 193–200.
- Negawo et al. (2021) ‘Effect of compatibilizer and fiber loading on ensete fiber-reinforced HDPE green composites: Physical, mechanical, and morphological properties’, *Composites Science and Technology*. Elsevier Ltd, 213(March), p. 108937. doi: 10.1016/j.compscitech.2021.108937.
- Nguyen Van Suc Ho Thi Yeu Ly (2012) ‘Adsorption of U (VI) from Aqueous Solution by Chitosan Grafted with Citric Acid via Crosslinking with Glutaraldehyde’, *J Chem Eng Process Technol*, 3(2), pp. 2–7. doi: 10.4172/2157-7048.1000128.
- Nikiforova, T., Kozlov, V. and Islyakin, M. (2019) ‘Journal of Environmental Chemical Engineering Sorption of d-metal cations by keratin from aqueous solutions’, *Journal of Environmental Chemical Engineering*. Elsevier, 7(5), p. 103417. doi: 10.1016/j.jece.2019.103417.
- Nor F., W. Sunarto, A. T. P. (2014) ‘SINTESIS BIOMASSA BULU AYAM TERAKTIVASI NaOH/Na<sub>2</sub>SO<sub>3</sub> APLIKASINYA PENURUN KADAR TEMBAGA LIMBAH ELEKTROPLATING’, 3(2252).
- Nurisman, E., Cahyadi, R. and Hadriansyah, I. (2012) ‘Studi terhadap Dosis Penggunaan Kapur Tohor (CaO) pada Proses Pengolahan Air Asam Tambang pada Kolam Pengendap Lumpur Tambang Air Laya PT. Bukit Asam (Persero), Tbk.’, *Jurnal Teknik Patra Akademika*, 5.
- Nwabanne, J. T. and Igbokwe, P. K. (2012) ‘Adsorption Performance of Packed Bed

- Column for the removal of Lead (ii) using oil Palm Fibre', *International Journal of Applied Science and Technology*, 2(5), pp. 106–115.
- Ojahan R, T. and Cahyono, T. (2015) 'Analisis Serat Pelepas Batang Pisang Kepok Material Fiber Komposit Matriks Recycled Polypropylene (RPP) Terhadap Sifat Mekanik dan SEM', *Mechanical*, 6(2), pp. 64–70. doi: 10.23960/mech.v6.i2.201509.
- Olds, W. E. et al. (2013) 'Nickel and Zinc Removal from Acid Mine Drainage: Roles of Sludge Surface Area and Neutralising Agents', *Journal of Mining*, 2013, pp. 1–5. doi: 10.1155/2013/698031.
- Online, I.S Butt, R. S. et al. (2014) 'Treatment of electroplating industry wastewater using iron nanoparticle doped spent tea waste charcoal', *J. Bio. & Env. Sci.*, 5(6), pp. 7–17.
- Osasona, I., Ajayi, O. O. and Adebayo, A. O. (2013) 'Equilibrium, Kinetics, and Thermodynamics of the Biosorption of Zn(II) from Aqueous Solution Using Powdered Cow Hooves', *ISRN Physical Chemistry*, 2013, pp. 1–7. doi: 10.1155/2013/865219.
- Patankar, K. C. et al. (2021) 'Chemically modified wool waste keratin for flame retardant cotton finishing', *Cleaner Engineering and Technology*. Elsevier Ltd, 5, p. 100319. doi: 10.1016/j.clet.2021.100319.
- Peltz, C. D., Zillich, C. and Brown, K. L. (2014) 'A Combination of Acid B Extra <sup>TM</sup> and Biochar to Reduce Metal Concentrations in Acid Mine Drainage', *Journal American Society of Mining and Reclamation*, 3(1), pp. 100–116. doi: 10.21000/jasmr14010100.
- Poole, A. J. and Church, J. S. (2015) 'The effects of physical and chemical treatments on Na 2 S produced feather keratin films', *International Journal of Biological Macromolecules*. Elsevier B.V., 73, pp. 99–108. doi: 10.1016/j.ijbiomac.2014.11.003.
- Rahayu, I. et al. (2020) 'Maleic anhydride grafted onto high density polyethylene with an enhanced grafting degree via monomer microencapsulation', *Heliyon*. Elsevier Ltd, 6(4), p. e03742. doi: 10.1016/j.heliyon.2020.e03742.
- Rais Nur Latifah, Roro Ernia, Anisya lisdiana , Erick Rian Yulianto, Nur Jannah Asrilya, Ayuni Dita Rosalia, Rosid Eka Mustofa, E. P. (2014) 'Pemanfaatan  $\alpha$  – Keratin Bulu Ayam sebagai Adsorben Ion Timbal (Pb)', *ALCHEMY*, 10(2), pp. 148–156.
- Ramakrishnan, N. et al. (2018) 'Keratin based bioplastic film from chicken feathers and its characterization', *International Journal of Biological Macromolecules*. Elsevier B.V., 111, pp. 352–358. doi: 10.1016/j.ijbiomac.2018.01.037.
- Ramya, K. R., Thangam, R. and Madhan, B. (2020) 'Comparative analysis of the chemical treatments used in keratin extraction from red sheep's hair and the cell viability evaluations of this keratin for tissue engineering applications', *Process Biochemistry*. Elsevier, 90(November 2019), pp. 223–232. doi: 10.1016/j.procbio.2019.11.015.
- Ratmanto, A., Raharjo, W. W. and Triyono, T. (2012) 'Pengaruh Tekanan

- Pengepresan terhadap Kekuatan Bending', *Jurnal Mekanika UNS*, (2007), pp. 46–50.
- Reddy, N., Chen, L. and Yang, Y. (2013) 'Biothermoplastics from hydrolyzed and citric acid Crosslinked chicken feathers', *Materials Science & Engineering C*. Elsevier B.V., 33(3), pp. 1203–1208. doi: 10.1016/j.msec.2012.12.011.
- Reynel-avila, H. E., Guanajuato, U. De and Bonilla-petreciolet, A. (2012) 'Competitive sorption of Pb , Cd and Ni from binary aqueous solutions by chicken feathers Competitive Sorption of Pb , Cd , and Ni on Chicken Feathers from Binary Aqueous Solutions', *INTERNATIONAL JOURNAL OF CHEMICAL REACTOR ENGINEERING*, 10.
- Sa'adah N, R. Hastuti, N. B. . P. (2013) 'PENGARUH ASAM FORMIAT PADA BULU AYAM SEBAGAI ADSORBEN TERHADAP PENURUNAN KADAR LARUTAN ZAT WARNA TEKSTIL REMAZOL GOLDEN YELLOW RNL', *Chem Info*, 1(1), pp. 202–209.
- Said, N. I. (2014) 'Teknologi Pengolahan Air Asam Tambang Batubara &quot;Alternatif Pemilihan Teknologi&quot;', *JAI*, 7(2), pp. 119–138. Available at: <http://ejurnal.bppt.go.id/index.php/JAI/article/viewFile/2411/2022>.
- Samah, S. D. (2017) 'KARAKTERISASI PLASTIK BIODEGRADABEL DARI LDPE-g-MA DAN PATI TANDAN KOSONG SAWIT', *EKSAKTA: Berkala Ilmiah Bidang MIPA*, 18(02), pp. 30–38. doi: 10.24036/eksakta/vol18-iss02/48.
- Sari, E. P. (2015) 'Pemanfaatan limbah bulu ayam sebagai pakan ternak ruminansia', *PROS SEM NAS MASY BIODIV INDON*, 1(Suryaningrum 2011), pp. 136–138. doi: 10.13057/psnmbi/m010123.
- Sebogodi, K. R., Johakimu, J. K. and Sithole, B. B. (2020) 'Beneficiation of pulp mill waste green liquor dregs: Applications in treatment of acid mine drainage as new disposal solution in South Africa', *Journal of Cleaner Production*. Elsevier Ltd, 246, p. 118979. doi: 10.1016/j.jclepro.2019.118979.
- Shaban, M., Hassouna, M. E. M. and Nasief, F. M. (2017) 'Adsorption properties of kaolinite-based nanocomposites for Fe and Mn pollutants from aqueous solutions and raw ground water : kinetics and equilibrium studies', *Environ Sci Pollut Res* (2017). Environmental Science and Pollution Research, pp. 22954–22966. doi: 10.1007/s11356-017-9942-0.
- Shavandi, A. et al. (2008) 'Dissolution , Extraction and Biomedical Application of Keratin: Methods and Factors Affecting the Extraction and Physicochemical Properties of Keratin Center for Material Science and Technology , University of Otago , Dunedin , New Zealand Minho , Headqu'.
- Shavandi, A. and Ali, M. A. (2019) 'Progress in Organic Coatings Graft polymerization onto wool fibre for improved functionality', *Progress in Organic Coatings*. Elsevier, 130(December 2018), pp. 182–199. doi: 10.1016/j.porgcoat.2019.01.054.
- Shen, L. et al. (2018) 'A new strategy to produce low-density polyethylene (LDPE)-based composites simultaneously with high flame retardancy and high mechanical properties', *Applied Surface Science*. Elsevier B.V., 437, pp. 75–81.

- doi: 10.1016/j.apsusc.2017.12.149.
- Siabi, W. K. et al. (2021) ‘Modelling the adsorption of iron and manganese by activated carbon from teak and shea charcoal for continuous low flow’, *Water-Energy Nexus*. The Authors, 4, pp. 88–94. doi: 10.1016/j.wen.2021.02.001.
- Singamneni, S. et al. (2019) ‘Selective laser sintering responses of keratin-based bio-polymer composites’, *Materials and Design*. Elsevier Ltd, 183, p. 108087. doi: 10.1016/j.matdes.2019.108087.
- Sousa, J., Freitas, O. M. and Figueiredo, S. A. (2012) ‘Basic dyestuffs removal from textile effluents using feathers: Equilibrium, kinetic and column studies’, *Global Nest Journal*, 14(1), pp. 100–107.
- Spiridon, I. et al. (2013) ‘Influence of keratin on polylactic acid/chitosan composite properties. behavior upon accelerated weathering’, *Industrial and Engineering Chemistry Research*, 52(29), pp. 9822–9833. doi: 10.1021/ie400848t.
- Swetti JHA, G. V. . (2013) ‘Removal Of Iron And Sulphate From Acid Mine Drainage And Neutralisation of pH by Biological Process’, *International Journal of Innovative Research in Engineering & Science*, 9(2).
- Tolonen, E. T. et al. (2014) ‘Acid mine drainage treatment using by-products from quicklime manufacturing as neutralization chemicals’, *Chemosphere*. Elsevier Ltd, 117(1), pp. 419–424. doi: 10.1016/j.chemosphere.2014.07.090.
- Tyas, B. et al. (2017) ‘Penanganan Air Asam Tambang Pada Skala Laboratorium Dengan Menggunakan Kapur Tohor Berdasarkan Parameter Ketebalan NAF’, *Prosiding Seminar Nasional XII*.
- Utami, U. B. L., Nurmasari, R. and Murliana, M. (2014) ‘Kajian Adsorpsi Fe(III) oleh Arang Kayu Apu (Pistia stratiotes l.) Termodifikasi Kitosan-Glutaraldehida’, *Prosiding Seminar Nasional Kimia*, ISBN : 978, pp. 64–74.
- Utami, U. B. L., Umaningrum, D. and Shaumi, I. (2015) ‘Kajian Adsorpsi Mn(II) oleh Arang Kayu Apu (Pistia stratiotes l.) Termodifikasi Kitosan-Glutaraldehida’, *Prosiding Seminar Nasional Kimia*, ISBN: 978-, pp. 66–80.
- Wang, D. et al. (2018) ‘Extraction of keratin from rabbit hair by a deep eutectic solvent and its characterization’, *Polymers*, 10(9). doi: 10.3390/polym10090993.
- Wang, X. et al. (2019) ‘A novel approach to rapidly purify acid mine drainage through chemically forming schwertmannite followed by lime neutralization’, *Water Research*. Elsevier Ltd, 151, pp. 515–522. doi: 10.1016/j.watres.2018.12.052.
- Waryat, Muhammad Romli, Ani Suryani, Indah Yuliasih, S. J. (2013) ‘Plastik Biodegradabel Berbahan Baku Komposit Pati Termoplastik- Lldpe / Hdpe’, *Agritech*, 33(2), pp. 197–207.
- Xiangyu Jin, Lu Lu, Haibo Wu, Qinfen Ke, H. W. (2013) ‘Duck feather/nonwoven composite fabrics for removing metals present in textile dyeing effluents’, *Journal of Engineered Fibers and Fabrics*, 8(3), pp. 89–96.
- Yuniari, A. and Kasmudjiastuti, E. (2012) ‘Spektroscopi FTIR dan sifat mekanik nanokomposit grafting HDPE dan nanoprecipitated calcium carbonate (NPCC)’, *Majalah Kulit, Karet, dan Plastik*, 28(2), p. 89. doi: 10.20543/mkkp.v28i2.110.

Zeng, H. *et al.* (2021) ‘Column studies on the adsorption of As(V) by granular chitosan adsorbent prepared with backwashing iron-containing sludge’, *Colloids and Surfaces A: Physicochemical and Engineering Aspects*. Elsevier B.V., 627(July), p. 127247. doi: 10.1016/j.colsurfa.2021.127247.

Zhang, J. *et al.* (2013) ‘Isolation and characterization of biofunctional keratin particles extracted from wool wastes’, *Powder Technology*, 246, pp. 356–362. doi: 10.1016/j.powtec.2013.05.037.

Zhang, Y., Zhao, J., *et al.* (2014) ‘Biosorption of Fe(II) and Mn(II) Ions from Aqueous Solution by Rice Husk Ash’, *BioMed Research International*, 2014, pp. 1–10. doi: 10.1155/2014/973095.

Zhang, Ying, Zheng, R., *et al.* (2014) ‘Characterization of H<sub>3</sub>PO<sub>4</sub> -Treated Rice Husk Adsorbent and Adsorption of Copper (II) from Aqueous Solution’, *BioMed Research International*, 2014(ii).



## SEKOLAH PASCASARJANA