

	Sig. (2-tailed)	0,000	0,000	0,000	0,000	0,012	0,000	0,000	0,001	0,000	0,000
	N	60	60	60	60	60	60	60	60	60	60
Pertanyaan Popularitas 1	Pearson Correlation	-.577 ^{**}	.628 ^{**}	.781 ^{**}	.685 ^{**}	.489 ^{**}	.516 ^{**}	.803 ^{**}	.596 ^{**}	.758 ^{**}	1 .429 ^{**}
	Sig. (2-tailed)	0,000	0,000	0,000	0,000	0,000	0,000	0,000	0,000	0,000	0,001
	N	60	60	60	60	60	60	60	60	60	60
Pertanyaan Popularitas 2	Pearson Correlation	-.534 ^{**}	.645 ^{**}	.693 ^{**}	.671 ^{**}	0,205	.503 ^{**}	.271 [*]	.481 ^{**}	.471 ^{**}	.429 ^{**} 1
	Sig. (2-tailed)	0,000	0,000	0,000	0,000	0,116	0,000	0,036	0,000	0,000	0,001
	N	60	60	60	60	60	60	60	60	60	60

**. Correlation is significant at the 0.01 level (2-tailed).

*. Correlation is significant at the 0.05 level (2-tailed).

Pertanyaan Popularitas 1	Pertanyaan Popularitas 2
-0,144	-0,009
0,271	0,944
60	60
.628**	.645**
0,000	0,000
60	60
.781**	.693**
0,000	0,000
60	60
.685**	.671**
0,000	0,000
60	60
.489**	0,205
0,000	0,116
60	60
.516**	.503**
0,000	0,000
60	60
.803**	.271**
0,000	0,036
60	60
.596**	.481**
0,000	0,000
60	60
.758**	.471**
0,000	0,000
60	60
1	.429**
	0,001
60	60
.429**	1
0,001	
60	60

Crosstabs

Notes

Output Created		30-JUN-2021 11:52:54
Comments		
Input	Data	E:\Downloads\Olah Data SPSS.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax	<pre>CROSSTABS /TABLES=Gender BY Persepsi1 Persepsi2 Persepsi3 Persepsi4 Persepsi5 Persepsi6 Persepsi7 Persepsi8 Persepsi9 Persepsi10 /FORMAT=AVALUE TABLES /STATISTICS=CHISQ /CELLS=COUNT /COUNT ROUND CELL.</pre>	
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,02
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	N	Valid	Cases	
			Percent	Missing
Jenis Kelamin * Pertanyaan Profesi 1	60		100,0%	0

Jenis Kelamin * Pertanyaan Profesi 2	60	100,0%	0
Jenis Kelamin * Pertanyaan Potensi Karier 1	60	100,0%	0
Jenis Kelamin * Pertanyaan Potensi Karier 2	60	100,0%	0
Jenis Kelamin * Pertanyaan Penghasilan 1	60	100,0%	0
Jenis Kelamin * Pertanyaan Penghasilan 2	60	100,0%	0
Jenis Kelamin * Pertanyaan Proyeksi 1	60	100,0%	0
Jenis Kelamin * Pertanyaan Proyeksi 2	60	100,0%	0
Jenis Kelamin * Pertanyaan Popularitas 1	60	100,0%	0
Jenis Kelamin * Pertanyaan Popularitas 2	60	100,0%	0

Jenis Kelamin * Pertanyaan Profesi 1

Crosstab

Count

Jenis Kelamin		Pertanyaan Profesi 1	
		Tidak Setuju	Kurang Setuju
Laki-laki		4	8
Perempuan		2	10
Total		6	18

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	20,316 ^a	3	0,000
Likelihood Ratio	23,379	3	0,000
Linear-by-Linear Association	3,380	1	0,066
N of Valid Cases	60		

a. 2 cells (25.0%) have expected count less than 5. The minimum expected count is 2.80.

Jenis Kelamin * Pertanyaan Profesi 2

Crosstab

Count

Jenis Kelamin		Pertanyaan Profesi :	
		Tidak Setuju	Kurang Setuju
Laki-laki		2	8
Perempuan		6	14
Total		8	22

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	9.970 ^a	3	0,019
Likelihood Ratio	10,306	3	0,016
Linear-by-Linear Association	8,231	1	0,004
N of Valid Cases	60		

a. 2 cells (25.0%) have expected count less than 5. The minimum expected count is 3.73.

Jenis Kelamin * Pertanyaan Potensi Karier 1

Crosstab

Count

Jenis Kelamin		Pertanyaan Potensi Kar	
		Tidak Setuju	Kurang Setuju
Laki-laki		5	5
Perempuan		5	15
Total		10	20

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	11.330 ^a	3	0,010

Perempuan	11	10
Total	14	27

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	15.552 ^a	3	0,001
Likelihood Ratio	17,069	3	0,001
Linear-by-Linear Association	7,011	1	0,008
N of Valid Cases	60		

a. 2 cells (25.0%) have expected count less than 5. The minimum expected count is 3.73.

Jenis Kelamin * Pertanyaan Proyeksi 2

Crosstab

Count	Jenis Kelamin	Laki-laki	Pertanyaan Proyeksi	
			Tidak Setuju	Kurang Setuju
	Jenis Kelamin	Laki-laki	7	5
		Perempuan	10	12
	Total		17	17

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	11.099 ^a	3	0,011
Likelihood Ratio	11,714	3	0,008
Linear-by-Linear Association	7,678	1	0,006
N of Valid Cases	60		

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 5.60.

Jenis Kelamin * Pertanyaan Popularitas 1

Crosstab

Count

		Total	
g	N	Percent	
	60	100,0%	

0,0%	60	100,0%
0,0%	60	100,0%
0,0%	60	100,0%
0,0%	60	100,0%
0,0%	60	100,0%
0,0%	60	100,0%
0,0%	60	100,0%
0,0%	60	100,0%
0,0%	60	100,0%
0,0%	60	100,0%

1		
Setuju	Sangat Setuju	Total
4	16	32
15	1	28
19	17	60

2

Setuju	Sangat Setuju	Total
9	13	32
3	5	28
12	18	60

tier 1

Setuju	Sangat Setuju	Total
17	5	32
6	2	28
23	7	60

tier 2

Setuju	Sangat Setuju	Total
7	4	32
2	1	28
9	5	60

an 1

Setuju	Sangat Setuju	Total
17	4	32
6	4	28
23	8	60

an 2

Setuju	Sangat Setuju	Total
13	11	32
9	3	28
22	14	60

1

Setuju	Sangat Setuju	Total
2	10	32

6	1	28
8	11	60

2

Setuju	Sangat Setuju	Total
10	10	32
4	2	28
14	12	60

s 1

Setuju	Sangat Setuju	Total
6	17	32
5	5	28
11	22	60

s 2

Setuju	Sangat Setuju	Total
18	4	32
12	2	28
30	6	60